

LINDEA VIEW SMALL

Features

- Element cabin – wall thickness 70 mm (40mm insulation, 2x 15mm tongue and groove planks) including roof elements
- Lindea outside wall cladding in THERMO-LIME WOOD
- Lindea inside wall cladding in LIME WOOD or THERMO-LIME WOOD
- Interior in Lime wood
- Upper bench with adjustable head piece 620mm wide
- Lower bench 970mm wide
- Intermediate bench panel
- Door made of 8mm single pane safety glass
- Doorhandle wood/wood
- 2 Glass elements of 8mm single pane safety glass
- LED Lighting - 2 Tubes integrated in upper bench



Details

Item No.	1-051-756 LINDEA-V-S-T-L	1-052-488 LINDEA-V-S-T-T
Dimensions [mm]	2210 x 1563 x 2040	2210 x 1563 x 2040
Construction	Element	Element
Wall thickness [mm]	70	70
Type of wood outside	Thermolinde	Thermo-lime
Type of wood inside	Lime	Thermo-lime
Type of wood interior	Lime	Lime
Interior fittings	Lindea	Lindea
Benches number (top / above)	1 / 2	1 / 2
Adjustable headboard on a bench	Yes	Yes
Door dimensions [mm]	628 x 1975 x 8	628 x 1975 x 8
Door hinge left and right	Yes	Yes
Glass elements dimensions [mm]	680 x 2006 x 8	680 x 2006 x 8
Infrared full spectrum heater [W]	No	No
Headrests number	-	-
Heater safety guard [mm]	-	-
Floor grid [mm]	600 x 270 x 40	600 x 270 x 40
Silicone cables for saunaheater 5x2,5mm ²	4 m	4 m
Silicone cables for saunalight 3x1,5mm ²	-	-
Persons	up to 3	up to 3
Volume [m ³]	6,5	6,5
Recommended heater power electro [kW]	6	6
Mirrored assembly option	Yes	Yes

Accessoires


LED-Set
LINDEA-LED-SET




LINDEA VIEW SMALL

Floor plan

assembly left



assembly right



LINDEA VIEW SMALL

Ausstattung

- Elementkabine – Wandstärke 70mm
- (40mm Isolierung, 2x 15mm Nut-Federbretter) auch Dachelemente
- Lindea Wandverkleidung außen in THERMOLINDE
- Lindea Wandverkleidung innen in LINDE oder THERMOLINDE
- Inneneinrichtung in Linde
- Obere Bank mit verstellbarem Kopfteil 620mm breit
- Untere Bank 970mm breit
- Banksichtbklende
- Türe aus 8mm ESG Glas
- Türgriff Holz/Holz
- 3 Glaselemente aus 8mm ESG Glas
- LED Beleuchtung – 2 Tubes in oberer Bank eingebaut



Details

Art.-Nr.	1-051-756 LINDEA-V-S-T-L	1-052-488 LINDEA-V-S-T-T
Abmessungen [mm]	2210 x 1563 x 2040	2210 x 1563 x 2040
Bauweise	Element	Element
Wandstärke [mm]	70	70
Holzart außen	Thermolinde	Thermolinde
Holzart innen	Linde	Thermolinde
Holzart Inneneinrichtung	Linde	Linde
Inneneinrichtung	Lindea	Lindea
Bänke Anzahl (oben / unten)	1 / 2	1 / 2
Verstellbares Kopfteil bei einer Bank	Ja	Ja
Türe Abmessungen [mm]	628 x 1975 x 8	628 x 1975 x 8
Türanschlag links und rechts	Ja	Ja
Glaselemente Abmessungen [mm]	680 x 2006 x 8	680 x 2006 x 8
Infrarot-Vollspektrumstrahler [W]	nein	nein
Kopfstützen Anzahl	-	-
Ofenschutzgitter [mm]	-	-
Bodenrost [mm]	600 x 270 x 40	600 x 270 x 40
Silikonkabel für Saunaofen 5x2,5mm ²	4 m	4 m
Silikonkabel für Saunalicht 3x1,5mm ²	-	-
Personen	bis 3	bis 3
Volumen [m ³]	6,5	6,5
Empf. Ofenleistung [kW]	6	6
Gespiegelter Aufbau	Ja	Ja

Zubehör


LED-Set
LINDEA-LED-SET



LINDEA VIEW SMALL

Grundriss

Aufbau links



Aufbau rechts

