

Arch Lever Latch Set

60-360-00-LH/RH

Thickness: 1/8"

Screw: 1" Oval | #10 Stainless

Dimensions: 4-3/4 W x 3-1/4" H

Passage Dim.: 4-1/8" L x 3-1/4" H

Beaver Tail (30) Lever Shown

Included: Active Bar Latch Side, Passage Side (Shown Below), & Surface or Mortise Strike



Right Hand Shown - Handing Required
Displayed SKU: 60-360-30-RH



Mortise Strike

50-501

May be used instead of surface strike (shown above).

Please specify when ordering.



This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-360-30-F-LH



(10) Square Lever
Dimensions: 4-1/8" L
Projection: 2-1/2"



(15) Square Twist
Dimensions: 4-1/8" L
Projection: 2-1/2"



(20) Round Lever
Dimensions: 4-3/4" L
Projection: 2-1/4"



(30) Beaver Tail Lever
Dimensions: 4-1/2" L
Projection: 2-1/4"



(40) Octagonal Lever
Dimensions: 6" L
Projection: 3"



(50) Pull Ring
Dimensions: 3-1/2" Dia.
Projection: 2-1/4"



(60) Oval Knob
Dimensions: 2-1/2" H x 1-1/2" W
Projection: 2-3/4"



(70) Mushroom Knob
Dimensions: 2" Dia.
Projection: 2-1/2"



(75) Large Mushroom
Dimensions: 2-1/4" Dia.
Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-360**

Example SKU: **60-360-XX**

Lever/Knob Code

Handing

60 - **360** - **30** - **RH**

This product would be a Right Handed Arch Lever Latch Set with a Beaver Tail Lever



Right Hand Shown - Handing Required - Displayed SKU: 60-370-10-RH

Double Arch Lever Latch Set

60-361-00-LH/RH

Screw: 1" Oval | #10 Stainless
 Dimensions: 4-3/4 W x 3-1/4" H
 Passage Dim.: 4-1/8" W x 3-1/4" H
 Square (10) Lever Shown
 Included: Active Lever Latch Side (Above), Latch Side Keeper Plate (Above), 2 Passage Sides (Below)



The Arch Double Gate Lever Latch Set is designed for double doored Gates. Only the Lever Latch Pair is active, strike plate pair is locked. All sides can have different levers, just specify when you order. The Active Lever Latch side can be ordered as a half-set and used with any spindle passage plate.

Just add -HA to the end of any complete SKU for a half set.



(10) Square Lever
 Dimensions: 4-1/8" L
 Projection: 2-1/2"



(15) Square Twist
 Dimensions: 4-1/8" L
 Projection: 2-1/2"



(20) Round Lever
 Dimensions: 4-3/4" L
 Projection: 2-1/4"



(30) Beaver Tail Lever
 Dimensions: 4-1/2" L
 Projection: 2-1/4"



(40) Octagonal Lever
 Dimensions: 6" L
 Projection: 3"



(50) Pull Ring
 Dimensions: 3-1/2" Dia.
 Projection: 2-1/4"



(60) Oval Knob
 Dimensions: 2-1/2"H x 1-1/2" W
 Projection: 2-3/4"



(70) Mushroom Knob
 Dimensions: 2" Dia.
 Projection: 2-1/2"



(75) Large Mushroom
 Dimensions: 2-1/4" Dia.
 Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-361**

Example SKU: **60-370-XX**

Lever/Knob Code

Handing



This product would be a Right Handed Double Arch Lever Latch Set with a Square Lever

Euro Lever Latch Set

60-350-00-LH/RH

Thickness: 1/8"

Screw: 1" Oval | #10 Stainless

Dimensions: 4-3/4 W x 3-1/4" H

Passage Dim.: 4" W x 3-1/4" H

Octagonal (40) Lever Shown

Included: Active Bar Latch Side, Passage Side (Shown Below), & Surface or Mortise Strike



Right Hand Shown - Handing Required
Displayed SKU: 60-350-40-RH



**Mortise Strike
50-501**

May be used instead of surface strike (shown above).

Please specify when ordering.



This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-350-40-F-LH



(10) Square Lever
Dimensions: 4-1/8" L
Projection: 2-1/2"



(15) Square Twist
Dimensions: 4-1/8" L
Projection: 2-1/2"



(20) Round Lever
Dimensions: 4-3/4" L
Projection: 2-1/4"



(30) Beaver Tail Lever
Dimensions: 4-1/2" L
Projection: 2-1/4"



(40) Octagonal Lever
Dimensions: 6" L
Projection: 3"



(50) Pull Ring
Dimensions: 3-1/2" Dia.
Projection: 2-1/4"



(60) Oval Knob
Dimensions: 2-1/2" H x 1-1/2" W
Projection: 2-3/4"



(70) Mushroom Knob
Dimensions: 2" Dia.
Projection: 2-1/2"



(75) Large Mushroom
Dimensions: 2-1/4" Dia.
Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-350**

Example SKU: **60-350-XX**

Lever/Knob Code

Handing



This product would be a Right Handed Euro Passage Set with a Octagonal Lever.

Right Hand Shown -
Handing Required
Displayed SKU:
400-15-SET-RH



4-1/8" Case Latch Set

400-00-SET-RH

Thickness: 3/4"
Screw: 1-1/4" Oval | #10 Stainless
Dimensions: 5-1/4 H x 3-1/4" W
Square Twist (15) Lever Shown
Included: Active Bar Latch Side,
Passage Side (Shown on Right), &
Surface or Mortise Strike



Mortise Strike

50-500

May be used instead of
surface strike (shown
above).
Please specify when
ordering.

This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Example Active Side Only SKU: 400-15-**BAR**-RH

Example Passage Set Only SKU: 400-15-**PAS**-RH



(10) Square Lever
Dimensions: 4-1/8" L
Projection: 2-1/2"



(15) Square Twist
Dimensions: 4-1/8" L
Projection: 2-1/2"



(20) Round Lever
Dimensions: 4-3/4" L
Projection: 2-1/4"



(30) Beaver Tail Lever
Dimensions: 4-1/2" L
Projection: 2-1/4"



(40) Octagonal Lever
Dimensions: 6" L
Projection: 3"



(50) Pull Ring
Dimensions: 3-1/2" Dia.
Projection: 2-1/4"



(60) Oval Knob
Dimensions: 2-1/2"H x 1-1/2" W
Projection: 2-3/4"



(70) Mushroom Knob
Dimensions: 2" Dia.
Projection: 2-1/2"



(75) Large Mushroom
Dimensions: 2-1/4" Dia.
Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the (400-).
Base SKU's shown above are: **400-XX-SET-XX**

Example SKU: **400-XX-XX** Lever/Knob Code **SET** Handing **RH**

This product would be a Left Handed Case Latch Lever Set with a Square Twist Lever.

7" Passage Drop Bar Latch

60-100-00-LH/RH

Thickness: 1/8"

Screw: 1" Round | #10 Stainless

Dimensions: 4-1/2 H x 2-3/4" W

7" From Center of Plate

Knob (75) Shown

Included: Active Bar Side,
Passage Side, & Surface
or Mortise Strike



Right Hand Shown - Handing Required
Displayed SKU: 60-100-75-RH

5" Square Plate Latch Set

60-101-00-LH/RH

Thickness: 1/8"

Screw: 1" Round | #10 Stainless

Dimensions: 4-1/2 H x 2-3/4" W

5" From Center of Plate

Round (20) Lever Shown

Included: Active Bar Side,
Passage Side, & Surface
or Mortise Strike



Left Hand Shown - Handing Required
Displayed SKU: 60-101-20-LH



Mortise Strike 50-500

These lever sets can be ordered
with the default (Surface) strike,
or ordered with the Mortise
Strike at no extra charge.

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side can be ordered as a half-set and can be used with any spindle passage plate just specify a half set when ordering.



(10) Square Lever
Dimensions: 4-1/8" L
Projection: 2-1/2"



(15) Square Twist
Dimensions: 4-1/8" L
Projection: 2-1/2"



(20) Rounde Lever
Dimensions: 4-3/4" L
Projection: 2-1/4"



(30) Beaver Tail Lever
Dimensions: 4-1/2" L
Projection: 2-1/4"



(40) Octagonal Lever
Dimensions: 6" L
Projection: 3"



(50) Pull Ring
Dimensions: 3-1/2" Dia.
Projection: 2-1/4"



(60) Oval Knob
Dimensions: 2-1/2" H x 1-1/2" W
Projection: 2-3/4"



(70) Mushroom Knob
Dimensions: 2" Dia.
Projection: 2-1/2"



(75) Large Mushroom
Dimensions: 2-1/4" Dia.
Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the Base SKU with your handing choice.

Base SKU's shown above are: **60-100, 60-101**

Example SKU: **60-100-00-LH** Lever/Knob Code Handing
60 - **100** - **75** - **RH**

This product would be a 7" Right Handed Passage Drop Bar Latch with a Mushroom Knob.



9-1/4" Bean Pull
40-410-B
Dimensions: 9-1/4" L x 2-3/4" W
Screw: 1" Round | #10 Stainless



9-1/4" Bean Thumb Latch
40-310-B
Dimensions: 9-1/4" L x 2-3/4" W
Screw: 1" Round | #10 Stainless
Works with any Drop Bar

Standard Thumb Latch Tail Piece works on Gates up to **3-1/2"** Thick
Extended Tail Piece (**40-315**) - Works on Gates up to **4-3/4"** Thick



8" Bean Pull
40-400-B
Dimensions: 8" L x 2-1/4" W
Screw: 1" Round | #10 Stainless



8" Bean Thumb Latch
40-300-B
Dimensions: 8" L x 2-1/4" W
Screw: 1" Round | #10 Stainless
Works with any Drop Bar



7-1/2" Pull Handle - Bean
40-105-B
 Dimensions: 7-1/2" L x 2" W
 Screw: 1" Round | #10 Stainless



8-1/2" Pull Handle - Heart
40-105-H
 Dimensions: 8-1/2" L x 2" W
 Screw: 1" Round | #10 Stainless



8-1/2" Pull Handle - Spear
40-105-S
 Dimensions: 8-1/2" L x 2" W
 Screw: 1" Round | #10 Stainless

Standard Thumb Latch Tail Piece works on Gates up to **3-1/2"** Thick
 Extended Tail Piece (**40-315**) - Works on Gates up to **4-3/4"** Thick



7-1/2" Thumb Latch - Bean
40-100-B
 Dimensions: 7-1/2" L x 2-3/4" W
 Screw: 1" Round | #10 Stainless
 Works with any Drop Bar



8-1/2" Thumb Latch - Heart
40-100-H
 Dimensions: 8-1/2" L x 2-3/4" W
 Screw: 1" Round | #10 Stainless
 Works with any Drop Bar



8-1/2" Thumb Latch - Spear
40-100-S
 Dimensions: 8-1/2" L x 2-3/4" W
 Screw: 1" Round | #10 Stainless
 Works with any Drop Bar



6-1/2" Drop Bar Square with Knob

50-145

Bar Dimensions: 6-1/2" L
Catch Dimensions: 3" L x 3/4" W
Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob

50-147

Bar Dimensions: 6-1/2" L
Catch Dimensions: 3" L x 3/4" W
Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob - Reverse Bevel

50-135

Bar Dimensions: 6-1/2" L
Catch Dimensions: 3" L x 3/4" W
Screw: 1" Round | #10 Stainless



2" x 2" Slim Gate Stop

50-240


Thickness: 3/8"
Screw: 1-1/4" Flat | #10 Stainless
Included: Stopping Pad
Use: For Gates up to 50 Lbs



4" x 2" Extended Gate Stop

50-260

Thickness: 5/8"
Screw: 1-1/4" Flat | #10 Stainless
Included: Stopping Pad
Use: For Gates up to 100 Lbs



Standard Gate Latch - Straight
50-200
 Dimensions: 2" L x 2" W x 1-3/4" H
 Catch: Straight
 Screw: 1" Round | #10 Stainless



Standard Gate Latch - Straight - Deadbolt Hole
50-201
 Dimensions: 2" L x 2" W x 1-3/4" H
 Catch: Straight
 Deadbolt Hole: 3/8" Diameter
 Screw: 1" Round | #10 Stainless



Standard Gate Latch - Offset
50-205
 Dimensions: 2" L x 2" W x 1-3/4" H
 Catch: Offset
 Screw: 1" Round | #10 Stainless




Standard Gate Latch - Offset - Deadbolt Hole
50-206
 Dimensions: 2" L x 2" W x 1-3/4" H
 Catch: Offset
 Deadbolt Hole: 3/8" Dia.
 Screw: 1" Round | #10 Stainless


Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.



Example SKU: **30-440-X** Hinge Tip Code



This product would have a Steeple Tip.



6-1/2" Gate T-Hinge
30-440
 Dimensions: 6-1/2" L x 4" H
 Thickness: .20" / 5mm
 Weight Load (Pair): 60 Lbs
 Screw: 1-1/4" Flat | #10 Stainless



3" Cabin Hook
50-699
 Mounting Plates: 1-1/2" W x 1-1/4"
 Screw: 1" Flat | #10 Stainless

4-1/2" x 4-1/2" Butt Hinge
- Button Tip

30-423

Thickness: .26" / 6.5mm
Screw: 1-1/2" Flat | #12 Stainless
Weight Load (Pair): 75 Lbs



4-1/2" x 4-1/2" Butt Hinge
- Round (Ball) Tip

30-424

Thickness: .26" / 6.5mm
Screw: 1-1/2" Flat | #12 Stainless
Weight Load (Pair): 75 Lbs



4-1/2" x 4-1/2" Butt Hinge
- Steeple Tip

30-425

Thickness: .26" / 6.5mm
Screw: 1-1/2" Flat | #12 Stainless
Weight Load (Pair): 75 Lbs



All hinges shown are cast and may vary slightly in height, width, and thickness.
All hinges are available with Button, Round, or Steeple Tips.

4-1/2" x 4-1/2" Heavy Duty Hinge

30-423-H

Thickness: .26" / 6.5mm
Screw: 2" Flat | #18 Stainless
Weight Load (Pair): 150 Lbs



Heavy Duty Hinge (**30-423-H**) is available in Button, Round, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.



Example SKU: **30-423-H-X**

Hinge Tip Code



This product would have a Steeple Tip.



Extended Throw Cane Bolt
80-110

Dimensions: 23" L x 5/8" Dia.
Back Plates: 2" W x 4" L
Throw: 8"
Screw: 1" Round | #10 Stainless



Heavy Duty Cane Bolt
80-115

Dimensions: 25" L x 1" Dia.
Back Plates: 3" W x 4" L
Throw: 6"
Screw: 1-1/4" Flat | #12 Stainless

Cane Bolt Cup
80-105

Dimensions: 3" H x 1-1/4" Dia.



Cane Bolt Lock Plate
80-102

Dimensions: 1-3/4" L x 1-1/4" H
Included: Plate & Lock
Screw: 1-1/4" Flat | #10 Stainless



4-1/2" x 4-1/2" Self Closing Hinge
w/ Bronze PVD Finish

30-455
Material: 304 Stainless Steel
w/PVD Finish
Thickness: .13" / 6.5mm
Screw: 1-1/2" | #12 Stainless
Weight Load (Pair): 75 Lbs



4" x 4" Self Closing Hinge
w/ Bronze PVD Finish

30-456
Material: 304 Stainless Steel
w/PVD Finish
Thickness: .13" / 6.5mm
Screw: 1-1/2" | #12 Stainless
Weight Load (Pair): 60 Lbs





8" x 8" High Load Butt Hinge

30-430

Thickness: .275" / 7mm

Screw: 2" Flat | #18 Stainless

Weight Load (Pair): 160 Lbs

Longer screws available by request



3-1/2" x 3-1/2" Template Hinge

30-409

Thickness: .125" / 3.2mm

Screw: 1-1/4" Bronze | #12

Weight Load (Pair): 60 Lbs



8-5/8" x 2" Bi-fold Hinge

30-435

Thickness: .275" / 6mm

Screw: 1-1/4" Flat | #10 Stainless

Weight Load (Pair): 75 Lbs



Cabinet H-Hinge

30-465

Dimensions: 3" L x 1-1/4" W

Thickness: 1/8" / 3.2mm

Screw: 1/2" Oval | #6 Stainless

Weight Load (Pair): 10 Lbs

(30-435) & (30-430) are cast and may vary slightly in height, width, and thickness.
 (30-435) & (30-430) are also available with Button, Ball, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.



(B) Button Tip



(R) Round Tip



(S) Steeple Tip

Example SKU: **30-440-X**

Hinge Tip Code



This product would have a Steeple Tip.



Driveway Gate Hinge - Edge Mount
20-390

Dimensions: 16-1/2" L x 3-1/2" W
Pintle: 7" L x 3-3/4" W
Thickness: .45" / 11.5mm
Includes: (1) Pintle & (1) Active Hinge
Screw: 1/2" Bolts
(Specify Thickness on Order)
Weight Load (Pair): 350 Lbs



Driveway Gate Hinge - Edge Mount
20-391

Dimensions: 6-1/2" L x 3-1/2" W
Pintle: 7" L x 3-3/4" W
Thickness: .45" / 11.5mm
Includes: (1) Pintle & (1) Active Hinge
Screw: 1/2" Bolts
(Specify Thickness on Order)
Weight Load (Pair): 350 Lbs



Driveway Gate Hinge - Dummy
20-392

Dimensions: 15-1/2" L x 3-1/2" W
Thickness: .45" / 11.5mm
Includes: (1) Dummy Hinge
Screw: 1/2" Bolts



Driveway Gate Hinge - Dummy
20-393

Dimensions: 5-1/2" L x 3-1/2" W
Thickness: .45" / 11.5mm
Includes: (1) Dummy Hinge
Screw: 1/2" Bolts



Right Hand Shown -
Handing Required
Displayed SKU: 20-380-A-RH

Loose Pin Band Hinge & Pintle - Arch
20-380-A-RH/LH

Handing: Please choose Right (RH) or Left (LH)
Dimensions: 17" L x 2" H x 1/4" Thick
Screw: See Screw Chart (A)
Weight Load (Pair): 250 Lbs | 3 Hinges: 350 Lbs



Right Hand Shown -
Handing Required
Displayed SKU: 20-380-B-RH

Loose Pin Band Hinge & Pintle - Bean
20-380-B-LH/RH

Handing: Please choose Right (RH) or Left (LH)
Dimensions: 17" L x 2" H x 1/4" Thick
Screw: See Screw Chart (A)
Weight Load (Pair): 250 Lbs | 3 Hinges: 350 Lbs

Specify screw head type and length when ordering any Loose Pin Band Hinge

	Square Head	Hex Head	1-1/2" Lag	2-1/2" Lag
(A)				
	Rust Resistant	Stainless Steel		



Small Band Hinge & Pintle - Arch
20-350-A

Included: (1) Small Band Hinge & (1) Pintle
Dimensions: 12" L x 1-1/4" H x 1/4" Thick
Pintle: 1-1/4" W x 3-3/4" H
Screw: 1" Round | #10 Stainless
Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs



Small Band Hinge & Pintle - Bean
20-350-B

Included: (1) Small Band Hinge & (1) Pintle
Dimensions: 12" L x 1-1/4" H x 1/4" Thick
Pintle: 1-1/4" W x 3-3/4" H
Screw: 1" Round | #10 Stainless
Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs

Pintle In Pipe - Heavy

20-255-H

Dimensions: 12" L

Diameter: 1-1/4"

Weight Load (Pair): 150 Lbs

Pintle in Pipe may be installed into brick, concrete, or a stone face 10" deep. It is designed for heavy duty long-term installations and should be installed professionally to prevent installation misalignment which can cause breakage.



Screw In Pintle - Heavy

20-251-H

Dimensions: 7-1/2" L x 3-1/2" H

Threads: 5-1/2" Long

Weight Load (Pair): 150 Lbs



28" Non-Active Band Hinge - Arch

20-155-A

Band Thickness: 1/4"

Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Arch

20-150-A

Band Thickness: 1/4"

Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Arch

20-145-A

Band Thickness: 1/4"

Screw: See Screw Chart (A)



10" Non-Active Band Hinge - Arch

20-140-A

Band Thickness: 1/4"

Screw: See Screw Chart (A)

All Non-Active Band Hinges are decorative only, they do not support weight. They cannot be through-bolted.

Specify screw head type and length when ordering any Non-Active Band Hinge

	Square Head	Hex Head	1-1/2" Lag	2-1/2" Lag
(A)				
	Rust Resistant	Stainless Steel		

All Active Band Hinges work with all Pintles: **20-250, 20-251, 20-251-H, 20-255, 20-255-H, 20-252**



30" Active Band Hinge - Bean

20-330-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)



24" Active Band Hinge - Bean

20-324-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)



17" Active Band Hinge - Bean

20-317-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)



12" Active Band Hinge - Bean

20-312-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)

Specify screw head type and length when ordering any Band Hinge

	Square Head	Hex Head	1-1/2" Lag	2-1/2" Lag
(A)				
	Rust Resistant	Stainless Steel		



28" Non-Active Band Hinge - Bean

20-155-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Bean

20-150-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Bean

20-145-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)



10" Non-Active Band Hinge - Bean

20-140-B

Band Thickness: 1/4"

Screw: See Screw Chart (A)

All Non-Active Band Hinges are decorative only, they do not support weight. They cannot be through-bolted.

Paired with any of the 3 handles to the right. (Not sold individually)
See Below for Details



Dimensions: 8-3/4" x 2-1/4" W

8" C2C Euro Bar Pull
40-730
 Dimensions: 11" L x 1" W x 1/2" Diameter
 Screw: #1/4-20



0

8" C2C Bar Pull
40-710
 Dimensions: 8" L x 1" W
 Screw: #1/4-20



1

8" C2C Cabinet Bar Pull
80-825
 Dimensions: 8" L x 3/4" W
 Screw: #1/4-20



2

40-730 with Finger Pull (Above)
(40-800)

40-710 with Finger Pull (Above)
(40-801)

80-825 with Finger Pull (Above)
(40-802)

All Bar Pulls Above are available to be used with the Finger Pull (Above). Just choose your handle and select the appropriate type code.

Base SKU: **40-80X**

Type Code

40-801

This product would be a Finger Pull w/40-710

8-3/4" Pocket Door Pull
 - Square

500-58

Dimensions: 8-3/4" L x 2-1/4" W

Screw: 1" Flat | #10 Stainless
 (Cannot be paired with above handles)






1/4" Door Stud/Clavos - Square

90-505

Dimensions: 1/4" Projection,
3/4" Stud
Diameter: 1/4"

All door studs/clavos are for decorative purpose and should not be used to mount product or support weight. Make sure to pre-drill your desired area before inserting door stud/clavos.



6" Lockable Hasp

50-450


Thickness: .20" / 5mm
Screw: 1" Flat | #10 Stainless
Dimensions: 6" L x 1-1/2" W
Padlock Hole Diameter: 3/8"



1" Door Stud/Clavos - Crest

90-520

Dimensions: 1/4" Projection,
1" Stud
Diameter: 1"



5" Surface Slide Bolt

90-105

Dimensions: 5" L x 3/4" W
Screw: 1" Round | #10 Stainless
Throw: 1" Total
Included: (1) Slide Bolt, Catch (Shown)



Door Stop - Floor

500-30

Dimensions: 1" Diameter x 1-1/4" L
Screw: 1-1/2" Flat | #10 Stainless


By request, Mortise Plates can replace flush catch free of charge.



Mortise Plate

90-110

Used With: 90-105



14" x 14" Grill

70-115

Bar Thickness: .50" / 5mm

Screw: 1" Round | #10 Stainless

Bar Type: 1 Bar x 1 Bar



14-1/4" Grill - Curved
- Four Point Design

70-150

Bar Thickness: .65" / 6mm

Screw: 1-1/2" | #18 Stainless

Displayed SKU: 102-75-PAS



5" Offset Square Series
102-00-PAS/DUM
 Thickness: 1/8"
 Screw: 1" Oval | #10 Stainless
 Dimensions: 5" H x 2-3/4" W
 Large Mushroom (75) Knob Shown



Included with PAS Function:
 (2) Plates with Levers, Knobs, or
 Ring & 1 Spring Latch Set

Included with DUM Function:
 (2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



(10) Square Lever
 Dimensions: 4-1/8" L
 Projection: 2-1/2"



(15) Square Twist
 Dimensions: 4-1/8" L
 Projection: 2-1/2"



(20) Round Lever
 Dimensions: 4-3/4" L
 Projection: 2-1/4"



(30) Beaver Tail Lever
 Dimensions: 4-1/2" L
 Projection: 2-1/4"



(40) Octagonal Lever
 Dimensions: 6" L
 Projection: 3"



(50) Pull Ring
 Dimensions: 3-1/2" Dia.
 Projection: 2-1/4"



(60) Oval Knob
 Dimensions: 2-1/2" H x 1-1/2" W
 Projection: 2-3/4"



(70) Mushroom Knob
 Dimensions: 2" Dia.
 Projection: 2-1/2"



(75) Large Mushroom
 Dimensions: 2-1/4" Dia.
 Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **102-00-PAS or DUM**

Example SKU: **102-XX-PAS**

Lever/Knob Code

PAS or DUM

102-75-PAS

This product would be a 5" Offset Square Plate Passage with a Large Mushroom Knob.

Displayed SKU: 105-60-PAS



2-3/4" Square Series
105-00-PAS/DUM
 Thickness: 1/8"
 Screw: 1" Oval | #10 Stainless
 Dimensions: 2-3/4" W x 2-3/4" H
 Oval Knob (60) Lever Shown

Included with PAS Function:
 (2) Plates with Levers, Knob, or Ring, 1 Spring Latch Set

Included with DUM Function:
 (2) Plates with Levers, Knob, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



(10) Square Lever
 Dimensions: 4-1/8" L
 Projection: 2-1/2"



(15) Square Twist
 Dimensions: 4-1/8" L
 Projection: 2-1/2"



(20) Round Lever
 Dimensions: 4-3/4" L
 Projection: 2-1/4"



(30) Beaver Tail Lever
 Dimensions: 4-1/2" L
 Projection: 2-1/4"



(40) Octagonal Lever
 Dimensions: 6" L
 Projection: 3"



(50) Pull Ring
 Dimensions: 3-1/2" Dia.
 Projection: 2-1/4"



(60) Oval Knob
 Dimensions: 2-1/2" H x 1-1/2" W
 Projection: 2-3/4"



(70) Mushroom Knob
 Dimensions: 2" Dia.
 Projection: 2-1/2"



(75) Large Mushroom
 Dimensions: 2-1/4" Dia.
 Projection: 2-1/2"


Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **105-00-PAS or DUM**

Example SKU: **105-XX-PAS** Lever/Knob Code PAS or DUM

105-60-PAS

This product would be a 2-1/2" Square Plate Passage with a Oval Knob.



Large Square Deadbolt - Single Cylinder

30-290

Dimension: 2-3/4" x 2-3/4"

Screw: 1" Oval | #10 Stainless



Large Square Deadbolt - Double Cylinder

30-290-D

Dimension: 2-3/4" x 2-3/4"

Screw: 1" Oval | #10 Stainless

17" C2C Bar Pull
80-827
Dimensions: 17" L x 7/8" W
Screw: #1/4-20



12" C2C Bar Pull
80-826
Dimensions: 12" L x 7/8" W
Screw: #1/4-20



8" C2C Bar Pull
80-825
Dimensions: 8" L x 7/8" W
Screw: #1/4-20



6" C2C Bar Pull
80-824
Dimensions: 6" L x 5/8" W
Screw: #8-32



4" C2C Bar Pull
80-823
Dimensions: 4" L x 7/16" W
Screw: #8-32





Cabinet Utility Pull - 6-1/2"
80-828
Dimensions: 6-1/2" L x 1-3/4" W
Screw: 1" Round Head | Stainless #10



Cabinet Utility Pull - 5-1/2"
80-829
Dimensions: 5-1/2" L x 1-1/4" W
Screw: 1" Round Head | Stainless #10



4" C2C Arch Pull
80-831
Dimensions: 5-1/2" L x 1-1/4" W
Screw: 1-1/4" Zinc Plated Pan Head | #8-32



Rat Tail Window Latch
70-203
Dimensions: 3-1/2" Long
Screw: 1" Flat | #10 Stainless



Rat Tail Shutter Dog
70-501
Dimensions: 6" Long
x 1-3/8" W
Lag: 5" Stainless Steel



Sash Lock - RH
70-202-RH
Screw: 3/4" Flat | #10 Stainless
Dimension: 3-1/4" L



Sash Lock - LH
70-202-LH
Screw: 3/4" Flat | #10 Stainless