

CoastalTM

B R O N Z E

- PURE BRONZE - 90% COPPER AND 10% TIN
- TRADITIONAL HANDCRAFTED DESIGNS
- WILL NEVER RUST • LASTS A LIFETIME
- CUSTOM FABRICATION AND DESIGN

Coastal Bronze was created to provide a reliable and cost effective source for all solid bronze hardware in rustic old world designs for coastal areas and rustic settings. Coastal Bronze products fill a gap that has existed for years in hardware lines for these types of products.

NON-LATCH SIDE

SIDE OF
GATE

LATCH SIDE

Introduction

In 2006, we recognized a niche in the hardware industry where the environmental elements weighed heavily on the man made structures within it. Necessity lead to discovery, and discovery lead to the creation of **Coastal Bronze**.

We offer a full line of traditional pure bronze hardware solutions for gates, doors, windows, new construction and remodels. We provide a unique solution for any structure that requires a life long product to combat the harsh outdoor elements while maintaining a classic and charming design.

- Cost Effective and Reliable Old World Designs
- Custom Design and Fabrication for Unique and Challenging Hardware Scenarios
- A Vision Driven by Our Partners as well as the End Users of Our Products
- Dedication to Outstanding Customer Service, Striving to Exceed Expectations



Commitment To The Environment

At Coastal Bronze, our recycled bronze products represent our commitment to the environment.

We care about the planet at Coastal Bronze. With future generations in mind, we carefully choose Manufacturing Materials with the intent of a greater contribution to the health of the environment. Our hardware is manufactured from recycled copper as well as tin salvaged from various sources for a purely recycled process. While our hardware is 100% recycled material, our sub-assemblies and screws are non-recycled.





Ring Latch



60-100 Ring Turn Drop Bar Latch

Operable from Both Sides. Drop Bar 7"
Back Plate 2-3/4" x 4-1/2", Ring Diameter 3-1/2"
Handing Required Right Hand Pictured

60-200

Large Ring on Plate
Back Plate 2-3/4" x 4-1/2"
Ring Diameter 4-3/4"
Can be used with Spring Latch



60-110 Ring Turn on Plate

Back Plate 2-3/4" x 4-1/2"
Ring Diameter 3-1/2"
Can be used with Spring Latch

60-310 Lever on Plate

Back Plate 2-3/4" x 4-1/2"
Lever 6" x 1", 3-1/4" Proj.
Can be used with Spring Latch



Levers

60-300 Lever Drop Bar Latch

Operable from Both Sides. Drop Bar 7"
Back Plate 2-3/4" x 4-1/2", Lever 6" x 1"
Handing Required Left Hand Pictured





Slide Bolts



90-100 - Surface Slide Bolt
8" x 1-3/4"



90-200 - Surface Slide Bolt
4" x 1-1/2"

70-300-14 - Surface Slide Bolt
14" x 1-1/2"

70-300-20 - Surface Slide Bolt
20" x 1-1/2"



70-300 - Shutter Slide Bolt
6-1/2" x 1-1/2" Catch 2" x 1-1/2"
Throw 2"



90-110 - Mortise Plate
For 8" Slide Bolt
90-111 - Mortise Plate
For 6-1/2" Slide Bolt
90-112 - Mortise Plate
For 4" Slide Bolt



90-114 - Universal Plate
For 4" & 6-1/2" Slide Bolt
90-115 - Universal Plate
For 8" Slide Bolt



Thumb Latches



40-400
Pull Handle
8" Long
1-3/4" Wide

40-410
Pull Handle
10" Long
2-1/4" Wide

40-300
Side View
Tail Piece 3-3/4"



40-300
Thumb Latch
8" Long
1-3/4" Wide

40-310
Thumb Latch
10" Long
2-1/4" Wide



Drop Bars

50-100 Drop Bar with Knob
Bar 7-1/2"
Catch Plate 3-3/4" x 1"



50-125 Drop Bar no Knob
Bar 7-1/2"
Catch Plate 3-3/4" x 1"



50-510
Reverse Bar Catch
1-7/8" x 2-3/8"
1/2" Thick



50-150 Drop Bar
Bar 6-1/2"
Catch Plate 4" x 3/4"

50-130 Reverse Drop Bar
Bar 6-1/2"
Catch Plate 2-7/8" x 1" x 1/2"



50-500
Jam Catch



Double Thumb Latch



Double Thumb Latch 8"

40-330 (Gate 1-1/2" to 1-7/8" Thick)

40-335 (Gate 2" to 2-3/8" Thick)

40-340 (Gate 2-1/2" to 2-7/8" Thick)

40-345 (Gate 3" to 3-1/2" Thick)

Handle 8" x 1-3/4"

Latch Side Handle 8-3/4" x 1-3/4"

Double Thumb Latch 10"

40-350 (Gate 1-1/2" to 1-7/8" Thick)

40-355 (Gate 2" to 2-3/8" Thick)

40-360 (Gate 2-1/2" to 2-7/8" Thick)

40-365 (Gate 3" to 3-1/2" Thick)

Handle 10" x 2"

Latch Side Handle 10-3/4" x 2"



Non Active Hinges



20-125 Non Active Strap Hinge
25" x 2-1/2"



20-120 Non Active Strap Hinge
20" x 2-1/2"



20-115 Non Active Strap Hinge
15" x 2-1/4"

Also Available

20-112 Non Active Strap Hinge 12" x 2"

20-108 Non Active Strap Hinge 8" x 2"

20-105 Non Active Strap Hinge 5" x 1-1/2"



20-413 Non Active Band Hinge

4" Back Edge

13" x 2" - 1/4" Thick

20-422 Non Active Band Hinge

4" Back Edge

22" x 2" x 1/4" Thick



20-155 Non Active Band Hinge

28" x 2" - 1/4" Thick



20-150 Non Active Band Hinge

22" x 2" - 1/4" Thick



20-145 Non Active Band Hinge

15" x 2" - 1/4" Thick



20-140 Non Active Band Hinge

10" x 2" - 1/4" Thick





Band Hinge



20-330 Band Hinge
30" x 2" - 1/4" Thick



20-324 Band Hinge
24" x 2" - 1/4" Thick



20-317 Band Hinge
17" x 2" - 1/4" Thick



20-312 - Band Hinge
12" x 2" - 1/4" Thick

One pair (2) Band Hinges will support up to 140 lbs. 3 Band Hinges will support up to 225 lbs.



Arch Band Hinge

- 20-312-A** - 12" x 1-1/4" - 1/4" Thick
- 20-317-A** - 17" x 1-1/4" - 1/4" Thick
- 20-324-A** - 24" x 1-1/4" - 1/4" Thick
- 20-330-A** - 30" x 1-1/4" - 1/4" Thick



20-350 - Band Hinge - Small
12" x 1-1/4" - 1/4" Thick

20-260 - Pinto on Plate - Small
1-1/4" x 3-3/4"

One pair (2) Band Hinges will support up to 60 lbs. 3 Band Hinges will support up to 100 lbs.





Band Hinge Pintles

Model 20-250 & Model 20-317 (set)



20-250 Pintle on Plate
6-1/4" x 2"



20-251 Screw in Pintle
3-1/2" x 5"
Threads 3-1/2"

20-251-H Screw in Pintle Heavy
3-1/2" x 7-1/2"
Threads 5-1/2"



20-255 Pintle in Pipe
12" Length, 1" Diameter



Hex Head
Stainless Steel
Wood Lag

2-1/2"
1-1/2"



Square Head
Rust Resistant
Wood Lag



Choose Either Hex or Square Head
1-1/2" or 2-1/2" Lengths
Lags are for band hinges only



20-252 Jam Pintle
Plate 2-1/2" x 4-3/4" - 1/4" Thick
Right and Left Hand Available



Specialty Hinges

20-380 Loose Pin Band Hinge
17" x 2" x 1/4" Thick



One Pair (2) Hinges Will Support Up To 250 lbs.
3 Hinges Will Support Up To 350 lbs.
Handling Required Left Hand Pictured



Mounting Plate
2" x 6-1/4"



20-500 H-Hinge Bolt
4-7/8" x 7"
4-1/2" At Pin
Barrel 3/4"
Specify Square
or Hex Lags

20-501 H-Hinge Screw
4-7/8" x 7"
4-1/2" At Pin
Barrel 3/4"
Countersunk #18 x 2" Screw

20-305 Edge Mount Hinge
5" x 2"
Works with any Pintle



20-310 T-Band Hinge
7-1/2" Tall 1-5/8" Wide
Works with any pintle
Pintle not included





Hinges



30-400 Button Tip 4" x 4"

Heavy Duty Hinges 4" x 4"

- Stainless Screw: #12 x 1-1/2"
- Thickness: .26"

Hinges are casted and may vary slightly.



30-401 Ball Tip 4" x 4"



30-402 Steeple Tip 4" x 4"



30-450 Spring Hinge

- 4-1/2" x 4-1/2"
- Stainless Steel
- Stainless Spring



30-405 Button Tip 5" x 4-1/2"

30-406 Ball Tip 5" x 4-1/2"

30-407 Steeple Tip 5" x 4-1/2"



30-410 Template Hinge 4" x 4"

30-420 Template Hinge 4-1/2" x 4-1/2"

- Bronze Screws: #12 x 1-1/4"
- Thickness: .13"
- Smooth Finish

High Load Hinges 5" x 4-1/2"

- Stainless Screw: #18 x 2"
- Thickness: .27"

Hinges are casted and may vary slightly.



Deadbolts



30-100 Deadbolt Square
2-1/2" x 3"



30-265 Patio Deadbolt Square
30-250 Patio Bolt Square
2" x 3"



30-110 Deadbolt Arch
2-1/2" x 3"



30-270 Patio Deadbolt Arch
30-251 Patio Bolt Arch
2" x 3"



30-120 Deadbolt Euro
2-1/2" x 3"



30-275 Patio Deadbolt Euro
30-252 Patio Bolt Euro
2" x 3"




30-200 Deadbolt Square
2" x 2-1/2"

WARNING: Will Not Fit on Pre Cut Doors,
Minimum Thickness 1-3/4"





CANE BOLT



80-100

Cane Bolt - 20"

Back Plates - 2" x 4"

80-100-32

Cane Bolt - 32"

Back Plates - 2" x 4"

80-100-48

Cane Bolt - 48"

Back Plates - 2" x 4"

with three keepers



50-300 Floor Stop

7-1/2" Tall

Works on Gates up to 2" thick

Must be mounted in concrete



50-710

Cabin Hook - 10-1/2"

Mount Plates - 1-1/2" x 1-1/4"

50-705

Cabin Hook - 7-1/2"

Mount Plates - 1-1/2" x 1-1/4"

50-700

Cabin Hook - 4-1/2"

Mount Plates - 1-1/2" x 1-1/4"



Grill



70-110 - Grill

14-1/4" x 14-1/4"

Bar 1/2" x 1/2"

2 Bars by 2 Bars

70-100 - Grill

14-1/4" x 14-1/4"

Bar 1/2" x 1/2"

3 Bars by 2 Bars



Gate Latches and Locks

50-400 Bar Latch

Plate 2" x 2"
Drop Bar 4" Long



80-200 Lockable Barrel Bolt

Surface Mount
Bar - 8" Long, 5/8" Diameter
Handle - 4"
Keepers - 1-3/4" x 3/4"



50-420 Lockable Bar Latch

Surface Mount
Bar 6" Long, 1" Wide
Plate 2" x 2"



50-410
Gate Mortise Lock Plates
1-3/4" x 1-3/4" Square
1-1/4" x 1-1/4" Ears
Set of 2



Gate Stop and Closer



50-250 Gate Stop
2" x 2", 1-3/4" Tall
Comes with Stop Pad



50-600 Cannon Ball Gate Closer
3" Diameter
Weighs 5 lbs.
Comes with 5 feet of chain

50-605 Cannon Ball Gate Closer
3" Diameter
Weighs 8 lbs.
Comes with 5 feet of chain



Cabinet Hardware



80-800 - Round Knob on Plate
Knob 1" Diameter
Back Plate 1-1/4" Diameter



80-820 - Pull Handle
Wide 5" Tall 1"
Center 4"



80-810 - Oval Knob on Plate
Knob 1-3/8" Diameter
Back Plate 1-1/4" Diameter



80-830 - Bin Pull
Wide 4" Tall 1-1/2"
Center 3-3/8"

60-105 - Ring Pull on Plate
Back Plate 2" x 2-1/2"
Ring Diameter 2"



Pull Handles



40-710 - Bar Pull Handle
8" cc 8-7/8" Over All



40-700 - Bar Pull Handle
11-1/2" cc 12-1/2" Over All

40-725 - Bar Pull Handle
16-1/2" cc 17-1/2" Over All



Door Stud



Door Stud Square
90-810 - 2"
90-510 - 1-1/4"
90-500 - 1"



Door Stud Round
90-860 - 2"
90-560 - 1"





Shutter Hardware



70-600 - 1-1/4" Offset
70-610 - 2-1/4" Offset
New York Style
4 1/4" Tall x 6" Wide



70-620 - 1-1/4" Offset
70-625 - 2-1/4" Offset
T-Hinges



70-800 - 1-1/4" Offset
70-805 - 2-1/4" Offset
Jam Mount Pintle
Can be substituted for
Pintle on Plate



70-700 - 1-1/4" Offset
70-710 - 2-1/4" Offset
Shutter Strap
1-1/4" Wide x 10" Long



70-500 - Shutter Dog
7" x 2-1/2"
Lag 4-1/2"
Right and left hand available



60-105 - Shutter Ring
Back Plate 2" x 2-1/2"
Ring Diameter 2"



70-300 - Shutter Slide Bolt
6-1/2" x 1-1/2" Catch 2" x 1-1/2"
Throw 2"



Bahama Hardware

70-650 - 3/4" Offset
Bahama Shutter Strap
1-1/4" Wide x 10" Long



70-655 - 3/4" Offset
Bahama Shutter Strap Double
1-1/4" Wide x 10" Long



70-680
Bahama Shutter Stay
20" Long
Mounting Pad 2" x 5/8"



Window Hardware



70-210 Window Stay 10"
70-212 Window Stay 12"
Comes with Two Catches



70-200 Window Latch
Handle 3-1/2"
Back Plate 2-1/2" x 3/4"
Comes with both Hook Plate & Mortice Plate



Drop Bar Lever Latch

60-350 LH Euro Lever Latch with Flat Catch
Operable From Both Sides. Lever - 5-1/2" x 1" - 2-1/2" Proj.
Back Plate 4-3/4" x 3-1/4"
Handling Required Left Hand Shown



1-3/4" x 3-1/4"
Flat Catch

4-1/8" x 3-1/4"
Back Plate

60-360 LH Arch Lever Latch with Flat Catch
Operable From Both Sides. Lever - 4-3/4" x 3/4" - 2-1/4" Proj.
Back Plate 4-3/4" x 3-1/4"
Handling Required Left Hand Shown

1-3/4" x 3-1/4"
Flat Catch



4-1/8" x 3-1/4"
Back Plate



Mortise Strike
2-1/2" x 3-1/4"



Please Specify Mortise Strike or Flat Catch



Case Latch

SERIES 400 CASE LATCH

400-75 Case Latch



400-40 Case Latch



Case Latch
5-1/4" x 3" Tall 3/4" Thick
Drop Bar Projection 1-1/2"
Catch 3-1/4" x 3/4"
Backset 1-1/2" to 2"
Handed Right or Left

Case Latch is one side ONLY.
Case Latch will work with any 1/2 dummy of any door hardware sets.



10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



70-Small Mushroom Knob
2-1/2" Proj.




75-Large Mushroom Knob
2-1/4" Proj.



50-Ring
3-1/2" Diameter
2-1/4" Proj.

Ordering Instructions





10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



100-20-PAS
Square Passage Set
5" x 2-3/4"



50-Ring
3-1/2" Diameter
2-1/4" Proj.



70-Small
Mushroom Knob 2"
2-1/2" Proj.



110-70-PAS
Square Passage Set
8" x 2-3/4"



75-Large
Mushroom Knob 2-1/4"
2-1/2" Proj.



120-10-PAS
Square Passage Set
11" x 2-3/4"

Ordering Instructions

Type Of Backplate	Size Of Backplate	Lever Or Knob Model Number	Function
1 - Square	00 - Small - 5" 10 - Medium - 8" 20 - Tall - 11"		PAS - Passage PIN - Privacy Pin DUM - Dummy Set
<div style="display: flex; justify-content: center; align-items: center; gap: 10px;"> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">1</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">20</div> <div style="font-size: 24px;">-</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">10</div> <div style="font-size: 24px;">-</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">PAS</div> </div>			



10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



200-60-PAS
Arch Passage Set
5" x 2-3/4"



210-30-PAS
Arch Passage Set
8" x 2-3/4"



50-Ring
3-1/2" Diameter
2-1/4" Proj.



220-50-PAS
Arch Passage Set
11" x 2-3/4"



70-Small
Mushroom Knob
2" x 2-1/2" Proj.



75-Large
Mushroom Knob
2-1/4" x 2-1/2" Proj.

Ordering Instructions

Type Of Backplate	Size Of Backplate	Lever Or Knob Model Number	Function
2 - Arch	00 - Small - 5" 10 - Medium - 8" 20 - Tall - 11"		PAS - Passage PIN - Privacy Pin DUM - Dummy Set

2 20 - 50 - PAS



10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



70-Small Mushroom Knob
2" x 2-1/2" Proj.



75-Large Mushroom Knob
2-1/4" x 2-1/2" Proj.



300-70-PAS
Euro Passage Set
5" x 2-3/4"



310-30-PAS
Euro Passage Set
8" x 2-3/4" 3/4"



50-Ring
3-1/2" Diameter
2-1/4" Proj.



320-40-PAS
Euro Passage Set
11" x 2-3/4"

Ordering Instructions

Type Of Backplate	Size Of Backplate	Lever Or Knob Model Number	Function
3 - Euro	00 - Small - 5" 10 - Medium - 8" 20 - Tall - 11"		PAS - Passage PIN - Privacy Pin DUM - Dummy Set

3 20 - 40 - PAS



10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



50-Ring
3-1/2" Diameter
2-1/4" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



70-Small Mushroom Knob
2" x 2-1/2" Proj.



75-Large Mushroom Knob
2-1/4" x 2-1/2" Proj.

Ordering Instructions

Type Of Backplate	Size Of Backplate	Lever Or Knob Model Number	Function
9 - Hourglass	00 - 9 3/4"		PAS - Passage DUM - Dummy Set
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px; text-align: center;">9</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">00</div> <div style="font-size: 24px;">-</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">40</div> <div style="font-size: 24px;">-</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">PAS</div> </div>			




800-40-PAS
Octagonal Lever on Plate
Back Plate - 2-3/4" x 4-1/2"
Lever - 6" x 1" - 3-1/4" Proj.



800-50-PAS
Ring Turn on Plate
Back Plate 2-3/4" x 4-1/2"
Ring Diam. 3-1/2" - 2-1/4" Proj.



800-20-PAS
Round Lever on Plate
Back Plate - 2-3/4" x 4-1/2"
Lever - 6" x 1" - 3-1/4" Proj.





Entry Sets

SQUARE 100, ARCH 200 & EURO 300 SERIES TUBULAR LATCH & BOLT

10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



**70-Small
Mushroom Knob**
2" x 2-1/2" Proj.



**75-Large
Mushroom Knob**
2-1/4" x 2-1/2" Proj.




50-Ring
3-1/2" Diameter
2-1/4" Proj.



**320-20-ENT
Euro Entry Set**
11" x 2-3/4"
cc 5-1/2"

Ordering Instructions

Schlage C Keyway





Mortise Entry

SQUARE 100 SERIES

10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



70-Small Mushroom Knob
2" x 2-1/2" Proj.



75-Large Mushroom Knob
2-1/4" x 2-1/2" Proj.



50-Ring
3-1/2" Diameter
2-1/4" Proj.



131-10-MOR
Square Mortise Set
Exterior: 18" x 2-3/4"
Interior: 11" x 2-3/4"



Ordering Instructions

Schlage C Keyway

Type Of Backplate	Size Of Backplate	Grip Pull	Lever Or Knob Model Number	Function
1 - Square 2 - Arch 3 - Euro	3 - Tall 18"	1 - Bar Pull 2 - Cobra		MOR - Mortise
<div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">1</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">3</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">1</div> <div style="font-size: 24px;">-</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">10</div> <div style="font-size: 24px;">-</div> <div style="border: 1px solid black; padding: 5px; font-weight: bold;">MOR</div> </div>				



Mortise Entry

ARCH 200 SERIES

10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



70-Small Mushroom Knob
2" x 2-1/2" Proj.



75-Large Mushroom Knob
2-1/4" x 2-1/2" Proj.



50-Ring
3-1/2" Diameter
2-1/4" Proj.




232-60-MOR
Arch Mortise Set
Exterior: 18" x 2-3/4"
Interior: 11" x 2-3/4"



Ordering Instructions

Schlage C Keyway





Mortise Entry

EURO 300 SERIES

10-Square
4-3/4" Lever
2-1/2" Proj.



20-Round
4-3/4" Lever
2-1/4" Proj.



30-Beaver Tail
4-1/2" Lever
2-1/4" Proj.



40-Octagonal
6" Lever
3" Proj.



60-Oval Knob
2-1/2" x 1-1/2"
2-3/4" Proj.



70-Small Mushroom Knob
2" x 2-1/2" Proj.



75-Large Mushroom Knob
2-1/4" x 2-1/2" Proj.



50-Ring
3-1/2" Diameter
2-1/4" Proj.



332-40-MOR
Euro Mortise Set
Exterior: 18" x 2-3/4"
Interior: 11" x 2-3/4"



Ordering Instructions

Schlage C Keyway

Type Of Backplate	Size Of Backplate	Grip Pull	Lever Or Knob Model Number	Function
1 - Square 2 - Arch 3 - Euro	3 - Tall 18"	1 - Bar Pull 2 - Cobra		MOR - Mortise
			332-40-MOR	



Pull Handles

SQUARE 100, ARCH 200 & EURO 300 SERIES BAR AND COBRA PULLS



125-90-PUL
Bar Pull on
Square Plate
12" x 2-3/4"



225-90-PUL
Bar Pull on
Arch Plate
12" x 2-3/4"



325-95-PUL
Cobra Pull on
Euro Plate
12" x 2-3/4"



Push Plates

SQUARE 100, ARCH 200 & EURO 300 SERIES



125-00-PPO
Square Push Plate
12" x 2-3/4"



225-00-PPO
Arch Push Plate
12" x 2-3/4"



325-00-PPO
Euro Push Plate
12" x 2-3/4"

Ordering Instructions

Type Of Backplate

- 1 - Square
- 2 - Arch
- 3 - Euro

Size Of Backplate

25 - Tall - 12"

90 - Bar Pull

- 95 - Cobra Pull
- 00 - Push Only

Function

- PUL - Pull Handle on Plate
- PPO - Push Plate Only

1 25 - 90 - PUL



Door Accessories



500-60
Door Knocker
3-1/2" x 4-1/4"
Ring Diameter 3-1/2"



500-65
Arched Door Bell
2" x 3-1/2"



500-68
Square Door Bell
2" x 3-1/2"

500-61
Door Knocker
2-3/4" x 4-1/2"
Ring Diameter 4-3/4"



500-25
Door Stop
3-1/2"

500-10
Thumb Turn
Privacy Bolt
1-3/8"



Pocket Pulls



500-57
Square Pocket Pull
4" x 2" x 1/2" Deep



500-55
Arched Pocket Pull
4" x 2" x 1/2" Deep



500-50
Edge Pull
4" x 3/4"



Conditions and Terms of Sale

FAX ALL ORDERS TO: 1.888.778.7889. All orders must have complete company information along with Purchase Order number, date, shipping instructions, contact name and email address if available. All orders are subject to acceptance by Coastal Bronze.

Minimum Orders

Minimum order is \$50.00 Net. Orders less than \$50.00 Net are subject to a \$5.00 service charge.

Shipping Policy

In stock items will be shipped not later than 48 hours from receipt AND acceptance of Purchase Orders.

Orders will be confirmed by fax, email or mail stating shipment date.

Prices

All pricing is List/Retail in US \$ Dollars

Shipping and handling will be added to ALL orders.

Prices are subject to change without notice. No shipment will be made until price change is confirmed to customer.

Special Orders/Rush Orders

Up-charges exist for special orders or rush orders etc and will be specified on request. Acceptance of these up-charges must be on the PO or in writing before order processing begins.

Freight

FOB factory dock. Freight is always added to invoice for carrier of companies choice. If shipment is required via customer's carrier, account number must be supplied in advance and included on PO. Expedited service is at the expense of the customer and will be billed at net cost to Coastal Bronze.

Drop Ship Policy

Coastal Bronze does not drop ship to private residences, only to businesses. Customers requesting drop shipment take full responsibility for the merchandise. All drop shipments will incur a special drop ship fee of \$5.00.

Claims

All shipments become the customers' property when they pass into the hands of the transportation carrier. In the event that merchandise arrives damaged, do not refuse the shipment. Note next to your receiving signature that you have received a damaged box and place a claim with the freight carrier. Hidden damage should be reported to the carrier as soon as discovered. Coastal Bronze will assist in resolving the claim.

Payments

Payment terms are Net 30 days from invoice date, unless otherwise stated.

All payments to be made to:

Coastal Bronze, 31121 Via Colinas #1002, Westlake Village, CA. 91362, 877-227-6603

Coastal Bronze reserves the right to change terms for any customer at any time.

Finance charges of 1.50% per month will be applied to balances past the due date. Continued late payments may result in loss of credit terms and orders being shipped C.O.D.

Coastal Bronze accepts credit card payments through, AMERICAN EXPRESS, VISA, or MASTER CARD. Customer may choose any of the listed credit cards for payment of product and/or shipping charges, but payment must be made in advance of shipment.

Internet Activities

Coastal Bronze does not go to market through INTERNET ONLY COMPANIES. The List Pricing for products are on the web site. Showroom dealers who have internet activities may NOT ADVERTISE LESS THAN A LIST PRICE ON THEIR WEB SITE FOR COASTAL BRONZE PRODUCTS. Coastal Bronze will check regularly for compliance with this policy and take appropriate action when non-compliance is found. Our goal is to direct business to displaying showroom dealers.

Limited Warranty

Coastal Bronze warrants all flat goods (non-locking) to be free of defects in material and craftsmanship for five years from the original invoice date.

Coastal Bronze warrants all locking goods, including locks, latches and deadbolts, to be free of defects in material and craftsmanship for 1 year from the original invoice date. In areas of high humidity or proximity to ocean, warrants is 6 months.

These warranties are extended to the original purchaser and the original installation site. Warranty is non-transferable and proof of purchase is required. In any case, Coastal Bronze is not responsible for removal or installation of the replacement hardware or repaired parts, or for any damage caused by mishandling, improper installation, tampering, abuse or any events outside the control of Coastal Bronze.

This warranty sets forth the exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever. Coastal Bronze shall in no event be liable for consequential or incidental damages of any kind, whether by negligence or otherwise.

Coastal Bronze makes no other warranty, expressed or implied, including implied warranties of merchantability and fitness for a particular purpose with respect to its products except as set for above. No customer, distributor, sales person, showroom, dealer or other entity has the authority to alter these warranties either orally or in writing.

Coastal Bronze adds a patina to all products to simulate aged bronze. Finishes will develop a wear highlight and may change color based on environment. This is not considered a defect, but part of the natural beauty of aged bronze.

Order Discrepancies

All orders are carefully packed and inspected prior to shipping. Coastal Bronze will pay all charges associated with packing or shipping errors. Dealers are required to pay all charges associated with their errors. Mistakes and short orders must be reported within five (5) working days of delivery.

Returned Goods

ALL products to be returned to Coastal Bronze, regardless of reason, must be authorized prior to their return and have a RETURNED GOODS AUTHORIZATION number. All returns must be shipped prepaid, as Collect or COD shipments will be refused and returned to sender. Shipments without an RGA number on the outside of the carton will be refused and returned to sender.

Regular goods are returnable up to 90 days from invoice date if un-opened and in original packaging. Goods must be accompanied with a factory issued RETURN GOODS AUTHORIZATION form and number along with a copy of the invoice.

All returns will be credited at the net value on the invoice less a 25% restocking fee only after inspection. Defective goods will either be repaired or replaced within a reasonable period. Defective goods must be accompanied with a RGA form, RGA number, invoice and freight prepaid. COD Returns will be refused.

Cancellations

Orders may be cancelled prior to shipping. If shipping has taken place, then the customer is liable for shipping charges and a restocking fee of 25%. All orders are shipped within 72 hours of receipt and acceptance by the factory. Customers will be notified of any back orders or delays via e-mail to designated contact.

Specifications and Procedures

Due to the nature of many of the products, in the range, sizes may vary to a small degree. Coastal Bronze reserves the right to discontinue or change any product, design, function, finish or price without prior notice.

Strength of Bronze

Most bronze used in casting hardware today is composed of 85% copper and the rest in various other metals. The strength of steel is two to three times stronger than copper. This is important to note when using bronze to support heavy doors or gates.

A Note about Finishes

Bronze ages gracefully and may change in appearance due to varying environmental conditions. Bronze patina finishes will develop a wear highlight with frequency of use. When bronze is exposed to air it will tarnish quickly and turn brown. Bronze exposed to exterior elements and conditions will turn green. This discoloration is referred to as patina. This patina process starts immediately upon installation. None of these conditions are considered defects, but part of the natural beauty of aged bronze.

We strive to match finishes within a given order, but parts ordered at a later date may not match the original pieces. They should however, age to match the original pieces.