

TELETONE AUDIO

ANAMORPH

USER MANUAL



NOTICE

**All TELETONE AUDIO libraries are watermarked
with your personal data and IP address using
proprietary watermarking techniques.**

DO NOT DISTRIBUTE, RESELL OR TORRENT.

A hand is shown in profile, reaching towards a large, glowing, reddish-orange sphere. The background is a dark, deep blue or black space, possibly representing a planet or a celestial body. The lighting is dramatic, highlighting the contours of the hand and the sphere. The overall mood is mysterious and futuristic.

INSTALLATION

INSTALLATION GUIDE

For the most up-to-date and comprehensive step-by-step breakdown we recommend you visit the Installation Guide on our website.



INSTALLATION GUIDE:

<https://teletoneaudio.com/pages/installation-guide>

SYSTEM REQUIREMENTS

KONTAKT VERSION REQUIREMENTS

Kontakt or Kontakt Player 6.7.1 or higher

MAC SYSTEM REQUIREMENTS

Mac OS X 10.14

Minimum Intel Quad Core i5

4GB RAM or higher

32bit DAWs not supported

Must be connected to internet during install

PC SYSTEM REQUIREMENTS

Windows 10

Minimum Quad Core CPU

4GB RAM or higher

32bit DAWs not supported

Must be connected to internet on install



**THE
INTERFACE**



MOD

Controlled by your MIDI keyboard's modwheel, MOD introduces a high pass filter, low pass filter or a high pass / low pass filter depending on what is selected with the dropdown arrow.

CHARACTER

The CHARACTER dials in just that... character. Generally speaking this is usually some sort of tape saturation or harmonic distortion.

OBSCURE

The OBSCURE dial adds in some sort of modulation effect. This could be chorus, flanger, a mixture of both or other proprietary effects.

SHADOW

This dial introduces varying degrees and types of reverb, delay or some times both.

LFO

The LFO dial varies from patch to patch. This may include a vibrato, panning or different types of low frequency oscillation.

GLIDE

This dial affects the ramp of pitch envelope. You can control the direction of the pitch with the options arrow.



ARPEGGIATOR

This is a standard yet powerful arpeggiator. You can select the number of OCTAVES it cycles through, the rate, and the type. There are a number of curated types of arpeggiation, so feel free to explore each one to see how they interact with the notes and chords you perform.

SENSITIVITY

If you have a particular playing style or MIDI keyboard that requires a lighter or heavier sensitivity to velocity, dial in the velocity curve with SENSITIVITY.

AGE

This dial activates a series of effects including high and low pass filters, as well as a tape saturation. You can opt in and out of “WOW” which simulates the sound of analog tape warble, “WEAR” which simulates an overdriven and aged cassette tape, and finally “MONO” which collapses the stereo field to further simulate the age of the instrument and sound.

SUB FREQ MIX

This dial introduces a sub bass sinewave underneath the mix to bring some body and fullness to the keys.

ADSR

This is your traditional Attack, Decay, Sustain, Release control you normally see in a synth or sampler.

TROUBLE?

DOWNLOADING ISSUES

If you are having issues downloading the library from Pulse, please reach out to the very kind people at Pulse at the below URL:

<https://pulsedownloader.com/contact-us/>

OTHER ISSUES

If for some reason you are having any other issues other than downloading please reach out to us!

Email customer support:
cs@teletoneaudio.com



TELEPHONEAUDIO.COM