

DITTOUN()



The "Daredevil" color scheme

Vandal

Spirit, performance and economy are all elements of the Vandal's personality. Styling with a racey flair and seating for four team up to make the Vandal functional, efficient and affordable SPECIFICATIONS:

Length - 14'6" (442 CM) Beam - 73" (185 CM) Transom Height - 211/2" (55 CM) Maximum H.P. - 80 STANDARD FEATURES:

Deep-pile marine carpeting Mechanical steering Low profile, tinted windscreen Recessed, wrap around instrument panel Convenient passenger side storage tray Back to back black bucket seats Red, blue or apricot metalflake finish OPTIONS:

Special Edition two-tone color scheme* Deluxe colorcoordinated interior with two forward facing buckets and rear bench seat | Limited Edition Vandalizer Package -steel blue metalflake deck with trichromatic phaser shearline stripes and black hull, black anodized grab rails and black interior Dual steering Stowaway running lights Mooring cover *See Special Edition color scheme descriptions on page 7.

The "Silver Streak" color scheme

Viper

The Viper represents the finest 15 feet of ski, pleasure or performance available. Ultimate efficiency has been united with superior control to vield a boat you will never tire of

SPECIFICATIONS: Length - 15' (457 CM) Beam - 86" (218 CM)

Transom Height - 2114" (55 CM) Maximum H.P. - 120

STANDARD FEATURES:

 Deep-pile marine carpeting
 Mechanical steering Low profile, tinted windscreen Two forward facing buckets and rear bench seat Red, blue or apricot metalflake finish with standard black interior.

OPTIONS.

Deluxe Special Edition Package including Special Edition two-tone color scheme*, deluxe color-coordinated interior, illuminated gauge panel, fused switch panel, stowaway running lights, and teak grab rail Dual steering 16 gallon fuel tank Mooring cover Seat swivel and slide assembly Teak swim steps *See Special Edition color scheme descriptions on page 7.





Ventura

This super ski boat is truly a top performer in all respects. Its renowned handling and distinctive ride have accounted for its unchallenged reputation in the field of performance boating.

SPECIFICATIONS:

Length — 16'6" (503 CM) Beam — 84" (213 CM) Transom Height — 22" (56 CM) Maximum H.P. — 140 STANDARD FEATURES:

Deep-pile marine carpeting Mechanical steering Two forward facing buckets and rear bench seat Red, blue or apricot metal flake finish with standard black interior OPTIONS:

Deluve Special Edition Package including Special Edition two-tone color scheme, deluve color-coordinated interior, illuminated gauge panel, fused switch panel, stowaway running lights, and teak grab rail. © Low profile, tinted windscreen. © Dual steering. Mooring cover. Seat swivel and stide assembly. Teak swim stem.

*See Special Edition color scheme descriptions on page 7.

Vamp

Unique aptly describes the Vamp...from its roomy main cockpit ... through the body contoured forward chaise lounges ... up the plushly carpeted companionway steps, the Vamp is truly unparralled.

SPECIFICATIONS: Length — 166° (503 CM) Beam — 84° (213 CM) Transom Height — 20½° (52 CM) Maximum H.P. — 140 STANDARD FEATURES:

Deep-pile marine carpeting Mechanical steering Low profile, walkthrough windscreen Aduminum grabrails Fused switch Panel Running lights Teak appointments Deck cleats Locking Clove Box Two forward facing buckets and rear bench seat Body contoured forward lounges Special Edition two-tone color scheme.

Dual Steering © Conventional height clear walkthrough windshield for use with optional convertible top © Convertible top © Side and aft curtains © Bow cover Mooring cover © Reclining back to back sleeper seats © 16 gallon fuel tank Seat swivel and slide assembly © Teak swim steps.

*See Special Edition color scheme descriptions on







V-KIIIg For the savine performance and for the savine performance for the savine

for the territoring gentlementure within those in the destruction in the south for the property control of the south for the property control of the property control of the loan = 87 (20 CM) that man the property of CM Manifest III = 175 (A CM) (A

Machine III.— 17

STANDAR TRATES

Standard Trates

Standard Trates

Standard Trates

Standard Trates

Standard Trates

Standard Trates

Too forward begin beginner

rate banchard Standard Standard packets and

rate banchard Standard Standard Standard

Politics

Standard Standard Standard Standard

Standard Standard Standard

Standard Standard Standard

Standard Standard Standard

Standard Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard Standard

Standard St



Vulture

noton of laxary, beautifully appointed of out, will more than accommodate s. Its long keef and gullwing design is the smoothest ride on the lake.

pp. — 2 past Lob.
and Height — 27 (15 CM)
area High — 200
AMD HATUBLE
to a proper or a parting & Dod memid Vereing & Line poddle, Exted
during & Dod Kath Lob look backets
are bench and & Dod Kath & State

TONS:

Deluar Special Edition Package Including possible factors trec-ence color actions—
placed Edition trec-ence color actions—
place counciliazed interior. The increased large point, hard winth panel, storaway uning lights and test grabual. © 20 gallet of task. Whoshing comments in the place of the p

Voyager

A proud new addition to the HydroStream fleet. The Voyager boasts full-sized comfort and 20 luxurious feet of family boating pleasure.

SPECIFICATIONS: Length - 20' (610 CM) Ream - 89" (226 CM) Transom Height - 21" (53 CM)

Maximum H.P. - 200 STANDARD FFATURES:

Deen-pile marine carpeting Dual mechanical steering Tempered glass walk-through windshield Locking glove box Deck railings Teak appointments
Running lights Fused switch panel Two forward facing buckets and rear bench seat Body contoured forward lounges

Special Edition two-tone color scheme* OPTIONS Gauge panel Convertible top Side and aft curtains Bow cover 20 gallon fuel tank Mooring cover Seat swivel



Venus

Peruse your favorite cove. Challenge the local flotilla. Let the waves rock you to sleep in the spacious forward cabin. Sunbathe on the railbounded upper deck. Lead the fleet back to port with an abundance of pride. This could be your day in the Venus. SPECIFICATIONS:

Length - 20' (610 CM) Beam - 89" (226 CM)

Transom Height - 21" (53 CM) Maximum HP - 200 STANDARD FEATURES:

Deep-pile marine carpeting Dual mechanical steering Fused switch panel Running lights Tinted windscreen Aluminum railings
 Deck cleats
 Side cabin windows
 Plush headliner
 Cabin mattress Two forward facing buckets and rear bench seat Docking beverage cabinet Interior light Lockable forward storage area Special Edition two-tone color scheme* Color-coordinated interior OPTIONS:

Illuminated gauge panel Cabin hatch 20 gallon fuel tank Mooring cover Conventional height windshield for use with optional convertible top Convertible top Side and aft curtains Seat swivel and slide assembly Teak swim steps "See Special Edition color scheme descriptions on




MANAGE HATERS:

Chappalle make trapsing in Shall marchanical storring in how formed facing backets and proposed in the proposed in the storring of the storrin

See Special Edition culor schower descriptions on Fage 7.

SPECIFICATIONS



Accessories and Options







Venus High Windshield and Convertible Top



Teak Swim Steps



Deluxe Special Edition Dash Panel



HydroStream SportsWear

HydroStream knit sport shirt with three button placket closure. White with navy blue collar and rainbow chest stripes. Sizes small - X large Cotton-polyester shorts in white with navy blue leg stripes and logo. Sizes

small - X large Navy HydroStream hat with nylon tricot front and white open weave nylon

back. Fully Adjustable. White nylon jacket with fleece lining, knit collar, cuff and waistband accented

in red, white and blue, Raglan sleeve, snap front and slash pockets. Sizes X small - X large. Navy blue T-Shirt with HydroStream mural silk screened in white on front.

Cotton-polyester blend with crewneck. Sizes small - X large.

Special Edition Color Scheme Descriptions shearline accent and camel interior



Custom Fitted Mooring Cover

AUTUMN MIST: Rust metalflake with sand highline accent and camel interior BLUE STREAK: Silver metalflake with blue shearline accent and blue

BRUISER: Black gel with blue metalflake highline accent and blue COCO LOCO: Coco Brown metalflake with orange tape accent and camel interior

DAREDEVIL: Red metalflake with silver highline accent and red DESERT BROWN: Coco Brown metalflake with sand metalflake ELITE: Blue metalflake with silver highline accent and blue interior MOONSHADOW: Black gel with sand metalflake highline accent and camel interior

SILVER STREAK: Sliver metalflake with red shearline accent and red SUNSET: Sand metalflake with apricot shearline accent and camel interior

Custom gelcoat and metalflake color schemes available on request Contact your HydroStream dealer for details and the availability of additional options.

It is our purpose at HydroStream to provide the buyer with the most innovative engineering available to achieve a performance and styling unique to itself. The elements of HydroStream design are more than style, they are additions to performance. Intensive use of sculptured skinstressed surfaces reduce weight and increase strength. Superiority, however, is not attained by design alone. Craftsmanship and quality construction materials are a necessity. All prototypes of our models and materials undergo many hours of developing, testing, proving, correcting and retesting. HydroStream is continually researching and testing new concepts and materials to achieve a higher degree of performance and styling.

1977 World Racing Champion, Howard Pipkorn, member of the American Power Boat Association "Hall of Champions", and several time National Champion, uses his racing experience coupled with engineering skills to design HydroStream products. His winning record is positive documentation of HydroStream per-



NOTE: In some instances, photographs in this catalog show experienced drivers operating HydroStream boats in an extreme manner with special equipment and under optimum conditions. HydroStream does not recommend such use of its products by the inexperienced driver under any circumstances or by the average or experienced driver without special equipment and/or under less than optimum conditions. We at HydroStream continually stress safety and recommend the use of life preservers and other safety equipment during all boating activities. Further, we encourage all drivers to exercise such prudence and caution in the operation of any boat warranted by their level of



HYDROSTREAM ONE YEAR LIMITED WARRANTY TO ORIGINAL PURCHASER

HydroStream offers a limited warranty to the original purchaser on its new production hulls against defects in materials and workmanship under normal use for the period of one year from the date of delivery by an authorized HydroStream dealer. This warranty does NOT apply to gelcote, windshields. carpeting, upholstery or hardware supplied by other manufacturers. Similarly, it does NOT apply to failure of the hull due to product abuse such as operating the boat with an engine exceeding the maximum rated horsepower or other misuses, abuses, or causes other than defective workmanship or material. Competition boats are expressly excluded from coverage under this Limited Warranty and are not warranted by Hydro-Stream under any circumstances.

HydroStream agrees to repair or replace any defective production hull without cost to the original purchaser. No repairs shall be made without the prior consent and approval of HydroStream personnel. Any transportation, de-rigging or re-rigging costs shall be paid by the original purchaser.

THE EXPRESS WARRANTIES SET FORTH HEREIN ARE IN LIFU OF ALL OTHER WAR-RANTIES, EXPRESS OR IMPLIED, INCLUD-ING WITHOUT LIMITATION ANY WAR-RANTIES OF MERCHANTABILITY OR FIT-NESS FOR A PARTICULAR PURPOSE AND ALL SUCH OTHER WARRANTIES, TO THE EXTENT PERMITTED BY LAW, ARE HEREBY DISCLAIMED AND EXCLUDED BY HYDRO-STREAM, ANY LIMITED WARRANTIES WHICH ARE NOT EXCLUDED HEREBY DUE TO OPERATION OF LAW ARE LIMITED IN DURATION TO THE DURATION OF THE EXPRESS WARRANTY PROVIDED HEREIN FOR THE PRODUCT WARRANTED

THE REMEDIES SET FORTH AROVE ARE THE SOLE AND EXCLUSIVE REMEDIES PROVIDED HEREUNDER AND HYDRO-STREAM SHALL NOT BE LIABLE FOR ANY FURTHER LOSS, DAMAGES OR EXPENSES, INCLUDING INCIDENTAL OR CONSE-OUENTIAL DAMAGES DIRECTLY OR IN-DIRECTLY ARISING FROM THE LISE OF ITS PRODUCTS

Some states do not allow limitation on how long an implied warranty lasts, so the above limitation on the duration of any implied warranties not excluded hereby due to operation of law may not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion of incidental or consequential damages may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state-to-state

ANY ORLIGATION ON THE PART OF HYDROSTREAM TO PERFORM ACCORD-ING TO THE TERMS OF THIS LIMITED WARRANTY IS SPECIFICALLY CONDI-TIONED UPON THE ORIGINAL PUR-CHASER'S COMPLETION AND RETURN OF THE HYDROSTREAM OWNER WAR-RANTY REGISTRATION CARD WITHIN 15 DAYS OF THE DATE OF PURCHASE FAILURE TO COMPLETE AND RETURN THE WARRANTY REGISTRATION CARD AS SPECIFIED WILL PRECLUDE COVERAGE UNDER THIS WARRANTY

To make claim under this Limited Warranty, contact the authorized HydroStream dealer from whom the boat was purchased or, if this person is not known, write:

Customer Service Manager HydroStream 2211 West County Road D New Brighton, Minnesota 55112

Provide the following information to the person contacted:

- (a) Your name, address, and telephone number:
- (b) Description of the product for which the claim is made, including: (1) model name and year; and
- (2) serial number; (c) Date of purchase of product;
- (d) Name of HydroStream dealer from whom purchased and (e) Nature of product failure.