



s ultimate 20 foot performance/pleatistancing ride, crisp handling and exormance put this 20 footer in a class by

Length — 20" (610 cm)

Bearn — 89" (226 cm)

Vegas Transom Height — 21" (53 cm)

Vegas XT Transom Height — 23" (58 cm)

Vegas Maximum H.P. — 200

Vegas XI Maserum HP. — 205
Vegas XT Maserum HP. — 235
VEGAS STANDARD FEATURES:

Deep pile marine carpeting Dual mechanic

ench seat • Center console with lockable glove ox • Red, blue or apricot metalflake finish with tandard black interior.

VEGAS XI STANDARD FEATURES:

All Vogas features lated above Modified Vee, air-entragment hall Under-floor ski storage locker with tool

air-entrapment hall © Under-floor ski storage locker with teak access cover.

OPTIONS:

Delaze Special Edition Package including Special Letters may come colorable access including Special

But Consent Averaging the Lore of a Consent of Took was steps.

A proud member of the HydroStream fleet, Voyager boasts full-sized comfort and 20 luxurious feet of family boating pleasure.

SPECIFICATIONS: Length — 20' (410 cm) Beam — 89' (226 cm) Voyager Transom Height —

Voyage Transom Height — 21° (53 cm) Voyage XI Transom Height — 21° (58 cm) Voyage XI Maximum H.P. — 200 Voyage XI Maximum H.P. — 235 /OYAGE STANDARD FRATURS: Deep pile marine carpeting

Dual mechanical steering

Tempored ulas walk-

ning lights • Fused switch parel • Two forward liceng buckers and rore bench real • Body-commend forward licenges • Special Edition two-tone color scheme.*

VOYAGER XT STANDARD FIATURES:
• All Voyager leatures listed above • Modified Vere, air-emagneem hall • U lider-floor filed Vere, air-emagneem hall • U lider-floor

All Voyager features listed above the ided Vive, are-entrapement half the Underski storage locker with teak access conformos.
Gauge panel Convertible top the Gauge panel to Convertible top the Convertible

Voyager/Voyager XT





Vegas I/O Never before has this kind of performance be available in an inboard/outboard configuration.

er before has this kind of performance been able in an inboard/outboard coefiguration, is I/O is for the inboard/outboard enthusiant is looking for "hot outboard" performance.

Length — 20' (610 cm)

Beam — 69' (226 cm)

Transom beight — 29' (73 cm)

STANDARD HATURES

Decoupling marine campeting • Two for

ward fisting backets and roar bench seat @ Contro console with locking plove box @ Red. blue or aprice metablishe fireith with standard black interior @ Under-fireit with regard locker with tesk access cover @ Running lights @ That tank @ Hilipp group @ Right blower @ Instrumentation teskeling speed-counter, test-posserer, had group of pressure act benneter, test-posserer, light group of pressure activities or OMC sternsfribe.

OFTIONS:

6 or 8 cylinder Mercruiser or OMC sterndrive
Windshield Mooning cover Teak
with steps Special Edition two-tone color

Voyager I/O

Family pleasure boating at its finest, inboard/out-

statice,
SPECIFICATIONS:
Length — 20" (610 cm)
Beam — 89" (1226 cm)

STANDAD FRATURES:

© Deep pile masine carpeting © Tempered glass wast-through windfield © Locking glove has © Deler raken © Florid approximation of the control of the cont

OPTIONS:

• 6 or 8 cylinder Mercruiser or OMC stemdrive • Convertible top • Side and aft curtains • Bow cover • Mooring cover •





SPECIFICATIONS:

Venus Transom Height - 21" (53 cm) VENUS STANDARD FEATURES:

Deep-pile marine cameting Dual mechanical steering • Fused switch panel • mirrum ratings . Dock cleats . Side cabin bench seat . Interior light . Locking forward storage area Special Edition two-tone

VINUS XT STANDARD FEATURES All of the Venus features listed above Modified Vec, air-entrapment hull . Linder

OPTIONS 20 gallon fuel tank . Mooring cover . Contional convertible top . Convertible top .



HST STANDARD FFATURES

white or blue orleans | Black interior

 Special edition two-tone color scheme, color coverlinated. interior . Black anocker rub rail . 19 gallon fuel tank .





HOOKER

HOOKER STANDARD FEATURES

ing Speedometer . Tachpropeter . Volt meter . Furl gauge @ Running Soles @ Switch named with wine harmens • 12/24 volt chargeback panel • Locking cameraiglovetox . Locking red storage locker . Lockins clock hatches . Two neclestal fishing souts . Two stationary rider seats . Two pedestal pole stooge holders Bloc pump Front and near aerated livewells Remote livewell drain and fill controls . Aborified hise air. entracement hall . Dock clock . Corneia courtes, links Rod storage courtesy light @ Bult-in ice chest @ Hard talk . Vind insert gurwhale molding . Tarkle box storage tray . Tinted windscreen . 40 galon fuel tank. Transcom trim switch: Rod saver straps.

OPTIONS





Vegas Skier AWSA Approved Towboat, October 28, 1986.

Length - 20' (610 cm)

Deep-pile muritie carpeting Dual mechanical steering

Tournament style interior . 30 gallon byzatank . Tour refere

Special Edition two-tone color scheme* Monting court

Valero Bowrider YT

STANDARD FEATURES

 Dono rate marine carneting Dual mechanical species Walethrough windshield Locking glove topogram a treatment forward spense compartments

erab roll 9 19 sullen fuel tack 9 Mooring cover 9



V-King Transom Height -- 22%* (57 CM)

V-KING STANDARD FEATURES:

 Deep pile marine carpeting Dual mechanical steering . I nw modile, tirted near broach seat Red blue or acricos

V-KING YE STANDARD FEATURES: All V.King features listed above Accelshed Voe. air-entropment hull . Under-floor ski

Subta and tank seah rail 16 sallon fuel tank (19 gallon for the YT) . Mooring cover .



Valero/Valero YT

oxfrom V-Ring Combined with the yling and spacious interior of the Vegas, is it all. ATIONS:

Beam — 89" (226 CM) Valero Transom Height — 221/5" (57 CM) Valero YT Transom Height - 24" (61 CM)

Maximum H.P. — 175
VALERO STANDARD FEATURES:

Deep pile marine carpeting Dual mechanical steering Two forward facing

VALERO YT STANDARD FEATURES:

All Valero features listed above

Modified Vec., air-entrapment hall

Under floor ski

Orders Commission and Access Commission Comm

Vector

The mid-sized performance sport runabout, tailored for todays mid-sized outboards. For breathtaking styling and exceptional performance, Vector is your key to independent excitement.

SPICIFICATIONS:

Length — 17'1" (521 CM) Beam — 89" (226 CM) Transom Height — 23" (5

> Deep-pile marine carpeting @ Mechanical steering @ Low profile, timed windscreen
> Two forward facing buckets and rear bench seat @ Red, blue and agricot metalflake firsth

with standard black innerior
OPTIONS:

Deluxe Special Edition

Special Edison two-tone color scheme*, del color-coordinated interior, illuminated gap panel, toway runn lights and teak grab rail @ Dual steering @ gallon fuel tank @ Mooring cover @ T wim stee.





Verado

SPECIFICATIONS:

Mechanical steering Windshield Two forward facing backets and mur bench seat

lights, and teak grab rail . Dual steering Mooring cover 16 gallon feel tank



■ Special Edition two-tone color scheme* ■ Dual steering ■ Mooring cover ■ Teak swim steps ■ 16 gallon fuel

/iper

The Viper represents the finest 15 feet of ski, pleasure or performance available. Ultimate efficiency has been united with superior control to

Length — 15' (457 CM) Beam — 86" (218 CM)

Transom Height — 21%* (55 CM)
Maximum H.P. — 120
STANDARD HATURIS:

Deep give marine carpeting a Mechanical steering a Low profile, finted windscreen a Two forward facing buckets and rear bench seat a Red, blue or agricot meralliake limb

Delizie Special Edison Parkage including Special Edison two-tone color scheme*, delian color-conditamed interior; illuminated gauge panel, fused switch panel, stowaway running lights, and rook grah rail. © Dual sceeing. 8 its gallon fuel tank & Monting, cover © Tool gallon fuel, tank & Monting.





Hustler

Spirit, performance and economy are all elements of the Hustler's personality. Styling with a racely flair and seating for two team up to make the Hustler fain, efficient and affordable.

SPECIFICATIONS: Length = 1116" (350 CM) Beam = 62" (157 CM)

Transom Height — 15" (38 CM Maximum H.P. — 25 STANDARD FEATURES:

Deep pile marine carpeting Mechanical streeting Red.
blue or apricot metalitake finish with standard black interior.

OPTIONS:

Special Edison two-sone color scheme*

Deluse colorcoordinated interior

Stoward running lights

Mooring

Accessories and Options



HvdssStream knit sport shirt with three button placket











Special Edition Color Scheme Descriptions

QUARTY Sand werallage with assistat shearline accept and came!

Hydr Stream

It is our purpose at Hydrotreum to provide the buyer with the most innovative empirement parallels to achieve a performance and styling unique to tried. The elements of Hydrotreum design are more than style, they are additions to performance, laternove use of sudputer distinctions under reduce weight and increase strength. Superiority, however, in not attained by design alone. Cartinnam-shap and quality construction materials are ancessity. All prototypes of our model and materials undergo many hours of developing, testing, proving, correcting and retesting, Hydrotreum in continually researching and testing new concepts and controlled and materials undergo many hours of developing.

1927 World Racing Champion, Howard Pipkorn, member of the American Power Boat Association "Hall of Champions", and several time National Champion, uses his racing experience coupled with engineering skills to design HydroStream

products. His winning rec



superment divers, operating Hydrotheran Boar in an automore automore shows of separates and under operation continuous. Hydrotheran Boar not recommend with an official structures of the third separates of the continuous continuous of the third separates of the continuous continuous of the third separates of the continuous contin



HYDROSTREAM ONE YEAR LIMITED WARRANTY TO ORIGINAL PURCHASER

reproductivation others a studied warrancy to halfs agained defects in materials and workmanship under neemal use for the period of authorized the production of the period of authorized the production in death. This warranes does NOT apply to pictore, windsheds, causeuring, applicative or benchmer suggisted with the production of the period of the period NOT apply to father of the build due to preduct above south on operating the bost with an experience of the period of the period of the power or other miscores, aboves, or causes other than detective societisms for mate-

power or other mixines, abuses, of causes other than defective work-manship or material. Competition beath are expressly excluded from coverage under this Limited Warranty and are not worranted by Hydro-Stream under any circumstances. HydroStream agrees to repair or replace any defective production built without cost to

the eriginal purchaser. No repairs shall be made without the pier connect and approva of HydroStream personnel. Ans transports too, de-riging or re-regions costs shall be paid by the original perchaer. THE ENPESS WARRANTIS SET FORTH HEREN ARE IN LIFE OF ALL OTHER WAR RANTISS, LEPHESS OF IMPILED. INCLUD-ING. WITHOUT EMILIATION ANY WAR

THE SIZE OF CHIEF WARRANTER, TO THE STEAM OF THE STEAM OF

ation on the datasets as any representation on the control of the

OF THE HYDROSTREAM OWNER WARKANTY RIGISTRATION CARD WITHIN 15
DAYS OF THE DATE OF PURCHASE.
ABLURE TO COMPETE AND RETURN
THE WARRANTY RECISTRATION CARD AS
PICHHO WILL PRECLUDE COVERAGE
UNDER THIS WARRANTY.

dealer from whom the boat was purchased or, if this person is not known, write:

HydroStream 2211 West County Road New Brighton, MN 5511 (612) 633-3492

on contacted:

(a) Your name, address, and telephone number:

(b) Description of the product for which the

(2) serial number:
(c) Date of purchase of product;
(d) Name of HydroStream dealer from whom purchased and

UR LOCAL HYDROSTREAM DEALER:

PRINTED IN U.S.