



With American and Global Parts

DEPOSITORY SAFES

Put a dead stop to theft or shrinkage - internal or external

FD-2014C
(DIAL LOCK)



FD-2014E
(ELECTRONIC)



FD-2014K
(KEY LOCK)



Height	Width	Deep	(Inches)
20 ¹ / ₄	14	14	Exterior
10 ¹ / ₂	13 ¹ / ₂	12 ¹ / ₄	Interior

Weight: 90 lbs

RH-2014E
(ELECTRONIC)



RH-2014K
(KEY LOCK)



RH-2014C
(DIAL LOCK)



Height	Width	Deep	(Inches)
20	14	14	Exterior
12 ³ / ₄	13 ³ / ₄	11 ³ / ₁₀	Interior

Weight: 93 lbs

TTW-2015



Height	Width	Deep	(Inches)
20	15	15	Exterior

Weight: 93 lbs

Put a dead stop to theft or shrinkage - internal or external

Hollon Depository Safes allow companies to regain control of their cash... and are the absolute best choice for a heavy duty commercial environment.

Constructed with solid steel plates welded with continuous welds for all parts of the safe. B-Rated and designed for use with armored car services, restaurants, chain stores, convenience stores and government applications.

Comes complete with the S&G UL Group II lock... designed for high commercial series usage - and lasting up to 300% longer than standard UL listed Group II locks.

- B-Rated Heavy Duty Depository Safe.
- 1/2" Steel door.
- Internal re-locking devise provides secondary line of defense.
- 4 pre-drilled anchor holes.
- Anti-Fish baffle prevents theft through deposit door (except for RH-2014 and TTW-2015 models).
- Locks and re-locker are protected.
- Drill/Ballistic resistant hardplate.
- Dual re-lockers.

DEPOSITORY SAFES

Put a dead stop to theft or shrinkage - internal or external



With American and Global Parts

FD-2714C
(DIAL LOCK)



FD-2714E
(ELECTRONIC)



FD-2714K
(KEY LOCK)



Height	Width	Deep	(Inches)
27	14	14	Exterior
18	13 ¹ / ₂	11	Interior

Weight: 115 lbs

FD-3020C
(DIAL LOCK)



FD-3020E
(ELECTRONIC)



Height	Width	Deep	(Inches)
30	20	20	Exterior
19	18	17 ³ / ₄	Interior

Weight: 200 lbs

Cubic Feet: 3.65



FDD-3020EE
(ELECTRONIC)



FDD-3020CC
(DIAL LOCK)



FDD-3020EK
(KEY/ELEC LOCK)



Height	Width	Deep	(Inches)
30	20	20	Exterior
8 ¹ / ₄	19 ³ / ₄	17	Interior

Weight: 200 lbs

Cubic Feet: 3.6

- B-Rated Heavy Duty Depository Safe.
- 1/2" Steel door.
- Internal re-locking devise provides secondary line of defense.
- 4 pre-drilled anchor holes.
- Anti-Fish baffle prevents theft through deposit door (except for RH-2014 and TTW-2015 models).
- Locks and re-locker are protected.
- Drill/Ballistic resistant hardplate.
- Dual re-lockers.

Put a dead stop to theft or shrinkage - internal or external

Hollon Depository Safes allow companies to regain control of their cash... and are the absolute best choice for a heavy duty commercial environment.

Constructed with solid steel plates welded with continuous welds for all parts of the safe. B-Rated and designed for use with armored car services, restaurants, chain stores, convenience stores and government applications.

Comes complete with the S&G UL Group II lock... designed for high commercial series usage - and lasting up to 300% longer than standard UL listed Group II locks.



With American
and Global Parts

DEPOSITORY SAFES

Put a dead stop to theft or shrinkage - internal or external

FD-3020EILK
(ELECTRONIC)



Height	Width	Deep	(Inches)
30	20	20	Exterior
12 ¹ / ₄	19 ³ / ₄	16 ⁷ / ₈	Interior
4 ³ / ₈	19 ³ / ₄	16 ⁷ / ₈	Lock Box

Weight: **180 lbs**

FD-3020CILK
(DIAL LOCK)



FD-4020E
(ELECTRONIC)



Height	Width	Deep	(Inches)
40	20	20	Exterior
27 ¹ / ₈	19 ³ / ₄	16	Interior

Weight: **248 lbs**

FD-4020C
(DIAL LOCK)



FD-4020EILK
(ELECTRONIC)



Height	Width	Deep	(Inches)
40	20	20	Exterior
19 ⁷ / ₈	19 ³ / ₄	16	Interior
9 ³ / ₄	19 ¹ / ₂	15 ¹ / ₄	Lock Box

Weight: **258 lbs**

FD-4020CILK
(DIAL LOCK)



FDD-4020EE
(ELECTRONIC)



Height	Width	Deep	(Inches)
40	20	20	Exterior
11 ¹ / ₈	19 ³ / ₄	16	Interior Top
15 ¹ / ₂	19 ³ / ₄	16	Interior Bottom

Weight: **258 lbs**

FDD-4020CC
(DIAL LOCK)



- B-Rated Heavy Duty Depository Safe.
- 1/2" Steel door.
- Internal re-locking devise provides secondary line of defense.
- 4 pre-drilled anchor holes.
- Anti-Fish baffle prevents theft through deposit door (except for RH-2014 and TTW-2015 models).
- Locks and re-locker are protected.
- Drill/Ballistic resistant hardplate.
- Dual re-lockers.

Put a dead stop to theft or shrinkage - internal or external

Hollon Depository Safes allow companies to regain control of their cash... and are the absolute best choice for a heavy duty commercial environment.

Constructed with solid steel plates welded with continuous welds for all parts of the safe. B-Rated and designed for use with armored car services, restaurants, chain stores, convenience stores and government applications.

Comes complete with the S&G UL Group II lock... designed for high commercial series usage - and lasting up to 300% longer than standard UL listed Group II locks.

WHAT A DIFFERENCE A HINGE MAKES!

Hollon Safe uses our own design solid steel hinge. These cost roughly 500% more than an industry standard hinge used by our competition. Seems crazy right? We don't think so because we want our customers to have decades of trouble free use of their safe. Our vault hinges on our gun safes are "NO SAG HINGES" and this takes much more steel to produce.

Lesser quality hinges are much smaller and often use "hinge cap" to make the smaller hinge look larger and more secure. How do you know if the gun safe you are looking at uses a hinge cap? Easy, it will be adjustable and no sign of being welded onto the front of the safe. It will look to perfect due to the use of epoxy to hold it into place. The adjustable feature is also needed because it's only a matter of time before it sags. Then the door will begin to stick and it will be hard to open and close. You may even need to lift up on the handle to get it to open. These are better than internal hinges which won't let the door open completely.

Some competitors use internal hinges. These are also something to be aware of. I suggest you open the door and place your hand on the hinge and follow it around to the inside. You will notice there is no fireproofing where the hinges

are attached. So if a chain is only as strong as its weakest link...here is the weakness. Those companies will often say stuff like "that is why it is only 75 minute fire rated and not 90 minutes." Which sounds good but it just doesn't work that way in a fire.

These hinges work but it's important you know what you are getting for the money. Hollon hinges are some of the best in the world and we are proud to offer these on our top safe models so you have trouble free use of your safe for decades.

