











**COOLING | HEATING | DRYING**




[www.coolazone.com](http://www.coolazone.com) | [www.heatazone.com](http://www.heatazone.com) | 1.855.386.2665

# EVAPORATIVE COOLING


Stay cool and comfortable with Cool-A-Zone's advanced evaporative coolers, the epitome of efficient cooling solutions. Our evaporative coolers are expertly engineered to deliver refreshing, crisp air; transforming any indoor or outdoor space into an oasis of comfort.


-  **Lowers ambient air temperature**
-  **No installation or duct required**
-  **Portable with locking wheels**
-  **Digital timer**
-  **Runs quietly**
-  **Easy to use, clean & maintain**
-  **Energy efficient**
-  **Adjustable speeds**



### COOLBOX C5


COOLING CAPACITY	<b>4 sq. ft.</b>
MAX AIR DELIVERY	<b>59 CFM</b>
WATER TANK	<b>13.5 oz.</b>
DIMENSIONS	<b>6.5 X 6.5 X 6.5</b>
ELECTRICAL	<b>110V-5W</b>
WEIGHT	<b>2 lb.</b>






### COOLBOX C35


COOLING CAPACITY	<b>175 sq. ft.</b>
MAX AIR DELIVERY	<b>353 CFM</b>
WATER TANK	<b>3.5 qt.</b>
DIMENSIONS	<b>14 x 8 x 14.5</b>
ELECTRICAL	<b>110V-16W</b>
WEIGHT	<b>5.9 lb.</b>






### COOLBOX C50


COOLING CAPACITY	<b>500 sq. ft.</b>
MAX AIR DELIVERY	<b>1568 CFM</b>
WATER TANK	<b>5 gal.</b>
DIMENSIONS	<b>15 x 40 x 15</b>
ELECTRICAL	<b>110V-100W</b>
WEIGHT	<b>24 lb.</b>






### COOLBOX C75 MINI


COOLING CAPACITY	<b>533 sq. ft.</b>
MAX AIR DELIVERY	<b>960 CFM</b>
WATER TANK	<b>6 gal.</b>
DIMENSIONS	<b>16 x 33.8 x 15</b>
ELECTRICAL	<b>110V-130W</b>
WEIGHT	<b>20 lb.</b>






### COOLBOX C75


COOLING CAPACITY	<b>800 sq. ft.</b>
MAX AIR DELIVERY	<b>1600 CFM</b>
WATER TANK	<b>8 gal.</b>
DIMENSIONS	<b>15 x 48 x 18</b>
ELECTRICAL	<b>110V-160W</b>
WEIGHT	<b>26 lb.</b>





### COOLBOX C75XL

COOLING CAPACITY	<b>1000 sq. ft.</b>
MAX AIR DELIVERY	<b>2060 CFM</b>
WATER TANK	<b>10.5 gal.</b>
DIMENSIONS	<b>16 x 66 x 20</b>
ELECTRICAL	<b>110V-350W</b>
WEIGHT	<b>44 lb.</b>





### COOLBOX C100



COOLING CAPACITY	<b>1350 sq. ft.</b>
MAX AIR DELIVERY	<b>4120 CFM</b>
WATER TANK	<b>21 gal.</b>
DIMENSIONS	<b>30 x 55 x 23</b>
ELECTRICAL	<b>110V-200W</b>
WEIGHT	<b>54 lb.</b>



### COOLBOX C125



COOLING CAPACITY	<b>1420 sq. ft.</b>
MAX AIR DELIVERY	<b>4350 CFM</b>
WATER TANK	<b>21 gal.</b>
DIMENSIONS	<b>30 x 55 x 23</b>
ELECTRICAL	<b>110V-250W</b>
WEIGHT	<b>54 lb.</b>



### COOLBOX C700



COOLING CAPACITY	<b>1600 sq. ft.</b>
MAX AIR DELIVERY	<b>7067 CFM</b>
WATER TANK	<b>18.5 gal.</b>
DIMENSIONS	<b>36 x 56 x 22</b>
ELECTRICAL	<b>110V-445W</b>
WEIGHT	<b>94 lb.</b>



### COOLBOX C1400



COOLING CAPACITY	<b>2000 sq. ft.</b>
MAX AIR DELIVERY	<b>14000 CFM</b>
WATER TANK	<b>26 gal.</b>
DIMENSIONS	<b>44 x 24 x 65</b>
ELECTRICAL	<b>120V-1100W</b>
WEIGHT	<b>154 lb.</b>



### COOLBOX C1530




COOLING CAPACITY	<b>2500 sq. ft.</b>
MAX AIR DELIVERY	<b>15311 CFM</b>
WATER TANK	<b>34 gal.</b>
DIMENSIONS	<b>61 x 69 x 30</b>
ELECTRICAL	<b>110V-1100W</b>
WEIGHT	<b>253 lb.</b>



### COMMON USES

- |                     |                       |
|---------------------|-----------------------|
| Restuarant Patios   | Warehouses            |
| Restaurant Kitchens | Drive Thrus           |
| Athletic Fields     | Offices               |
| Fitness Centers     | Patios                |
| Events              | Tailgating            |
| Agriculture         | Production Facilities |

## How it Works






Chick-Fil-A  
Houston, TX



1000 North  
Jupiter, FL



Drais Beach Club  
Las Vegas, NV



The Sporting Club  
Houston, TX

**Carpet Warehouse  
Houston, TX**



**Cool-A-Zone Warehouse  
Houston, TX**



**Flooring Warehouse  
Houston, TX**



**Mirror Fabrication Warehouse  
Houston, TX**




# PORTABLE AIR CONDITIONERS


Embrace the freedom to stay cool virtually anywhere. With Cool-A-Zone, innovation meets portability, providing you with the ultimate solution for hot days and restless nights.

 Digital thermostat temperature control


 Easy to use, clean & maintain

 Portable with locking wheels




<b>SPOT AC12</b> 	
COOLING CAPACITY	<b>12000 BTU</b>
COOLING AREA	<b>540 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>15.5 x 20.5 x 37</b>
ELECTRICAL	<b>120V-8.3A</b>
WEIGHT	<b>123 lb.</b>




<b>SPOT AC16</b> 	
COOLING CAPACITY	<b>16000 BTU</b>
COOLING AREA	<b>860 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>17.5 x 24.5 x 46</b>
ELECTRICAL	<b>120V-14.1A</b>
WEIGHT	<b>168 lb.</b>




<b>SPOT AC24</b> 	
COOLING CAPACITY	<b>25000 BTU</b>
COOLING AREA	<b>1930 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>21.5 x 24.5 x 49</b>
ELECTRICAL	<b>220V-13.6A</b>
WEIGHT	<b>209 lb.</b>



<b>SPOT AC36</b> 	
COOLING CAPACITY	<b>36000 BTU</b>
COOLING AREA	<b>2150 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>23.5 x 24.5 x 57.5</b>
ELECTRICAL	<b>220V-19A</b>
WEIGHT	<b>298 lb.</b>



<b>SPOT AC60</b> 	
COOLING CAPACITY	<b>60000 BTU</b>
COOLING AREA	<b>2690 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>31 x 55 x 58</b>
ELECTRICAL	<b>220V-24A</b>
WEIGHT	<b>507 lb.</b>

## COMMON USES


Restaurant Patios	Warehouses
Restaurant Kitchens	Offices
Retail Stores	Data Centers
Fitness Centers	Residential


# DUAL UNITS

Discover the ultimate climate control solution with Cool-A-Zone's dual cooling and heating units, where versatility meets innovation. Our dual units provide both a refreshing cool during the hottest summer days and heat during the chilliest winter, all in one portable unit.

 Digital thermostat temperature control


 Easy to use, clean & maintain

 Portable with locking wheels




### COOLBOX+ CH45

COOLING CAPACITY	<b>350 sq. ft.</b>
HEATING CAPACITY	<b>4433 BTU</b>
MAX AIR DELIVERY	<b>706 CFM</b>
WATER TANK	<b>4.2 gal.</b>
DIMENSIONS	<b>12 x 30 x 12</b>
COOLING ELECTRICAL	<b>110V-1A</b>
HEATING ELECTRICAL	<b>110V-13.6A</b>
WEIGHT	<b>13 lb.</b>




### SPOT AC16 HEAT PUMP

COOLING CAPACITY	<b>16000 BTU</b>
HEATING CAPACITY	<b>18000 BTU</b>
COOLING AREA	<b>860 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>17 x 23.5 x 45</b>
ELECTRICAL	<b>120V-15A</b>
WEIGHT	<b>173 lb.</b>




### SPOT AC24 HEAT PUMP

COOLING CAPACITY	<b>25000 BTU</b>
HEATING CAPACITY	<b>27000 BTU</b>
COOLING AREA	<b>1930 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>21.5 x 26.5 x 46</b>
ELECTRICAL	<b>220V-15A</b>
WEIGHT	<b>216 lb.</b>



### SPOT AC36 HEAT PUMP

COOLING CAPACITY	<b>36000 BTU</b>
HEATING CAPACITY	<b>40000 BTU</b>
COOLING AREA	<b>2150 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>23.5 x 30.5 x 54.5</b>
ELECTRICAL	<b>220V-20.5A</b>
WEIGHT	<b>308 lb.</b>



### SPOT AC60 HEAT PUMP

COOLING CAPACITY	<b>60000 BTU</b>
HEATING CAPACITY	<b>62000 BTU</b>
COOLING AREA	<b>2690 sq. ft.</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>30.7 x 55 x 58</b>
ELECTRICAL	<b>220V-36A</b>
WEIGHT	<b>617 lb.</b>

### COMMON USES

Restaurant Patios	Warehouses
Restaurant Kitchens	Offices
Retail Stores	Residential
Fitness Centers	

# ELECTRIC HEATING

Our premium range of infrared heaters will revolutionize the way you experience comfort, offering instant heating for both indoor and outdoor spaces.



Infrared heat without preheating




Adjustable angle



Weather-resistant stainless steel



Suitable for wall mounting



## SUNSPOT II H400



HEATING MEDIA	<b>Bulb</b>
HEATING AREA	<b>10-15 ft.</b>
DIMENSIONS	<b>25 x 4 x 3</b>
ELECTRICAL	<b>110V-1500W</b>
WEIGHT	<b>6 lb.</b>



## SUNSPOTXL H1600

HEATING MEDIA	<b>Bulb</b>
HEATING AREA	<b>9-15 ft.</b>
DIMENSIONS	<b>50 x 10 x 3</b>
ELECTRICAL	<b>220V-6000W</b>
WEIGHT	<b>16 lb.</b>



## COMMON USES

- Restaurant Patios
- Warehouses
- Outdoor Kitchen
- Patios
- Events



# PROPANE HEATING

Elevate your outdoor heating experience with Heat-A-Zone's propane heaters, where unmatched warmth meets unmatched convenience and style.



Weather-resistant stainless steel



Usable only in uncovered outdoor areas



## HEATWAVE PHT42

HEATING MEDIA	<b>Propane Gas</b>
HEATING CAPACITY	<b>42000 BTU</b>
HEATING AREA	<b>10 ft. diameter</b>
DIMENSIONS	<b>30 x 90 x 30</b>
WEIGHT	<b>69 lb.</b>



## HEATWAVE PHB48

HEATING MEDIA	<b>Propane Gas</b>
HEATING CAPACITY	<b>48000 BTU</b>
HEATING AREA	<b>20 ft. diameter</b>
DIMENSIONS	<b>30 x 87 x 30</b>
WEIGHT	<b>35 lb.</b>



## COMMON USES

- Outdoor Patios
- Campsites
- Outdoor Events

# DEHUMIDIFIER

Cool-A-Zone dehumidifiers offer powerful moisture control solutions for any space. Our dehumidifiers help create a more comfortable environment by removing excess moisture from the air to help prevent mold growth and musty odors, keeping your space feeling fresh and healthy.



Easy to use, clean & maintain



Portable on wheels



Lowers humidity in the space

<b>DH93</b>	
DEHUMIDIFY CAPACITY	<b>160 pints/day @80F, 60% RH</b>
DEHUMIDIFY CAPACITY	<b>93 pints/day @86F, 80% RH</b>
AIR CIRCULATION	<b>350 CFM</b>
REFRIGERANT	<b>R410A</b>
DIMENSIONS	<b>21 x 19 x 31</b>
ELECTRICAL	<b>110V-7A @ 80F, 60% RH</b>
ELECTRICAL	<b>110V-8A @ 86F, 80% RH</b>
WEIGHT	<b>93 lb.</b>



## COMMON USES

- Basements
- Warehouses
- Storage Facilities
- Commercial Spaces

# PARTS

At Cool-A-Zone, we understand the importance of a seamless cooling-to-heating experience. We believe in prolonging the life of your units, which is why we offer a comprehensive selection of high-quality replacement parts for our cooling and heating units. This ensures that they operate at peak efficiency for years to come. Whether it's a small component or a critical part, Cool-A-Zone has the parts and support you need to keep your cooling and heating units running smoothly.

# WARRANTY

For one (1) year from date of purchase, Cool-A-Zone, guarantees any original part or parts of its heating or cooling units (the "Equipment") that are found, upon examination by factory-authorized personnel, to be defective in material or workmanship.

If the Equipment and/or its original parts develop a defect covered by this limited warranty within the applicable time periods described above, the same may be repaired by the customer after receiving the appropriate parts from Cool-A-Zone or entirely replaced with a new product.

All transportation charges for shipment of the Equipment and/or its parts that are submitted for replacement or repair under this warranty must be borne by the purchaser.

This warranty is void if: i) the Equipment and/or its parts are found to have been misused, abused, repaired by or tampered with by unqualified personnel; ii) any of the Equipment's parts have been replaced with parts that were not authorized Cool-A-Zone replacement parts; iii) the product has been modified in any way (other than repairs made by qualified individuals with Cool-A-Zone replacement parts); iv) the Equipment has not been appropriately registered by its original purchaser; or v) the customer cannot show proof of purchase as the Equipment's original owner.





[www.coolazone.com](http://www.coolazone.com)

[www.heatazone.com](http://www.heatazone.com)



1.855.386.COOL  
(2665)

[sales@coolazone.com](mailto:sales@coolazone.com)

