











COOLING | HEATING | DRYING




www.coolazone.com | www.heatazone.com | 1.855.386.2665

EVAPORATIVE COOLING


Stay cool and comfortable with Cool-A-Zone's advanced evaporative coolers, the epitome of efficient cooling solutions. Our evaporative coolers are expertly engineered to deliver refreshing, crisp air; transforming any indoor or outdoor space into an oasis of comfort.


-  **Lowers ambient air temperature**
-  **No installation or duct required**
-  **Portable with locking wheels**
-  **Digital timer**
-  **Runs quietly**
-  **Easy to use, clean & maintain**
-  **Energy efficient**
-  **Adjustable speeds**



COOLBOX C5


COOLING CAPACITY	4 sq. ft.
MAX AIR DELIVERY	59 CFM
WATER TANK	13.5 oz.
DIMENSIONS	6.5 X 6.5 X 6.5
ELECTRICAL	110V-5W
WEIGHT	2 lb.






COOLBOX C35


COOLING CAPACITY	175 sq. ft.
MAX AIR DELIVERY	353 CFM
WATER TANK	3.5 qt.
DIMENSIONS	14 x 8 x 14.5
ELECTRICAL	110V-16W
WEIGHT	5.9 lb.






COOLBOX C50


COOLING CAPACITY	500 sq. ft.
MAX AIR DELIVERY	1568 CFM
WATER TANK	5 gal.
DIMENSIONS	15 x 40 x 15
ELECTRICAL	110V-100W
WEIGHT	24 lb.






COOLBOX C75 MINI


COOLING CAPACITY	533 sq. ft.
MAX AIR DELIVERY	960 CFM
WATER TANK	6 gal.
DIMENSIONS	16 x 33.8 x 15
ELECTRICAL	110V-130W
WEIGHT	20 lb.






COOLBOX C75


COOLING CAPACITY	800 sq. ft.
MAX AIR DELIVERY	1600 CFM
WATER TANK	8 gal.
DIMENSIONS	15 x 48 x 18
ELECTRICAL	110V-160W
WEIGHT	26 lb.





COOLBOX C75XL

COOLING CAPACITY	1000 sq. ft.
MAX AIR DELIVERY	2060 CFM
WATER TANK	10.5 gal.
DIMENSIONS	16 x 66 x 20
ELECTRICAL	110V-350W
WEIGHT	44 lb.





COOLBOX C100



COOLING CAPACITY	1350 sq. ft.
MAX AIR DELIVERY	4120 CFM
WATER TANK	21 gal.
DIMENSIONS	30 x 55 x 23
ELECTRICAL	110V-200W
WEIGHT	54 lb.



COOLBOX C125



COOLING CAPACITY	1420 sq. ft.
MAX AIR DELIVERY	4350 CFM
WATER TANK	21 gal.
DIMENSIONS	30 x 55 x 23
ELECTRICAL	110V-250W
WEIGHT	54 lb.



COOLBOX C700



COOLING CAPACITY	1600 sq. ft.
MAX AIR DELIVERY	7067 CFM
WATER TANK	18.5 gal.
DIMENSIONS	36 x 56 x 22
ELECTRICAL	110V-445W
WEIGHT	94 lb.



COOLBOX C1400



COOLING CAPACITY	2000 sq. ft.
MAX AIR DELIVERY	14000 CFM
WATER TANK	26 gal.
DIMENSIONS	44 x 24 x 65
ELECTRICAL	120V-110W
WEIGHT	154 lb.



COOLBOX C1530



COOLING CAPACITY	2500 sq. ft.
MAX AIR DELIVERY	15311 CFM
WATER TANK	34 gal.
DIMENSIONS	61 x 69 x 30
ELECTRICAL	110V-1100W
WEIGHT	253 lb.




COMMON USES

- | | |
|---------------------|-----------------------|
| Restuarant Patios | Warehouses |
| Restaurant Kitchens | Drive Thrus |
| Athletic Fields | Offices |
| Fitness Centers | Patios |
| Events | Tailgating |
| Agriculture | Production Facilities |

How it Works

Hot Air In



Cold Air Out




Chick-Fil-A
Houston, TX



1000 North
Jupiter, FL



Drais Beach Club
Las Vegas, NV



The Sporting Club
Houston, TX

**Carpet Warehouse
Houston, TX**



**Cool-A-Zone Warehouse
Houston, TX**



**Flooring Warehouse
Houston, TX**




**Mirror Fabrication Warehouse
Houston, TX**




PORTABLE AIR CONDITIONERS


Embrace the freedom to stay cool virtually anywhere. With Cool-A-Zone, innovation meets portability, providing you with the ultimate solution for hot days and restless nights.

 Digital thermostat temperature control


 Easy to use, clean & maintain

 Portable with locking wheels




SPOT AC12 	
COOLING CAPACITY	12000 BTU
COOLING AREA	540 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	15.5 x 20.5 x 37
ELECTRICAL	120V-8.3A
WEIGHT	123 lb.




SPOT AC16 	
COOLING CAPACITY	16000 BTU
COOLING AREA	860 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	17.5 x 24.5 x 46
ELECTRICAL	120V-114.1A
WEIGHT	168 lb.




SPOT AC24 	
COOLING CAPACITY	25000 BTU
COOLING AREA	1930 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	21.5 x 24.5 x 49
ELECTRICAL	220V-13.6A
WEIGHT	209 lb.



SPOT AC36 	
COOLING CAPACITY	36000 BTU
COOLING AREA	2150 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	23.5 x 24.5 x 57.5
ELECTRICAL	220V-19A
WEIGHT	298 lb.



SPOT AC60 	
COOLING CAPACITY	60000 BTU
COOLING AREA	2690 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	31 x 55 x 58
ELECTRICAL	220V-24A
WEIGHT	507 lb.


COMMON USES


Restaurant Patios	Warehouses
Restaurant Kitchens	Offices
Retail Stores	Data Centers
Fitness Centers	Residential


DUAL UNITS

Discover the ultimate climate control solution with Cool-A-Zone's dual cooling and heating units, where versatility meets innovation. Our dual units provide both a refreshing cool during the hottest summer days and heat during the chilliest winter, all in one portable unit.

 Digital thermostat temperature control


 Easy to use, clean & maintain

 Portable with locking wheels




COOLBOX+ CH45

COOLING CAPACITY	350 sq. ft.
HEATING CAPACITY	4433 BTU
MAX AIR DELIVERY	706 CFM
WATER TANK	4.2 gal.
DIMENSIONS	12 x 30 x 12
COOLING ELECTRICAL	110V-1A
HEATING ELECTRICAL	110V-13.6A
WEIGHT	13 lb.




SPOT AC16 HEAT PUMP

COOLING CAPACITY	16000 BTU
HEATING CAPACITY	18000 BTU
COOLING AREA	860 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	17 x 23.5 x 45
ELECTRICAL	120V-15A
WEIGHT	173 lb.




SPOT AC24 HEAT PUMP

COOLING CAPACITY	25000 BTU
HEATING CAPACITY	27000 BTU
COOLING AREA	1930 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	21.5 x 26.5 x 46
ELECTRICAL	220V-15A
WEIGHT	216 lb.



SPOT AC36 HEAT PUMP

COOLING CAPACITY	36000 BTU
HEATING CAPACITY	40000 BTU
COOLING AREA	2150 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	23.5 x 30.5 x 54.5
ELECTRICAL	220V-20.5A
WEIGHT	308 lb.



SPOT AC60 HEAT PUMP

COOLING CAPACITY	60000 BTU
HEATING CAPACITY	62000 BTU
COOLING AREA	2690 sq. ft.
REFRIGERANT	R410A
DIMENSIONS	30.7 x 55 x 58
ELECTRICAL	220V-36A
WEIGHT	617 lb.

COMMON USES

Restaurant Patios	Warehouses
Restaurant Kitchens	Offices
Retail Stores	Residential
Fitness Centers	

ELECTRIC HEATING

Our premium range of infrared heaters will revolutionize the way you experience comfort, offering instant heating for both indoor and outdoor spaces.



Infrared heat without preheating



Adjustable angle



Weather-resistant stainless steel



Suitable for wall mounting



SUNSPOT II H400



HEATING MEDIA	Bulb
HEATING AREA	10-15 ft.
DIMENSIONS	25 x 4 x 3
ELECTRICAL	110V-1500W
WEIGHT	6 lb.



SUNSPOTXL H1600

HEATING MEDIA	Bulb
HEATING AREA	9-15 ft.
DIMENSIONS	50 x 10 x 3
ELECTRICAL	220V-6000W
WEIGHT	16 lb.



COMMON USES

- Restaurant Patios
- Warehouses
- Outdoor Kitchen
- Patios
- Events

PROPANE HEATING

Elevate your outdoor heating experience with Heat-A-Zone's propane heaters, where unmatched warmth meets unmatched convenience and style.



Weather-resistant stainless steel



Usable only in uncovered outdoor areas



HEATWAVE PHT42

HEATING MEDIA	Propane Gas
HEATING CAPACITY	42000 BTU
HEATING AREA	10 ft. diameter
DIMENSIONS	30 x 90 x 30
WEIGHT	69 lb.



HEATWAVE PHB48

HEATING MEDIA	Propane Gas
HEATING CAPACITY	48000 BTU
HEATING AREA	20 ft. diameter
DIMENSIONS	30 x 87 x 30
WEIGHT	35 lb.



COMMON USES

- Outdoor Patios
- Campsites
- Outdoor Events

DEHUMIDIFIER

Cool-A-Zone dehumidifiers offer powerful moisture control solutions for any space. Our dehumidifiers help create a more comfortable environment by removing excess moisture from the air to help prevent mold growth and musty odors, keeping your space feeling fresh and healthy.



Easy to use, clean & maintain



Portable on wheels



Lowers humidity in the space

DH93	
DEHUMIDIFY CAPACITY	160 pints/day @80F, 60% RH
DEHUMIDIFY CAPACITY	93 pints/day @86F, 80% RH
AIR CIRCULATION	350 CFM
REFRIGERANT	R410A
DIMENSIONS	21 x 19 x 31
ELECTRICAL	110V-7A @ 80F, 60% RH
ELECTRICAL	110V-8A @ 86F, 80% RH
WEIGHT	93 lb.



COMMON USES

- Basements
- Warehouses
- Storage Facilities
- Commercial Spaces

PARTS

At Cool-A-Zone, we understand the importance of a seamless cooling-to-heating experience. We believe in prolonging the life of your units, which is why we offer a comprehensive selection of high-quality replacement parts for our cooling and heating units. This ensures that they operate at peak efficiency for years to come. Whether it's a small component or a critical part, Cool-A-Zone has the parts and support you need to keep your cooling and heating units running smoothly.

WARRANTY

For one (1) year from date of purchase, Cool-A-Zone, guarantees any original part or parts of its heating or cooling units (the "Equipment") that are found, upon examination by factory-authorized personnel, to be defective in material or workmanship.

If the Equipment and/or its original parts develop a defect covered by this limited warranty within the applicable time periods described above, the same may be repaired by the customer after receiving the appropriate parts from Cool-A-Zone or entirely replaced with a new product.

All transportation charges for shipment of the Equipment and/or its parts that are submitted for replacement or repair under this warranty must be borne by the purchaser.

This warranty is void if: i) the Equipment and/or its parts are found to have been misused, abused, repaired by or tampered with by unqualified personnel; ii) any of the Equipment's parts have been replaced with parts that were not authorized Cool-A-Zone replacement parts; iii) the product has been modified in any way (other than repairs made by qualified individuals with Cool-A-Zone replacement parts); iv) the Equipment has not been appropriately registered by its original purchaser; or v) the customer cannot show proof of purchase as the Equipment's original owner.





www.coolazone.com

www.heatazone.com



1.855.386.COOL
(2665)

sales@coolazone.com

