

SAFETY DATA SHEET

Revision Date 4/1/2019

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name AlpenGlow Wood & Laminate Cleaner **Item:** AlpenGlow Laminate & Wood Cleaner
Product Use Hardwood & Laminate Floor Cleaner
Company Name Jani-Source, LLC. **Office** (740) 374-6298
478 Bramblewood Hts Rd **Fax** N/A
Marietta OH 45750 **Web** janisource.com
EMERGENCY TELEPHONE NUMBER CHEMTEL (800) 255-3924

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B; SKIN-Category 2
Environmental CHRONIC-Aquatic Toxicity-Category 4

WARNING Causes eye irritation, Causes skin irritation
May be harmful if swallowed, Do not get in eyes or on skin, and avoid inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u>	<u>COMMON NAME AND SYNONYMS</u>	<u>CAS #</u>	<u>IMPURITIES</u>	<u>PERCENT</u>
Sodium Lauryl Sulfate		151-21-3		< 3%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid
SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid
INHALATION Not Applicable
INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs
Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness, tearing
Skin May cause skin irritation, itching, redness, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, May cause irritation, of the mouth, and throat

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation, or pain
Skin Causes skin irritation, itching, redness, defatting of the skin which may lead to dermatitis
Inhalation Spray mist may cause irritation, to respiratory tract
Ingestion May be harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire
Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, and other toxic fumes
Reactive With Reactive with, strong oxidizing agents
Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable
Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Gloves
Containment	Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the environment
Clean Up Procedures	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Use appropriate safety equipment, Avoid eye and skin contact, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Sodium Lauryl Sulfate	None	Established			

PERSONAL PROTECTIVE EQUIPMENTChemical Safety Glasses,
Goggles or Face ShieldImpervious
Chemical Gloves**Ventilation**

General Ventilation

HMIS HAZARD RATINGS

Health	1
Flammability	0
Reactivity	0
Personal Protection	B

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.01
Flammable Limits	ND	pH (± 0.3)	6.0 - 6.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Mild pleasant odor	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 84%	Partition Coefficient	ND
VOC	0.0%	Molecular Weight (g/mol)	ND
LVP-VOC	0.0%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable at normal ambient temperature and pressure
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness, tearing
Skin May cause skin irritation, itching, redness, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, May cause irritation, of the mouth, and throat

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation, or pain
Skin Causes skin irritation, itching, redness, defatting of the skin which may lead to dermatitis
Inhalation Spray mist may cause irritation, to respiratory tract
Ingestion May be harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated **Oral:** > 5,000 mg/kg **Dermal:** > 5,000 mg/kg **Inhaled:** (No Data) mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), No data available (Inhaled)

Additional Info

Target Organs Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Sodium Laurel Sulfate	LD50	Oral	Rat	1,200 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	> 2,000 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Sodium Laurel Sulfate	LC50	Fiah	(Gambusia affinis)	3.6 mg/L	96 Hours	2 (>1, ≤10 mg/L)

Presistence And Degradability This product is readily biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid

Other Adverse Effects May cause long lasting harmful effects to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION**

UN Number **Proper Shipping Name** n.o.s. (Chemicals) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response</u>	<u>Marine Pollutant</u>	<u>Hazard Label</u>	<u>Secondary</u>
None	None	None	None	154	No		

Additional Info:

SECTION – 15 REGULATORY INFORMATION															
TSCA															
CHEMICAL NAME	Sec 8(b) Inventory			Sec 8(d) Health And Safety			Sec 4(a) Chemical Test Rules			Sec 12(b) Export Notification					
Sodium Lauryl Sulfate	Yes														
REPORTABLE QUANTITIES															
CHEMICAL NAME	Extremely Hazardous			Reportable Quantity			Emission Reporting								
	EPCRA TPQ Sec 302			EPCRA RQ Sec 304			CERCLA RQ Sec 103			TRI Sec 313			RCRA Code	RMP TQ Sec 112r	
None Listed															
SARA															
CHEMICAL NAME	Section 311			Section 311 / 312 Hazards											
	Hazardous Chemical			Acute			Chronic			Flammable			Pressure	Reactive	
Sodium Laurel Sulfate	Yes			Yes											
RIGHT TO KNOW															
CHEMICAL NAME	STATE														
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI		
None Listed															
CALIFORNIA															
CHEMICAL NAME	CAS #			WARNING! This product contains chemicals known to the state of California to cause:											
				Birth Defects			Reproductive Harm			Carcinogen			Developmental		
None Listed															
CLEAN AIR WATER ACTS															
CHEMICAL NAME	CAS #			Clean Air Acts			Clean Water Acts								
				HAP			Ozone Class 1			Ozone Class 2			HS	PP	TP
None Listed															
INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:															
CHEMICAL NAME	Australia		Canada		Europe (EINECS)			Japan		Korea		UK			
Sodium Laurel Sulfate	Yes		Yes		Yes			Yes		Yes		Yes			
WHMIS Classification															
CHEMICAL NAME	DSL		Class Description												
Sodium Laureth Sulfate	Yes		D-2B Materials Causing Other Toxic Effects; Toxic Material												

SECTION – 16 OTHER INFORMATION

SDS **LEGEND DESCRIPTION**

ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(E1 = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Jani-Source, LLC

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.