

2023

PROFESSIONAL MERCHANDISE PROGRAM





PRO-PICK



Look for Pro-Pick icon
for MUST HAVE items

2 Tools that work for you







Wiha Foam Tray Sets

	Description	Page
	Large Foam Tray Sets	5
	Medium Foam Tray Sets	6
	Small Foam Tray Sets	7



Wiha Insulated Screwdrivers

	Description	Page
	Insulated Screwdrivers Slotted, Phillips, TORX®, Nut Drivers, Pozidriv®, Square	8-10
	Insulated Screwdrivers Slotted, Phillips, TORX®, Nut Drivers, Pozidriv®, Square	11

Wiha SoftFinish® Cushion Grip Drivers Sets

	Description	Page
	SoftFinish® Screwdrivers	12-14
	Stubby SoftFinish® Drivers	13-14
	CentroFix Blade Holder	14
	Power Blade Screwdriver Sets	14
	Stubby Bit Holders	15
	TorqueControl Bit Set	15



Wiha Insulated Pico Finish Screwdrivers

	Description	Page
	Insulated PicoFinish Sets	15
	Ins. SlimLine Pico Handle	15



Precision PicoFinish® Screwdriver Sets

	Description	Page
	Precision PicoFinish® Sets	16


Wiha Precision Screwdriver Sets

	Description	Page
	Precision Screwdrivers Slotted, Phillips, TORX®, Nut Drivers, Pozidriv®, Pentalobe	17-19
	Precision Chip Lifters	17





ESD Safe Precision Screwdriver Sets

	Description	Page
	Prec. Slotted/Phillips Slotted, Phillips, TORX®, TORXPlus, Hex, Nut Drivers	20
	ESD Safe Micro Bit Sets	21



Wiha Magnetizer/Demagnetizer

	Description	Page
	Magnetizer/Demagnetizer	21





Wiha Insulated Industrial Pliers/Cutters

	Description	Page
	Insulated Pliers/Cutters	22-27
	Insulated Electrician's Shears	26
	Ins. Tongue & Groove Pliers	27
	Insulated Pliers Sets	22-27

Industrial SoftGrip Pliers & Cutters

	Description	Page
	Pliers & Cutters	28-29
	End Nippers	28-29



Vinyl Grip Pliers & Cutters

	Description	Page
	Pliers & Cutters	30-31
	High Lev. End Cutting Nippers	32
	Adjustable Pliers	32
	Standard Pliers/Cutters Sets Belt Pack Pouch Sets	31

Industrial SoftGrip Pliers & Cutters

Description	Page
 Strippers & Crimpers	33




Precision Electronic Pliers/Cutters

Description	Page
 Electronic Pliers & Cutters	34
 Electronic Stripping Pliers	34






ESD Safe Pliers/Cutters

Description	Page
 ESD Safe Pliers & Cutters	35-37




Wiha Hex Inch/Metric & TORX® Tools

Description	Page
 Hex PocketStar Fold Outs	39
 Hex L-key Sets - Long/Short	28-39
 Hex T-handle Sets	39


Multi-Drivers & Ultra Driver Sets

Description	Page
 Multi-Drivers	40-41
 Ultra Drivers	42
 Stubby Bit Holder Sets	14
 Insulated Pop-up Ultra Drivers	43
 Insulated SlimLine Ultra Drivers	43






Wiha Insulated SlimLine Tools

Description	Page
 Insulated SlimLine Handles	44
 Ins. SlimLine Blade Sets	44
 Insulated SlimLine Blades	44






Wiha Insulated TorqueControl Sets

Description	Page
 Ins. TorqueControl Sets	45



Wiha Insulated Tools

Description	Page
 Insulated Open End Spanners	46
 Insulated Knives	46
 T-handles	46
 Folding Rulers	46
 Voltage Detectors	46

Insert & Power Bit Sets & Bit Holders

Description	Page
 TerminatorBlue Bits & Sets	48-49
 Bit Holders	50
 Security Bits Collector	50
 XSelector/XLSelectors	51
 Nut Setters Counter Display	52 56

Wiha Hex Inch/Metric & TORX® Tools

Description	Page
 TORX® L-key Sets	52
 TORX® PocketStar Fold Outs	52

Wiha Combination Wrenches

Description	Page
 Ratchet & Combo Wrenches	53

Wiha XXL3 Rolling Tool Box



Rugged Durability
Large capacity with over 100 tool compartments and robust construction for heavy everyday use



Solid Stability
Fold the legs out for a stable step-stool, seat, or elevated work-station and strain-free removal of tools

Easy Transport
Go anywhere with a 42-inch extendable handle and extra-large wheels to traverse stairs and rough terrain



Tools in this photo not included



Offers enormous storage space with over 100 storage compartments and a customizable base compartment to meet your unique needs.

91567 93-Piece XXL3 Rolling Tool Set

PRO-PICK

For your hand tools, power tools and supplies.

Item No.	35Pc. 1/4" Ratchet Bit Set & 7Pc. Bit Buddy
91567	14inOne Stubby Bit Holder & 11inOne Multi-Driver SoftFinish Driver Slit 6.5mm & Sq #2 XHD SoftFinish Slit 8.0, 12.0mm & PH #2 Pliers & Cutters 8.0" H.Lev. End Cutting Pliers, 10.0" Auto Grip, 8.0" BiCut SuperCut, 8.0" Long Nose
	6Pc. Color Coded Nut Setters
	13Pc. MagicRing Inch Hex L-key Set
	9Pc. MagicRing Metric Hex L-key Set

Wiha Veto Red Stripe Pro Pac



Comfort & stability



Large capacity and rugged durability



Tools for Pro's



Interlocking Metal YKK® Zippers

Over-Molded Comfort Grip

Stainless Steel Tape Measure Clip

Durable Waterproof Base

Load Distributing Quick Release Metal Hasp

Internally Stored Hang Hook

Electrical Tape Strap

Multi-point Adjustable Shoulder Strap

Designed for pros who need to walk long distances or climb cage ladders with their tools, the Wiha RedStripe Backpack from Veto ProPac is a comfortable, durable, all-weather solution. Includes 2 main storage bays, 4 storage platforms, 56 interior & exterior pockets, and dozens of features pros love.

91596 30-Piece Veto RedStripe Pro Pac

PRO-PICK

For your hand tools, power tools and supplies.

Item No.	11inOne Multi-Driver SoftFinish Screwdrivers
91596	Slotted 3.5, 6.5mm, Phillips #1, #2, Square #1, #2 9.0"/225mm NE Style Lineman's with Crimpers
	6Pc. Color Coded Nut Setters
	13Pc. MagicRing Inch Hex L-key Set
	9Pc. MagicRing Metric Hex L-key Set

Wiha Modular Foam Tray Sets



- > Three sizes of trays to organize each tool box drawer to fit your needs
- > Tool callout is printed on each tray to easily return tool to location
- > 18 tray sets of the most popular tools available to set up tool cabinet drawers



3 TRAY SIZES



Small Tray Size:
11" x 7-3/4" x 1-1/4"

Item # 32081, 32960,
34680, 34681, 34690,
33395, 33396, 33795,
33796



Medium Tray Size:
15-1/2" x 11" x 1-1/4"

Item # 30280, 32080,
53180, 34682, 34691,
33895, 33896



Large Tray Size:
22" x 15-1/2" x 1-1/4"

Item #
30392, 30492

MODULAR SYSTEMS - HUNDREDS OF OPTIONS TO CHOOSE FROM



LARGE

- > FULL DRAWER SIZE, ONE TRAY PER STANDARD DRAWER



30492 31-Piece SAE and METRIC Combination Wrench Tray Set
Made with premium-quality tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item No.	SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
30492	METRIC: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25mm



30392 31-Piece SAE and METRIC Ratchet Wrench Tray Set
Made with premium-quality tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item No.	SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
30392	METRIC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25mm

MEDIUM



Trays fit in most tool boxes

> HALF DRAWER SIZE, TWO TRAYS PER STANDARD DRAWER



34682 8-Piece Classic Grip Pliers and Cutters Tray Set

Patented pliers DynamicJoint® provides 40% easier cuts and significantly longer tool life. Designed with ergonomic soft grips, oil and solvent resistant.

Item	Long Nose:
No.	6.3" 160mm & 8.0" 200mm
34682	BiCut SuperCut: 8.0" 200mm
	Angled Diagonal Cutters: 8.0" 200mm
	High Leverage Combination Pliers: 9.0" 225mm
	Cable Cutters: 8.0" 200mm
	Diagonal Cutters: 5.5" 140mm
	Mechanic's Diagonal Cutters: 5.0" 127mm



33895 29-Piece METRIC 1/2" Drive Professional Socket Tray Set

12 point deep and standard sockets made with premium tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item	12 Standard Sockets: 10 - 21mm
No.	13 Deep Sockets: 10 - 22mm
33895	1/2" Dr. Ratchet: 72 Tooth
	1/2" Dr. Extension Bars: 3", 6"
	1/2" Dr. Universal Joint



33896 28-Piece SAE 1/2" Drive Professional Socket Tray Set

12 point deep and standard sockets made with premium tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item	11 Standard Sockets: 3/8" - 1"
No.	13 Deep Sockets: 3/8" - 1-1/8"
33896	1/2" Dr. Ratchet: 72 Tooth
	1/2" Dr. Extension Bars: 3", 6"
	1/2" Dr. Universal Joint



PRO-PICK

34691 5-Piece Classic Grip Adjustable Water Pump Pliers Tray Set

For rapid gripping and holding of pipes and angular profiles such as hex nuts. Designed with oil and solvent resistant classic soft grips.

Item	Adjustable Pliers: 7.0" 180mm
No.	Adjustable Pliers: 10.0" 250mm
34691	Adjustable Pliers: 12.0" 300mm
	Auto Grip: 10.0" 250mm
	Pliers Wrench: 10.25" 260mm

PRO-PICK



53180 10-Piece Extra Heavy Duty SoftFinish® Cushion Grip Driver Tray Set
Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Extra heavy duty with hex bolster for more torque and metal cap for striking.

Item	Slotted: 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0mm
53180	Phillips: #1, #2, #3



PRO-PICK

30280 10-Piece SoftFinish® Cushion Grip Screwdriver Tray Set

Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Tips are machined to exact tolerances for a perfect fit every time.

Item	Slotted: 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0mm
30280	Phillips: #1, #2, #3



PRO-PICK

32080 10-Piece Insulated SoftFinish® Cushion Grip Screwdriver Tray Set

Designed with an SoftFinish® cushion grip for maximum power and comfort. Each tool tested at 10,000 Volts and rated to 1,000 Volts AC or 1,500 Volts DC

Item	Slotted: 3.5, 4.5, 4.5, 5.5, 6.5mm
No.	Phillips: #1, #2, #3
32080	Square: #1, #2


SMALL

> QUARTER SIZE, FOUR TRAYS PER STANDARD DRAWER



32081 5-Piece Insulated SoftFinish® Cushion Grip Screwdriver Tray Set
Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Each tool tested at 10,000 Volts & rated to 1,000 Volts AC or 1,500 Volts DC.

Item	Slotted:
No.	4.5, 5.5, 6.5mm
32081	Phillips: #1, #2



34680 3-Piece Classic Grip Pliers and Cutters Tray Set
Patented pliers DynamicJoint® provides 40% easier cuts and significantly longer tool life. Designed with ergonomic soft grips, oil and solvent resistant.

Item	Long Nose: 8.0" 200mm
No.	Angled Cutters: 8.0" 200mm
34680	Lineman's Pliers w/Crimpers: 9.0" 225mm



34690 3-Piece Classic Grip Adjustable Water Pump Pliers Tray Set For rapid gripping and holding of pipes and angular profiles such as hex nuts. Designed with oil and solvent resistant classic soft grips.

Item	Adjustable Pliers: 7.0" 180mm
No.	Adjustable Pliers: 10.0" 250mm
34690	Auto Grip: 10.0" 250mm



32960 3-Piece Insulated Pliers and Cutters Tray Set
Patented pliers DynamicJoint® provides 40% easier cuts and significantly longer tool life. Each tool tested at 10,000 Volts and rated to 1,000 Volts AC or 1,500 Volts DC.

Item	Long Nose: 8.0" 200mm
No.	Angled Cutters: 8.0" 200mm
32960	NE Style Lineman's: 9.5" 245mm



34681 4-Piece Classic Grip Pliers and Cutters Tray Set
Patented pliers DynamicJoint® provides 40% easier cuts and significantly longer tool life. Designed with ergonomic soft grips, oil and solvent resistant.

Item	Long Nose: 6.3" & 8.0"
No.	BiCut SuperCut: 8.0" 200mm
34681	High Lev Combination Pliers: 9.0" 225mm

PRO-PICK



33795 24-Piece METRIC 3/8" Drive Professional Socket Tray Set
12 point deep and standard sockets made with premium tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item	10 Standard Sockets: 8 - 19mm
No.	10 Deep Sockets: 8 - 19mm
33795	3/8" Dr. Ratchet: 72 Tooth
	3/8" Dr. Extension Bars: 3", 6"
	3/8" Dr. Universal Joint



33395 27-Piece METRIC 1/4" Drive Professional Socket Tray Set
6 point deep and standard sockets made with premium tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item	12 Standard Sockets: 4 - 14mm
No.	11 Deep Sockets: 5 - 14mm
33395	1/4" Dr. Ratchet: 72 Tooth
	1/4" Dr. Extension Bars: 3", 6"
	1/4" Dr. Universal Joint



33396 25-Piece SAE 1/4" Drive Professional Socket Tray Set
6 point deep and standard sockets made with premium tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item	11 Standard Sockets: 5/32" - 9/16"
No.	10 Deep Sockets: 5/32" - 9/16"
33396	1/4" Dr. Ratchet: 72 Tooth
	1/4" Dr. Extension Bars: 3", 6"
	1/4" Dr. Universal Joint



33796 22-Piece SAE 3/8" Drive Professional Socket Tray Set
12 point deep and standard sockets made with premium tool steel, roll-stamped die markings, and a chrome-plated satin finish.

Item	9 Standard Sockets: 1/4" - 3/4"
No.	9 Deep Sockets: 1/4" - 3/4"
33796	3/8" Dr. Ratchet: 72 Tooth
	3/8" Dr. Extension Bars: 3", 6"
	3/8" Dr. Universal Joint



Wiha Insulated Screwdrivers with SoftFinish® Cushion Grip Handle

Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505, New VDE 0682/part 201, DIN 7437, NFPA70E & CSA

Responds to OSHA's use specification 29 CFR1910

SoftFinish® handle

Solid molded core with soft outer cushion grip. 40% more torque than conventional handles

Insulation Molded directly onto the blade for permanent bonding

Blade CVM tool steel, hardened to average 58/60RC



Each tool individually tested to 10,000 volts and rated to 1000 Volt ac or 1500 Volt dc



1000Volt

920 Slotted Screwdriver, With Wiha-SoftFinish® Handle. Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,

up to 1000 Volt. Individually Tested. In Clamshell

Item No.	Slotted (mm)	Slotted (Inch)	Slotted (Inch)	Phillips (mm)	Phillips (Inch)	Phillips (mm)	Phillips (Inch)	Torque (lbs.)
92000	2.0	.078	5/64	60	3.0	164	6.5	.05
92002	2.5	.098	3/32	75	3.0	179	7.1	.06
92004	3.0	.118	1/8	100	4.0	204	8.0	.07
92005	3.5	.139	9/64	100	4.0	204	8.0	.07
92006	4.0	.157	5/32	100	4.0	211	8.3	.12
92008	4.5	.177	3/16	100	4.0	211	8.3	.12
92010	4.5	.177	3/16	125	5.0	236	9.3	.12
92012	4.5	.177	3/16	150	6.0	261	10.2	.14
92014	4.5	.177	3/16	175	7.0	286	11.2	.13
92018	5.5	.216	7/32	125	5.0	243	9.5	.15
92020	5.5	.216	7/32	175	7.0	293	11.5	.21
92022	6.0	.236	15/64	150	6.0	268	10.6	.21
92024	6.5	.255	1/4	150	6.0	268	10.6	.21
92026	8.0	.315	5/16	175	7.0	299	11.8	.34
92028	10.0	.393	3/8	200	8.0	318	12.5	.39

1000Volt

920 Phillips Screwdriver, With Wiha-SoftFinish® Handle. Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	Torque (lbs.)
92031	0	60	2.4	164	6.5	.06
92033	1	80	3.1	191	7.5	.12
92035	2	100	4.0	218	8.6	.20
92038	3	150	6.0	268	10.6	.34

1000Volt

32105 2 Piece Slotted & Phillips Set In Clamshell

Item No.	Slotted	Phillips	Torque (lbs.)
32105	5.5mm	#2	.50

1000Volt

33532 2 Piece Slotted & Phillips Set In Clamshell

Item No.	Slotted	Phillips	Torque (lbs.)
33532	6.0mm	#2	.50

1000Volt


32090 4 Piece Slotted & Phillips Set In Clamshell

Item No.	Slotted	Phillips	Torque (lbs.)
32090	3.5, 4.5mm	#1, 2	.76



Wiha Insulated Screwdriver Sets


PRO-PICK



 1000Volt

32084 5 Piece Slotted & Phillips Set In Clamshell


Item	↓	⊕	Slotted: 3.5, 4.5, 6.5mm
No.		⊕	Phillips: #1, 2
32084		↔	lbs. 1.31



 1000Volt

32099 7 Piece Slotted & Phillips Set In Clamshell

Item	↓	⊕	Slotted: 3.5, 4.0, 5.5, 6.5mm
No.		⊕	Phillips: #1, 2, 3
32099		↔	lbs. 1.60



 1000Volt

32083 5 Piece Slotted, Phillips & Square Set In Clamshell

Item	↓	⊕	Slotted: 3.5mm
No.		⊕	Phillips: #1, 2
32083		⊖	Square: #1, 2
		↔	lbs. 1.31



PRO-PICK

 1000Volt


32097 7 Piece Slotted, Phillips & Square Set In Clamshell

Item	↓	⊕	Slotted: 3.5, 5.5, 6.5mm
No.		⊕	Phillips: #1, 2
32097		⊖	Square: #1, 2
		↔	lbs. 1.60

Wiha Insulated Square Tip Screwdrivers



 1000Volt

920 Square Tip Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA,  up to 1000 Volt. Individually Tested. Blade high alloy CVM steel, hardened, black finish. In Clamshell

Item	⊖	↔	↔	↔	↔	↔
No.	Size	mm	Inch	mm	Inch	lbs.
92043	1	100	4.0	210	8.2	.12
92045	2	150	6.0	268	10.5	.19



Wiha Insulated Pozidriv® Tip Screwdrivers



 1000Volt


920 Pozidriv® Screwdriver, With Wiha SoftFinish® Handle. Insulation According to ASTM F-1505, VDE, 0682/part 201, EN/IEC 60900, NFPA70E & CSA specification. Individually Tested. In Clamshell

Item	⊕	↔	↔	↔	↔
No.	Size	mm	mm	Inch	lbs.
92079	0	60	164	6.5	.11
92080	1	80	191	7.5	.13
92081	2	100	218	8.6	.23
92082	3	150	267	10.5	.30

Insulated Terminal Block Xeno Screwdrivers

Combination Terminal Block Drivers

Slotted/Phillips Slotted/Pozidriv® 



 Slotted/Phillips

920 Combination Terminal Block Xeno Screwdriver, With Wiha SoftFinish® Handle. Insulation According to ASTM F-1505, VDE, 0682/part 201, EN/IEC 60900, NFPA70E & CSA specification. Individually Tested. Blade CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip. For combination Slotted/Phillips head terminal screws. In Clamshell

Item	⊕	↔	↔	↔	↔
No.	Size	mm	mm	Inch	lbs.
92075	1	80	191	7.5	.13
92076	2	100	218	8.6	.23



 Slotted/Pozidriv®

920 Combination Terminal Block Xeno Screwdriver, With Wiha SoftFinish® Handle. Insulation According to ASTM F-1505, VDE, 0682/part 201, EN/IEC 60900, NFPA70E & CSA specification. Individually Tested. Blade CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip. For combination Slotted/Pozidriv® head terminal screws. In Clamshell

Item	⊕	↔	↔	↔	↔
No.	Size	mm	mm	Inch	lbs.
92077	1	80	191	7.5	.12
92078	2	100	218	8.6	.21

Switch Cabinet Keys



21103 Switch Cabinet Key For applications with all common switch cabinets & locking systems. Diecast Zinc. Bit insert Slotted 7.0mm & Phillips #2. Adapter for 1/4" bits on securing chain and 1/4" bit adapter in one arm. In Clamshell

Item No.	mm	Inch	lbs.
21103	76	3.0"	.22

Wiha Insulated Drivers with SoftFinish® Cushion Grip Handle



Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505, New VDE 0682/part 201, DIN 7437, NFPA70E and CSA

SoftFinish® handle

Solid molded core with soft outer cushion grip. 40% more torque than conventional handles



⚡ 1000Volt

920 Hex METRIC Screwdriver, With Wiha-SoftFinish® Handle

Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, ⚡ up to 1000 Volt. Individually Tested Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	lbs.
92050	2.5	75	3.0	179	7.0	.06
92052	3.0	75	3.0	179	7.0	.08
92054	4.0	75	3.0	186	7.3	.12
92056	5.0	75	3.0	186	7.3	.15
92058	6.0	100	3.9	218	8.6	.24
92060	8.0	100	3.9	218	8.6	.34



⚡ 1000Volt

920 TORX® Screwdriver, With Wiha-SoftFinish® Handle In clamshell

Item No.	Size	mm	Inch	mm	Inch	lbs.
92062	T5	60	2.4	164	6.5	.06
92063	T6	60	2.4	164	6.5	.06
92064	T7	60	2.4	164	6.5	.06
92065	T8	60	2.4	164	6.5	.06
92066	T9	60	2.4	164	6.5	.06
92067	T10	60	2.4	164	6.5	.06
92068	T15	80	3.0	191	7.5	.12
92069	T20	80	3.0	191	7.5	.12
92070	T25	80	3.0	198	7.8	.17
92071	T27	100	4.0	218	8.6	.20
92072	T30	100	4.0	218	8.6	.20

Insulated PicoFinish Precision Screwdrivers

PRO-PICK



Individually tested protective insulation
1000Volt AC, VDE & GS Tested

32088 8 Piece Slotted & Phillips PicoFinish® Set High quality CV steel, through hardened, black finish. In Clamshell

Item No.	Slotted: 1.5, 2.0, 2.5, 3.0, 3.5mm	lbs.
32088	Phillips: #00, #0, #1	.35



Rotating cap for precise turning and control with fingertip

32085 5 Piece Slotted & Phillips PicoFinish® Set High quality CV steel, through hardened, black finish. In Clamshell

Item No.	Slotted: 1.5, 2.5, 3.5	lbs.
32085	Phillips: #0, #1	.26



Wiha Insulated SlimLine Screwdrivers

Insulation Test Standards:
Insulation according to EN/IEC, ASTM, VDE, DIN 7437, NFPA & CSA specification



Integrated Slim Insulation molded directly onto blade

Ideal for jobs where access is limited



Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation

1000Volt Rated
10,000 Volt Tested



1000Volt

320 Insulated Slotted SlimLine Screwdrivers Insulation According to ASTM F-1505, New VDE Specification and EN/IEC, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts. In Clamshell

Item No.	Size	mm	Inch	Slim Dia. mm	mm	lbs.
32046	3.5	9/64	3.5	100	204	.07
32049	4.0	5/32	4.0	100	211	.12
32052	4.5	3/16	4.5	125	211	.14
32055	5.5	7/32	5.5	125	243	.21
32058	6.5	1/4	6.5	150	268	.25



1000Volt

325 Insulated Security TORX® SlimLine Drivers Insulation According to ASTM, New VDE Specification and EN/IEC, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts. In Clamshell

Item No.	Size	mm	mm	lbs.
32512	T10s	100	204	.08
32513	T15s	100	211	.12
32514	T20s	100	211	.12
32515	T25s	125	243	.18
32517	T27s	125	243	.21
32518	T30s	125	243	.21
32519	T40s	150	268	.26



1000Volt

321 Insulated Phillips SlimLine Screwdrivers Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts. In Clamshell

Item No.	Size	Slim Dia. mm	mm	mm	lbs.
32145	1	4.5	80	204	.12
32146	2	6.0	100	211	.21



1000Volt

307 Insulated Xeno SlimLine Drivers For Terminal Screws Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts. In Clamshell


Item No.	Size	Slim Dia. mm	mm	mm	lbs.
30746	1	4.5	80	191	.12
30747	2	6.0	100	218	.21



1000Volt

358 Insulated Square SlimLine Drivers Insulation According to ASTM, New VDE Specification and EN/IEC, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts. In Clamshell

Item No.	Size	Slim Dia. mm	mm	mm	lbs.
35844	1	4.0	100	218	.12
35845	2	4.5	125	243	.19



30770 2 Pc. Insulated SlimLine Terminal Block Xeno Slotted/Phillips Screwdrivers. SlimLine blades have up to 33% narrower insulation diameter then standard insulated tools. In Clamshell


Item No.	Size	lbs.
30770	Xeno: #1x80mm	.34
30770	Xeno: #2x100mm	.34

PRO-PICK




32189 2 Pc. Insulated SlimLine Slotted & Phillips Screwdrivers. SlimLine blades have up to 33% narrower insulation diameter then standard insulated tools. In Clamshell

Item No.	Size	lbs.
32189	Slotted: 4.5x125mm	.37
32189	Phillips: #2x100mm	.37



32194 5 Piece Insulated SlimLine Slotted & Phillips Screwdrivers SlimLine blades have up to 33% narrower insulation diameter then standard insulated tools. In clamshell

Item No.	Size	lbs.
32194	Slotted: 3.5, 4.5, 6.5mm	1.31
32194	Phillips: #1, #2	1.31



32195 7 Piece Insulated SlimLine Slotted & Phillips Screwdrivers SlimLine blades have up to 33% narrower insulation diameter then standard insulated tools. In clamshell

Item No.	Size	lbs.
32195	Slotted: 3.5, 4.0, 4.5, 5.5, 6.5mm	1.41
32195	Phillips: #1, #2	1.41

* Screwdrivers packaged in a snap closed Clamshell



Wiha SoftFinish® Handle - Ergonomic Cushion Grip



Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles



302 Slotted Driver, With Wiha-SoftFinish® Handle Round blade high alloy CVM steel, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
30241*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05
30243*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05
30245*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06
30247*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06
30249*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07
30250*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07
30251*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07
30252*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09
30253*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11
30254*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12
30256*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14
30257*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11
30258*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12
30259*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12
30260*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15
30261*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24
30262*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20
30263	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17
30264	6.5	.255	100	3.9	1.0	.039	218	8.6	36	1.42	.20
30266	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22
30268	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29
30269	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30
30270	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36
30271	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36
30272	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52

*Cabinet Tips



311 Phillips Screwdriver, With Wiha-SoftFinish® Handle In Clamshell

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31141	0	60	2.4	3.0	.118	164	6.5	23	.91	.06
31142	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11
31143	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15
31144	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18
31145	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20
31146	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25
31147	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30
31148	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33
31149	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51

Wiha SoftFinish® Sets

PRO-PICK



30286 5-piece Slotted, Phillips & Square Cushion Grip Drivers In Clamshell

Item No.	Slotted: 3.5mm	Phillips: #1, 2	Square: #1, 2	lbs.
30286				.95



30277 5-piece Slotted & Phillips Screwdriver Set In Clamshell

Item No.	Slotted: 3.5, 4.5, 6.5mm	Phillips: #1, 2	lbs.
30277			.99



30278 7-piece Slotted & Phillips Screwdriver Set In Clamshell

Item No.	Slotted: 3.5, 4.0, 5.5, 6.5mm	Phillips: #1, 2, 3	lbs.
30278			1.57



Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36364	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05
36366	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06
36368	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06
36370	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06
36372	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10
36374	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36376	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36378	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11
36380	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12
36382	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19
36384	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36386	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27
36388	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31

Wiha SoftFinish® Handle - Square Drivers



358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
35820	0	80	3.1	4.0	5/32	191	7.5	30	1.18	.11
35821	1	100	3.9	4.5	5/32	210	8.2	30	1.18	.12
35822	2	150	5.9	6.0	1/4	268	10.5	36	1.42	.19
35823	3	150	5.9	6.0	1/4	268	10.5	36	1.42	.22

Wiha SoftFinish® Pozidriv®



313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31350	0	60	2.4	3.0	.118	164	6.5	23	.91	.06
31351	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11
31353	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20
31354	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33



Wiha SoftFinish® Sets



35894 4 Pc. SoftFinish® Square Tip

Screwdriver Set Round blade high alloy CVM steel, hardened, hard chromed. In Clamshell

Item No.	Size	mm	Size	mm	lbs.
35894	0	80	2	150	.77
	1	100	3	150	

Wiha SoftFinish® Stubby Sets



31190 2 Piece Slotted & Phillips Stubby

Item No.	mm	mm	Size	mm	lbs.
31190	4.0	25	1	25	.24



31191 2 Piece Slotted & Phillips Stubby

Item No.	mm	mm	Size	mm	lbs.
31191	6.5	25	2	25	.24

Wiha SoftFinish® Handle - Ergonomic Cushion Grip



SoftFinish® cushion grip handle for comfort and control

Handle direct molded to blade for permanent bond

Exact fit precision machined tip for reduced cam-out

Metal striking cap for hammer impact resistance

Hex bolstered blades for wrenching function and torque strength



Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque. In Clamshell

Item No.	Slotted	Phillips	Security TORX	Security Hex	Pozidriv	4" Nut Setters	Weight (lbs.)
	mm	Inch	mm	Inch	mm	Inch	
53001*	3.5	.139	75	3.0	0.6	.024	4.0 5/32 186 7.3 30 1.18 .16
53002*	4.5	.177	90	3.5	0.8	.031	4.0 5/32 201 7.9 30 1.18 .17
53003	5.5	.196	100	3.9	1.0	.039	5.0 13/64 213 8.4 36 1.42 .23
53004	6.5	.255	125	5.0	1.2	.047	6.0 1/4 238 9.4 36 1.42 .33
53005	8.0	.315	150	5.9	1.2	.047	8.0 5/16 268 10.6 41 1.61 .56
53006	10.0	.393	175	7.0	1.6	.063	8.0 5/16 293 11.6 41 1.61 .58
53007	12.0	.472	200	8.0	2.0	.079	10.0 25/64 318 12.5 41 1.61 .76

*No Hex Bolster

531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap
Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Weight (lbs.)
53131	1	80	3.1	5.0	13/64	186	7.3	30	1.18	.20
53132	2	100	3.9	6.0	1/4	213	8.4	36	1.42	.32
53133	3	150	5.9	8.0	5/16	268	10.6	41	1.61	.56

Cushion Grip Stubby Bit Sets



38048 SoftFinish® Cushion Grip Stubby Bit Holder with Wiha cushion grip handle & CVM tool steel shaft. In Clamshell

Set includes the following 1/4" bits:

Slotted: 4.5, 6.0mm	Weight (lbs.)
Phillips: #1, #2	.20
Square: #1, #2	.20



38043 SoftFinish® Cushion Grip Stubby Bit Holder. In clamshell

following 1/4" bits:

Slotted: 4.5, 6.0mm	Weight (lbs.)
Phillips: #1, #2	.20
Pozidriv®: #1, #2	.20

Wiha 90mm Power Blade Handle



SoftFinish® handle, multi-component, cushion grips



Quick release tool holder for drills, countersinks & power bits



76000 CentroFix Cushion Grip Blade Holder Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle.

Quick release bit holder with magnet. In clamshell

Item No.	Slotted	Phillips	Security TORX	Security Hex	Pozidriv	Weight (lbs.)
	mm	Inch	mm	Inch		
76000	6.0	149	5.9	34.6	1.36	.26

90mm Power Blade Set



76099 37 Pc. Power Blade Set, In Durable Belt Pack Cushion grip CentroFix Blade Holder & 36 interchangeable blades. In

Item No. 76099 Weight (lbs.) 2.06

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s - T30s

Security Hex SAE: 1/16", 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

4" Nut Setters: 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

* 1/16" Standard Inch Hex Only

PRECISION SCREWDRIVERS

PicoFinish® & Classic Precision Drivers -
the tightest fitting precision-machined driver
tips from the company that set the standard
for precision



**When it comes to working on small components and modern electronics,
using the best precision screwdriver is essential**



**Precision ground tips
for exact fit**



**Tapered handle
for rapid rotation**



**Hex profile finger grip
for precise control**

Precision PicoFinish® Screwdrivers



The Comfortable Precision Screwdriver

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



Sets In Roll-Up Pouch



26392 8pc Hex SAE Precision Driver Set, Soft PicoFinish® Handle Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:	lbs.
No.	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



26093 8pc Slotted Precision Screwdriver Set, With Soft PicoFinish® Handle

In storage pouch

Item	Slotted:	lbs.
No.	.8, 1.2, 1.5, 2.0 x 40mm	
26093	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



26196 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle

Item	Phillips: #0, #1	lbs.
No.	Pentalobe: PL1	
26196	Tri-Wing: #000	.25
	Tweezers: 2a SA ESD Flat Round Tip	

* No Pouch - In clamshell



26493 7pc SAE Ball End Hex Precision Driver Set, With Soft PicoFinish® Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	Ball End Hex Inch:	lbs.
No.	1/16, 5/64, 3/32 x 2.0"	.27
26493	7/64, 1/8, 9/64, 5/32 x 2.4"	



26193 8pc Slotted & Phillips Precision Driver Set, With Soft PicoFinish® Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	Slotted:	lbs.
No.	1.0, 1.5, 2.0 x 40mm	
26193	2.5 x 50mm, 3.5 x 60mm	.55
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	



26198 11pc Smartphone Precision Screwdrivers With Precision Soft PicoFinish® Handle

Item	Slotted: 1.8mm	lbs.
No.	Phillips: #000, #00, #0	
26198	TORX®: T3, T4, T5, T6	
	Pentalobe: PL1	
lbs.	Tri-Wing: #000	
.59	Tweezers: PSF SA ESD Long Flat Tip	



26593 8pc SAE Nut Driver Set, With Precision Soft PicoFinish® Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item	Inch Nut Drivers:	lbs.
No.	3/32, 7/64, 1/8, 9/64,	.72
26593	5/32, 3/16, 7/32, 1/4" x 2.4"	

PRO-PICK



26195 5pc Precision Screwdrivers With Precision Soft PicoFinish® Handle

Item	Slotted:	lbs.
No.	1.5, 2.5, 3.5mm	
26195	Phillips: #0, #1	.25

* No Pouch - In clamshell



26796 8pc TORX® Precision Driver Set, Soft PicoFinish® Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	lbs.
No.	T5, T6, T7, T8 x 40mm	.57
26796	T9, T10 x 50mm, T15, T20 x 60mm	



In Roll-Up Pouch



26795 6pc Precision Pentalobe Driver Set, Soft PicoFinish® Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26795	PL1, PL2, PL3, PL4, PL5, PL6	.40

Wiha PicoFinish® Precision Screwdrivers



26631 Precision PicoFinish® Tri-Wing Driver
Blade CVM steel, hardened, chrome-plated.
PicoFinish handle, molded on soft grip.
In Clamshell

Item	Icon	Size	Inch	mm	Inch	mm	lbs.
26631	Tri-wing	000	1.6	40	5.5	140	.02

Wiha Classic Precision Slotted/Phillips Drivers



26090 6 Piece Precision Slotted Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



26194 4 Piece Precision Phillips Set
Blade high alloy CVM steel. Hard chrome finished. In Clamshell

Item	Phillips:	lbs.
26194	000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	.18

Wiha Precision Drivers

Rotating cap for precise turning and control with fingertip

Precision handle high quality plastic, cadmium free

Molded on tapered handle allows rapid rotation

High performance blades CVM steel, Hard chrome finished

Tip precision ground for exact fit, hard chromed non-slip surface



26099 8 Piece Precision Slotted Set
Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch. In Clamshell

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



26197 7 Pc. Precision Slotted and Phillips Set In Clamshell

Item No.	Slotted:	lbs.
26197	1.5 x 40mm	
	2.0, 2.5 x 50mm, 3.0 x 60mm	
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	.31



26199 8 Pc. Precision Slotted/Phillips Set

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm, 0 x 50mm, 1 x 60mm	



26190 8 Piece Precision Slotted & Phillips Screwdrivers & Industrial Long Nose Pliers Set In Clamshell

Item No.	Slotted:	lbs.
26190	1.5 x 40mm	
	2.0, 2.5 x 50mm, 3.0 x 60mm	
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	.72
	Industrial Long Nose Pliers	
	6.3"/160mm OAL	

Wiha Precision Chip Lifter and Accessories



26810 Precision Chip Lifter
Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle. In Clamshell

Item	Icon	No.	mm	mm	mm	Inch	lbs.
26810	Chip lifter	1	3.5	50	145	5.7	.07

*Metric dimensions actual - Inch dimensions approximate

Wiha TORX® Precision Series



26792 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. In Clamshell

Item		↔
No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33



26790 6 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. In Clamshell

Item		↔
No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	T1, T2, T3, T4,
26791	T5, T6, T7, T8



26799 8 Pc. TORX® Screwdriver Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch, packaged in Clamshell

Item	TORX®:	↔
No.	T6, T7, T8 x 40mm	lbs.
26799	T9 x T10 x 50mm	.50

Wiha Precision Inch/Metric Hex & Ball End Hex Drivers



26391 8 Pc. Precision Hex Driver Set - SAE

Blade high alloy chrome-vanadium-molybdenum steel. In Clamshell

Item No.	Hex SAE:	↔
26391	.028, .035, .050 x 1.6"	lbs.
	1/16, 5/64 x 2.0"	.32
	3/32, 7/64, 1/8 x 2.4"	



26390 7 Pc. Precision Hex Driver Set - METRIC

CVM steel. In Clamshell

Item No.	Hex METRIC:	↔
26390	.7, .9, 1.3 x 40mm	lbs.
	1.5, 2.0 x 50mm & 2.5, 3.0 x 60mm	.28



26399 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch. In Clamshell

Item No.	Hex SAE:	↔
26399	.028, .035, .050 x 1.6"	lbs. .55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	

Wiha Pentalobe Set



26794 6 Pc. Precision Pentalobe Screwdriver Set

Blade high alloy CVM steel. Hard chrome finished. Super hardened best wear resistance long life. In Clamshell

Item No.	Pentalobe Drivers:	↔
26794	PL1, PL2, PL3, PL4, PL5, PL6	lbs. .35



26491 5 Piece Ball End Hex Driver Set - METRIC

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel. In Clamshell

Item		↔
No.	Ball End Hex METRIC:	lbs.
26491	1.3 x 40mm 1.5, 2.0 x 50mm 2.5, 3.0 x 60mm	.31



26499 8 Pc. Ball End Hex Driver Set - SAE

Blade high alloy CVM steel. Hard chrome finished. In Clamshell

Item	Ball End Hex SAE:	↔
No.	.050 x 1.6"	lbs. .62
26499	1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item	Size	mm	Inch	mm	Inch	lbs.
26761	PL1	40	1.6	120	4.7	.01
26762	PL2	40	1.6	120	4.7	.02
26763	PL3	40	1.6	120	4.7	.02
26764	PL4	40	1.6	120	4.7	.02
26765	PL5	40	1.6	120	4.7	.02
26766	PL6	40	1.6	120	4.7	.02

*Metric dimensions actual - Inch dimensions approximate (PL4 is used for Mac Book Pro)

Wiha Precision Screwdriver Single Packs In Clamshell



960 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. In Clamshell

Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.
96008	.80	1/32	40	1.6	0.16	120	4.7	.02
96010	1.0	.039	40	1.6	0.18	120	4.7	.02
96012	1.2	3/64	40	1.6	0.20	120	4.7	.02
96015	1.5	1/16	40	1.6	0.25	120	4.7	.02
96018	1.8	.070	40	1.6	0.30	120	4.7	.02
96020	2.0	5/64	40	1.6	0.40	120	4.7	.02
96025	2.5	3/32	50	2.0	0.40	145	5.7	.03
96030	3.0	1/8	50	2.0	0.50	145	5.7	.03
96035	3.5	9/64	60	2.4	0.60	170	6.7	.05
96040	4.0	5/32	60	2.4	0.80	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



963 Inch SAE Hex Driver, With Precision Handle Inch sizes. Blade high alloy CVM steel. In Clamshell

Item No.	Inch	mm	mm	Inch	mm	Inch	lbs.
96307	0.028	0.7	40	1.6	120	4.7	.02
96309	0.035	0.9	40	1.6	120	4.7	.02
96313	0.05	1.3	40	1.6	120	4.7	.02
96316	1/16	-	50	2.0	145	5.7	.03
96320	5/64	2.0	50	2.0	145	5.7	.03
96323	3/32	-	60	2.4	170	6.7	.04
96327	7/64	-	60	2.4	170	6.7	.04
96331	1/8	-	60	2.4	170	6.7	.04

*Metric dimensions actual - Inch dimensions approximate



965 Metric METRIC Nut Driver With Precision Handle Metric sizes. Blade CVM steel.

Item No.	mm	mm	Inch	mm	Inch	lbs.
96510	1.5	60	2.4	140	5.5	.03
96515	1.8	60	2.4	140	5.5	.03
96520	2.0	60	2.4	140	5.5	.04
96525	2.5	60	2.4	155	6.1	.04
96530	3.0	60	2.4	155	6.1	.05
96535	3.5	60	2.4	155	6.1	.05
96540	4.0	60	2.4	155	6.1	.05
96545	4.5	60	2.4	155	6.1	.05
96550	5.0	60	2.4	155	6.1	.05
96555	5.5	60	2.4	170	6.7	.06
96560	6.0	60	2.4	170	6.7	.06



961 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
96102	000	40	1.6	2.0	.08	120	4.7	.02
96100	00	40	1.6	2.0	.08	120	4.7	.02
96105	0	50	2.0	3.0	.12	145	5.7	.02
96110	1	60	2.4	4.0	.16	170	6.7	.05


*Metric dimensions actual - Inch dimensions approximate



963 Metric METRIC Hex Driver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.
96307	.7	.028	40	1.6	120	4.7	.02
96309	.9	.035	40	1.6	120	4.7	.02
96313	1.3	.050	40	1.6	120	4.7	.02
96315	1.5	-	50	2.0	145	5.7	.03
96320	2.0	5/64	50	2.0	145	5.7	.03
96325	2.5	-	60	2.4	170	6.7	.04
96330	3.0	-	60	2.4	170	6.7	.04

*Metric dimensions actual - Inch dimensions approximate



965 Inch SAE Nut Driver With Precision Handle Inch sizes. Blade CVM steel.

Item No.	Inch	mm	Inch	mm	Inch	lbs.
96523	3/32	60	2.4	155	6.1	.04
96527	7/64	60	2.4	155	6.1	.05
96531	1/8	60	2.4	155	6.1	.05
96536	9/64	60	2.4	155	6.1	.05
96539	5/32	60	2.4	155	6.1	.05
96547	3/16	60	2.4	155	6.1	.05
96556	7/32	60	2.4	170	6.7	.06
96563	1/4	60	2.4	170	6.7	.06


*Metric dimensions actual - Inch dimensions approximate



967 TORX® Screwdriver, With Precision Handle Blade high alloy CVM steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.
96703	T3	40	1.6	120	4.7	.02
96704	T4	40	1.6	120	4.7	.02
96705	T5	40	1.6	120	4.7	.02
96706	T6	40	1.6	120	4.7	.02
96707	T7	40	1.6	120	4.7	.02
96708	T8	40	1.6	120	4.7	.03
96709	T9	50	2.0	145	5.7	.03
96710	T10	50	2.0	145	5.7	.03
96715	T15	60	2.4	170	6.7	.05
96720	T20	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



964 Metric Ball End Hex METRIC Driver With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.
96413	1.3	.050	40	1.6	120	4.7	.02
96415	1.5	-	50	2.0	145	5.7	.03
96420	2.0	-	50	2.0	145	5.7	.03
96425	2.5	-	60	2.4	170	6.7	.04
96430	3.0	-	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



964 Inch Ball End Hex SAE Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.
96413	.050	40	1.6	120	4.7	.02
96416	1/16	50	2.0	145	5.7	.03
96419	5/64	50	2.0	145	5.7	.03
96423	3/32	50	2.0	145	5.7	.03
96427	7/64	60	2.4	170	6.7	.03
96431	1/8	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas



Surface resistance of handles is $10^6 - 10^9$ Ohms

75804 PicoFinish® Precision Handle - ESD Safe Precision handle high quality plastic, Dissipative material. Holds 4mm MicroBits.

Item	—		↔
No.	mm	Inch	lbs.
75804	100	3.9	.04



27392 7-Piece PicoFinish® Precision Slotted & Phillips Set with ESD Safe Dissipative Handles Blade high alloy CVM steel, hardened, hard chrome. Manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Slotted:	↔
No.	1.5, 2.0, 2.5, 3.5mm	lbs.
27392	Phillips: #000, 0, 1	.30



27396 8-Piece PicoFinish® Precision Slotted & Phillips Set, ESD Safe Dissipative Handle Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item	Slotted:	↔
No.	1.5, 2.0, 2.5, 3.0mm	lbs.
27396	Phillips: #000, 00, 0, 1	.50



27394 11-Piece Smartphone PicoFinish® & Standard Precision ESD Safe Set Blade high alloy CVM steel, hardened, hard chromed. Storage pouch.

Item	ESD Safe Screwdrivers:
No.	Slotted: 1.5mm
27394	Phillips: #000, #00, #0
↔	TORX®: T3, T4, T5, T6
lbs.	Tweezers: PSF SA ESD Long
.67	Flat Tweezers
	Standard Precision Screwdrivers:
	Pentalobe: PL1
	Y-Type: #000

Rotating cap
For precise turning & control with fingertip

Molded Precision handle
Impact resistant dissipative material

Tapered handle allows rapid rotation

Blade CVM steel, hard chrome finish

Tip Precision ground for exact fit



ESD standard IEC 61340-5-1

27589 7-Piece PicoFinish® Precision Hex METRIC Set, ESD Safe Dissipative Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item	Hex METRIC:	↔
No.	.7, .9, 1.3, 1.5,	lbs.
27589	2.0, 2.5, 3.0mm	.53



ESD standard IEC 61340-5-1

27792 8-Piece PicoFinish® Precision SAE Nut Driver Set, with ESD Safe Dissipative Handles Blade CVM steel, hardened, hard chromed. In storage pouch

Item	SAE Nut Drivers:	↔
No.	3/32, 7/64, 1/8, 9/64,	lbs.
27792	5/32, 3/16, 7/32, 1/4"	.68



27892 7-Piece PicoFinish® Precision TORX® Set, ESD Safe Dissipative Handle Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item	TORX® :	↔
No.	T4, T5, T6, T7,	lbs.
27892	T8, T9, T10	.31



ESD standard IEC 61340-5-1

27789 8-Piece PicoFinish® Precision METRIC Nut Driver Set with ESD Safe Dissipative Handle Blade CVM steel, hardened, hard chromed.

Item	METRIC Nut Drivers:	↔
No.	1.5, 2.0, 2.5, 3.0,	lbs.
27789	3.5, 4.0, 5.0, 5.5mm	.63






Wiha PicoFinish® Precision ESD Safe Chip Lifter

Surface resistance of handles is 10⁶ - 10⁹ Ohms



27922 PicoFinish® Chip Lifter - ESD Safe

Blade CVM steel, hardened, corrosion resistant finish. Precision handle high quality plastic, Dissipative material. In Clamshell

Item					
No.	mm	mm	mm	mm	Inch
27922	1	3.5	50	152	6.0

ESD Safe dissipative handle


Technician's Micro Bit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Surface resistance of handles is 10⁶ - 10⁹ Ohms

Light weight & compact

Rotation cap







Handle tapered for precise control





Bits hardened for extreme durability



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.






Item No.	Combination Bit Set
75093	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	TORX®: T6, T7, T8, T9, T10, T15, T20
	100mm Bit Extension

75096 SYSTEM 4 Hex SAE & METRIC Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.





Item No.	Combination Bit Set
75096	Set with ESD Safe Precision Handle
	Hex SAE: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Hex METRIC: .9, 1.3, 1.5, 2.0,
	2.5, 3.0, 4.0mm
	100mm Bit Extension




75094 SYS 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75094	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	Hex SAE: .035, .050, 1/16, 5/64,
	3/32, 7/64, 1/8"
	100mm Bit Extension

75097 SYS 4 Slotted, Phillips & 5Point Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75097	Set with ESD Safe Precision Handle
	Slotted: 1.2, 1.5, 2.0, 2.5, 3.0mm
	Phillips: 000, 00, 0, 1, 2
	Pentalobe: PL1, PL2, PL3, PL4
	100mm Bit Extension



Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools & small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers & similar tools.

Application:






To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item	No.	Dimensions	lbs.
40010		2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)



75095 SYSTEM 4 Slotted, Phillips, Hex METRIC Compact ESD Precision Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75095	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	Hex METRIC: .9, 1.3, 1.5, 2.0,
	2.5, 3.0, 4.0mm
	100mm Bit Extension

For your safety, use tools marked:



ASTM F1505
> Meets Specifications

GOOD




IEC 60900
> Meets Specifications

BETTER



VDE 0680
> Certified & Tested

BEST



- > Individually tested to block potentially hazardous voltages from reaching you
- > Double insulation certified to protect user and equipment
- > Ergonomic cushion grip handles for less strain and maximum comfort



WARNING!

Insulated Tools are intended to provide protection against accidental contact with charged energized circuits. For maximum safety we recommend de-energizing all circuits whenever possible before starting work on electrical apparatus or conductors. Always visually inspect insulation on tools before use, do not use tools if insulation shows signs of wear or damage to the insulated areas of the tool. Wear appropriate eye protection when using hand tools. Use NFPA70E certified insulated protective outer wear when appropriate.

Use & Care Guide For Insulated Tools:

Store tools to minimize risk of damage to insulation, always wear approved eye protection, Inspect insulation prior to each use of any insulated tool. Use insulated tools where the ambient temperature is between -20 to +70° C. Have a qualified safety technician visually inspect insulation on tools annually for safe use.

Insulated Pliers/Cutters Tool Set

PRO-PICK



32968

3 Piece Insulated Industrial Pliers/Cutters Set.

Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 volt. Individually Tested. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened and tempered to high quality. Cushion Grip Insulated handles. In Clamshell

Item# 32968 Set Includes: lbs. 2.35

9.5" Insulated Industrial NE Style Lineman's Pliers

8.0" Insulated Industrial Long Nose Pliers

8.0" Insulated Industrial Heavy Duty Diagonal Cutters

Apprentice Tool Set

PRO-PICK



32934

16 Piece Insulated Apprentice Tool Set. Insulation

According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened and tempered to high quality. Cushion Grip Insulated handles. In electrician's belt pack.

Item# 32934 Set Includes: lbs. 8.42

9.5" Insulated Industrial NE Style Lineman's Pliers

8.0" Insulated Industrial Long Nose Pliers

8.0" Insulated Industrial Heavy Duty Diagonal Cutters

Insulated SoftFinish® Screwdrivers:

Slotted: 4.5, 6.5mm | Phillips: #1, #2 | Square: #2

Insulated PicoFinish® Precision Screwdrivers:

Slotted: 2.5, 3.0, 3.5mm | Phillips: #0

7.25" Wire Stripping Pliers 10-20 AWG

25 Ft. Tape Measure, 20 oz. Claw Hammer, 9" Torpedo Level

Journeyman's Tool Set



Master Technician's Tool Set

PRO-PICK



32935 30 Piece Insulated Journeyman's Tool Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 volt. Individually Tested. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened and tempered to high quality. Cushion Grip Insulated handles. In canvas tool bag.

- Item# 32935 Set Includes:** lbs. 14.88
- 9.5" Insulated Industrial NE Style Lineman's Pliers
 - 8.0" Insulated Industrial Long Nose Pliers
 - 8.0" Insulated Industrial Heavy Duty Diagonal Cutters
 - 8.0" Insulated Industrial Cable Cutters
 - 10.0" Insulated Water Pump Pliers
 - Insulated SoftFinish® Screwdrivers:**
 - Slotted: 4.0, 4.5, 6.5mm | Phillips: #1, #2 | Square: #1, #2
 - Nut Drivers Inch: 1/4, 5/16, 3/8"
 - Insulated PicoFinish® Precision Screwdrivers:**
 - Slotted: 2.5, 3.0, 3.5mm | Phillips: #0, #1
 - Extra Heavy Duty SoftFinish® Screwdriver:** Slotted 8.0mm
 - Nut Setters: 1/4, 5/16, 3/8"
 - 10.0" Auto Water Pump Pliers
 - 7.25" Wire Stripping Pliers 10-20 AWG
 - 25 Ft. Tape Measure, 20 oz. Claw Hammer, 9" Torpedo Level
 - 5.75" Cat. IV Voltage Detector 50-1000 Volts

32937 59 Piece Insulated Master Electrician's Tool Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 volt. Individually Tested. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened and tempered to high quality. Cushion Grip Insulated handles. In canvas tool bag.

- Item# 32937 Set Includes:** lbs. 18.45
- 9.5" Insulated Industrial NE Style Lineman's Pliers
 - 8.0" Insulated Industrial Long Nose Pliers
 - 8.0" Insulated Industrial Heavy Duty Diagonal Cutters
 - 8.0" Insulated Industrial Cable Cutters
 - 10.0" Insulated Water Pump Pliers
 - Insulated SoftFinish® Screwdrivers:**
 - Slotted: 4.0, 4.5, 5.5, 6.5mm | Phillips: #1, #2
 - Square: #1, #2 | Terminal Xeno Sit/Ph: #1, #2
 - Nut Drivers Inch: 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"
 - Insulated PicoFinish® Precision Screwdrivers:**
 - Slotted: 2.5, 3.0, 3.5mm | Phillips: #00, #0, #1
 - 22 Pc. ErgoStar Ball End Hex Inch & Metric L-keys**
 - Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
 - Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
 - Extra Heavy Duty SoftFinish® Screwdriver:** Slotted 8.0mm
 - Nut Setters: 1/4, 5/16, 3/8"
 - 10.0" Auto Water Pump Pliers
 - 7.25" Wire Stripping Pliers 10-20 AWG
 - 25 Ft. Tape Measure, 20 oz. Claw Hammer, 9" Torpedo Level
 - 5.75" Cat. IV Voltage Detector 50-1000 Volts




Wiha Insulated Master Electrician's Tools

PRO-PICK

Insulation Test Standards:
Insulation according to EN/IEC 60900,
ASTM F-1505, New VDE 0682/part 201,
DIN 7437, NFPA70E & CSA




All Tools In Dedicated Positions For Quick Storage & Easy Location Tracking



Wiha Insulated Master Electrician's Tools

Insulation Test Standards:
Insulation according to EN/IEC 60900,
ASTM F-1505, New VDE 0682/part 201,
DIN 7437, NFPA70E & CSA



Inch



Metric



All Tools In Dedicated Positions For Quick Storage & Easy Location Tracking



32800 80 PC. Insulated Master Electrician's Tool Set In Rolling Water Tight Traveling Tool Box - 10,000Volt Tested, 1000Volt Rated

Item# 32800	Set Includes:	Weight: 33.9 lbs.
6.3" Long Nose Pliers	6.3" Diagonal Cutters	
8.0" Long Nose Pliers	8.0" High Leverage Cutters	
6.3" Bent Nose Pliers	6.3" Cable Cutters	
6.3" Long Flat Nose Pliers	6.3" Stripping Pliers	
9.0" Combo Pliers/Crimpers	8.0" Adjustable Wrench	
Insulated SAE Sockets: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"	Insulated Slotted: 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0mm	
Insulated METRIC Sockets: 13.0, 14.0, 15.0, 17.0, 19.0, 20.0, 22.0mm	Insulated Phillips: #0, 1, 2, 3	
Insulated Ratchet 3/8" Drive	Insulated Xeno Slotted/Phillips Terminal: #1, 2	
Insulated 4.9" Extension 3/8" Dr.	Insulated Square: #1, 2	
Insulated SAE Nut Drivers: 7/32, 1/4, 5/16, 3/8, 7/16"	Insulated TORX: T6, T7, T8, T9, T10, T15, T20, T25, T30	
Insulated METRIC Nut Drivers: 5.0, 5.5, 6.0, 7.0, 8.0, 10.0, 13.0mm	Insulated L-key: 10mm	
Insulated T-handle SAE Hex: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	Insulated L-key: 1/2"	
Insulated T-handle METRIC Hex: 4.0, 5.0, 6.0, 8.0mm	Insulated Cable Knife: 50mm	
	Insulated Folding Ruler SAE/MM	
	Cat. III Voltage Detector-Battery Operated	

32801 112 Pc. Insulated Master Electrician's Tool Set In Rolling Water Tight Traveling Tool Box - 10,000Volt Tested, 1000Volt Rated

Item# 32801	Set Includes:	Weight: 51.3 lbs.
6.3" Long Nose Pliers	6.3" Diagonal Cutters	
8.0" Long Nose Pliers	8.0" High Leverage Cutters	
6.3" Bent Nose Pliers	6.3" Cable Cutters	
6.3" Long Flat Nose Pliers	6.3" Stripping Pliers	
9.0" Combo Pliers/Crimpers	8.0" Adjustable Wrench	
Insulated SAE Sockets: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"	Insulated Slotted: 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0mm	
Insulated METRIC Sockets: 13.0, 14.0, 15.0, 17.0, 19.0, 20.0, 22.0mm	Insulated Phillips: #0, 1, 2, 3	
Insulated Ratchet 3/8" Drive	Insulated Xeno Slotted/Phillips Terminal: #1, 2	
Insulated 4.9" Extension 3/8" Dr.	Insulated Square: #1, 2	
Insulated SAE Nut Drivers: 7/32, 1/4, 5/16, 3/8, 7/16"	Insulated TORX: T6, T7, T8, T9, T10, T15, T20, T25, T30	
Insulated METRIC Nut Drivers: 5.0, 5.5, 6.0, 7.0, 8.0, 10.0, 13.0mm	Insulated T-handle Inch Hex: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	
Insulated L-key: 10mm	Insulated T-handle Metric Hex: 4.0, 5.0, 6.0, 8.0mm	
Insulated L-key: 1/2"	Insulated SAE Deep Offset Ring Wrenches: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/4"	
Insulated Cable Knife: 50mm	Insulated METRIC Deep Offset Ring Wrenches: 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 17.0, 19.0, 20.0, 22.0, 24.0, 27.0, 30.0, 32.0mm	
Cat. III Voltage Detector-Battery Operated		
Insulated Folding Ruler SAE/MM		

Insulated Industrial Pliers and Cutters



Two component ergo cushion grip handles

Induction hardened jaws and cutters to 64HRC

Industrial brushed finish



Insulated Long Nose Pliers With Cutters



329 Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32926	160	6.3	#10
32923	200	8.0	#8

PRO-PICK

Insulated Combo Pliers With Dynamic Joint



Long life high performance dynamic 60/40 joint

32930 Insulated Industrial High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. DIN ISO 5746 In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32930	200	8.0	#4

Insulated Industrial NE Style Lineman's Pliers



Knurled Striking Zone

Long life high performance dynamic 60/40 joint



32938 Insulated Industrial NE Style Lineman's Pliers.

Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. In Clamshell

Item No.	mm	Inch	wt.
32938	245	9.5	1.18

Insulated Bent Nose Pliers With Cutters



32928 Insulated Industrial Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32928	160	6.3	#10

Insulated Lineman's Pliers With Crimpers



Knurled Striking Zone

PRO-PICK

32948 Insulated Industrial Lineman's Pliers With Crimpers.

Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Lower crimping jaw accepts most standard non-insulated electrical connectors.

Item No.	mm	Inch	wt.
32948	245	9.5	1.18

Insulated Bent Nose Pliers



32941 Insulated Industrial Long Flat Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. Extra long pliers head for inserting low-lying components. Gripping and right-angled bending of wires and sheet metal parts. In Clamshell

Item No.	mm	Inch
32941	160	6.3





Insulated BiCut Diagonal Cutters

PRO-PICK

Double the power at the press of a button, switch between 2 strengths in one-handed operation



Cutting capacity up to 3mm hardened piano wire



32936 Insulated Industrial BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, Δ up to 1000 Volt. Individually Tested. For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc. In Clamshell

Item No.	mm	Inch	lbs.
32936	200	8.0	.78

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

Insulated BiCut SuperCut & Screwdriver Set



32942 7 Pc. Insulated Industrial BiCut SuperCut & Drivers In Clamshell $\leftarrow \rightarrow$ lbs. 1.86

Item No.	Insulated BiCut SuperCut:
32942	8.0"/200mm BiCut SuperCut Phillips: #0, #1, #2 Slotted: 3.0, 4.5, 5.5mm



New dynamic joint provides 40% easier cuts & significantly longer tool life

Insulated High Leverage Diagonal Cutters

PRO-PICK



32939 Insulated Industrial High Leverage Diagonal Cutters. Insulation According to VDE, EN/IEC, ASTM, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32939	200	8.0	#4

Insulated Crimpers



32945 Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, Δ up to 1000 Volt. Individually Tested. In Clamshell

Item No.	mm	Inch	mm ²	AWG
32945	180	7.0	0.25-2.5	6-30

Insulated Diagonal Cutters



329 Insulated Industrial Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM, NFPA70E & CSA, Δ up to 1000 volt. Individually Tested. DIN ISO 5749 In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32933	160	6.3	#6
32929	200	8.0	#6



Insulated Serrated Cable Cutters



32927 Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, Δ up to 1000 Volt. Individually Tested. In Clamshell

Item No.	mm	Inch	Ø	mm ²
32927	200	8.0	20	60

Wiha Insulated Industrial Tool Sets

PRO-PICK

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards




32968 3 Pc. Insulated Industrial Pliers & Cutters In Clamshell  lbs. 2.35

Item No.	8.0" Heavy Duty Diagonal Cutters
32968	8.0" Long Nose Pliers
	9.5" NE Style Lineman's Pliers



32977 11 Pc. Pliers & Driver Set. Insulation According to VDE, EN/IEC, ASTM, NFPA70E & CSA,  up to 1000 volt. Individually Tested. In canvas tool bag

Item# 32977 Set Includes:  lbs. 7.5

- 8.0" Lineman's Pliers
- 6.3" Long Nose Pliers W/Cutters
- 8.0" Long Nose Pliers W/Cutters
- 6.3" Diagonal Cutters
- 8.0" High Leverage Cutters

Slotted: 3.0, 4.0, 6.5mm
Phillips: #0, #1, #2

Insulated Stripping Pliers



In Clamshell

10250 Insulated Stripping Pliers. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG
10250	160	6.3"	0.81-2.59	20-10

Tongue and Groove Pliers



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



32954 Insulated Industrial Tongue and Groove Pliers 10 opening settings provides optimal adjustment to objects being gripped. Chrome-vanadium tool steel, hardened and tempered.

Item No.	Capacities		Capacities	
	mm	Inch	Round	Hex
32954	250	10.0	1 3/4"	2"

Insulated Push Button Tongue and Groove Pliers

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



32956 Insulated Industrial Push Button Water Pump Pliers Extra narrow head for working in small spaces. Rapid and simple push button setting & locking.

Item No.	Capacities		Capacities	
	mm	Inch	Round	Hex
32956	250	10.0	1 3/4"	2"

NOTES

Area reserved for notes, containing horizontal lines.



Wiha Industrial SoftGrip Pliers & Cutters

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Natural brushed finish.



Dynamic joint provides 40% easier cuts & significantly longer tool life



Induction hardened cutters

Slip guards molded into grip

Anti-slip soft dual material handles for safe gripping

Two component SoftGrip ergo handle

Ergonomic shape for maximum user comfort



Industrial SoftGrip Combination Pliers



309 Industrial Combination Pliers DIN ISO 5746 Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping and holding as well as cutting soft and hard wires & cables. Two component Industrial SoftGrip ergo handles. In Clamshell

Item No.	Cutting Cap.		AWG
	mm	Inch	
30901	160	6.3	#10
30903	180	7.0	#9
30905	200	8.0	#8

Industrial SoftGrip Lineman's Crimpers



30912 Industrial Lineman's Crimpers DIN ISO 5746 Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles. In Clamshell

Item No.	Cutting Cap.		Copper AWG
	mm	Inch	
30912	225	9.0	#4

Industrial SoftGrip Heavy Duty Combo Pliers



309 Industrial Heavy Duty Combination Pliers DIN ISO 5746 Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles. In Clamshell

Item No.	Cutting Cap.		Copper AWG
	mm	Inch	
30907	200	8.0	#7
30909	225	9.0	#6

Industrial SoftGrip NE Style Lineman's Pliers



Knurled Striking Zone



30940 Industrial NE Style Lineman's Pliers Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component SoftGrip handle. In Clamshell

Item No.	Cutting Cap.		Pkg.	wt.
	mm	Inch		
30940	245	9.5	1	1.18

Industrial SoftGrip Serrated Cable Cutters



309 Industrial Cable Cutters DIN ISO 5749 Energy saving & clean cutting cable cutters with specially ground precision cutting edges. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 special CV tool steel. In Clamshell

Item No.	Cutting Capacity	
	mm	Inch
30926	160	6.3

Industrial SoftGrip Diagonal Cutters



309 Industrial Diagonal Cutters DIN ISO 5749 Low force action, clean cutting. Long life cutting edge is achieved with additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. For soft & medium hard wire. In Clamshell

Item No.	Cutting Capacity		Copper AWG
	mm	Inch	
30925	160	6.3	#6
30927	180	7.0	#6

Industrial SoftGrip High Leverage Diagonal Cutters



309 Industrial High Leverage Diagonal Cutters DIN ISO 5749 Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 tool steel hardened and tempered. In Clamshell

Item No.	Cutting Capacity		Copper AWG
	mm	Inch	
30929	160	6.3	#6
30931	180	7.0	#5

Industrial SoftGrip Long Nose Pliers



309 Industrial Long Nose Pliers With Cutting Edge DIN ISO 5745 Long nose pliers. Cutters for flat and round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle. In Clamshell

Item No.	↔ mm	↔ Inch	Cutting Cap. AWG
30911	160	6.3	#10
30913	200	8.0	#8

Industrial SoftGrip Flat Nose Pliers



30919 Industrial Long Flat Nose Pliers DIN ISO 5745 Gripping surfaces serrated & induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and right-angled bending of wires and sheet metal parts. In Clamshell

Item No.	↔ mm	↔ Inch	↵ lbs.
30919	160	6.3	.43

Industrial SoftGrip BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire



Double the power at the press of a button BiCut does the job of two pairs of pliers Up to 50% less hand strength required for cutting Cutting force doubled for extremely hard materials Switch between 2 strengths in one-handed operation

30936 Industrial SoftGrip BiCut SuperCut For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc. In Clamshell

Item No.	↔ mm	↔ Inch	↵ lbs.
30936	200	8.0	.78

Industrial SoftGrip Bent Long Nose Pliers

Angled approx. 40°



309 Industrial Bent Nose Pliers With Cutters DIN ISO 5745 Long nose pliers angled approx. 40°. Extra long cutting edge for flat & round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. In Clamshell

Item No.	↔ mm	↔ Inch	Cutting Capacity Copper AWG
30917	200	8.0	#8

Stripping Pliers



56871 Stripping Pliers Wide long head with ridged gripping surface, shears blade & firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10. In Clamshell

Item No.	mm	Inch	Ø	AWG
56871	180	7.0	0.81-2.59	20-10

Industrial BiCut SuperCut & Screwdriver Set



30942 7 Pc. Industrial BiCut SuperCut & Screwdriver Set In Clamshell ↵ lbs. 1.86

Item No.	BiCut SuperCut:
30942	8.0"/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm



Soft Grip Pliers and Cutters



Wiha Pliers and Cutters, professional quality at competitive prices. A wide selection covering most applications in which pliers and cutters are required.

Soft grips are oil & solvent resistant
 Jaws and cutters induction hardened
 Heavy duty steel riveted joints
 Precision formed



Lineman's Pliers With Crimpers

5-in-1 Lineman's Pliers



With Lower Crimping Jaw



32616 Lineman's Pliers "5-in-1"
 Professional Design Extra long induction hardened precision matched 64HRC cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Premium C70 tool steel. In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32616	225	9.0	#4

Insulated Lineman's Pliers With Crimpers

PRO-PICK

Knurled Striking Zone



32624 Lineman's Pliers With Crimpers.
 Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Lower crimping jaw accepts most standard non-insulated electrical connectors.

Item No.	mm	Inch	wt.
32624	245	9.5	1.18

Long Nose Pliers With Cutters



326 Long Nose Pliers With Cutters
 DIN ISO 5745

Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. Soft vinyl grips are oil & solvent resistant. In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32618	160	6.3	#10
32621	200	8.0	#8

PRO-PICK

Soft Grip NE Style Lineman's Pliers



Knurled striking zone on vinyl grip pliers



32631 NE Style Lineman's Pliers Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Soft vinyl grips. In Clamshell

Item No.	mm	Inch	wt.
32631	245	9.5	1.18

Combination Pliers With Cutters



326 Combination Pliers With Cutters
 DIN ISO 5746 Extra long cutting edge for flat and round cables. Serrated jaws. For gripping and holding as well as cutting soft & hard wires and cables. In Clamshell

Item No.	mm	Inch	Cutting Capacity Copper AWG
32603	160	6.3	#10
32606	180	7.0	#9
32609	200	8.0	#8

Long Nose Pliers With Return Spring



32617 Long Nose Pliers With Cutters With Return Spring
 DIN ISO 5745 For flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.
32617	160	6.3	#12	.22

Bent Long Nose Pliers With Cutters

Angled 40°



326 Bent Long Nose Pliers With Cutters DIN ISO 5745 Long nose pliers angled 40°. For flat and round wire. Partially Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. Soft vinyl grips are oil & solvent resistant. In Clamshell

Item	Cutting Capacity		
No.	mm	Inch	Copper AWG
32623	160	6.3	#10
32625	200	8.0	#8

Flush Cutting Mechanic's Diagonal Cutters

Special C70 tool steel hardened & tempered



Soft vinyl grips
Flush cutting, with return spring
326 Flush Cutting Mechanic's Diagonal Cutters With Return Spring DIN ISO 5749 DynamicJoint® provides 40% easier cuts and significantly longer tool life. Lightweight action, clean cutting. For flush cutting soft and semi-hard wires. In Clamshell

Item	Cutting Capacity		
No.	mm	Inch	Copper AWG
32613	127	5.0	#12

Serrated Cable Cutters



Long life is achieved through additional induction hardening of cutting edge to 64HRC

326 Cable Cutters Light, energy-saving & clean cutting with specially ground precision cutting edges. C70 special tool steel hardened & tempered. For cutting of copper & aluminum cables without crushing, also suitable for stripping. Not for steel cable, wires & copper conductors with hard coatings. In Clamshell

Item	Cutting Capacity		
No.	mm	Inch	Copper/Aluminum
32600	160	6.3	16mm
32602	200	7.9	20mm

PRO-PICK

High Leverage Cutters



Soft vinyl grips
DIN ISO 5749
326 High Leverage Cutters Semi-circular. DynamicJoint® provides 40% easier cuts and significantly longer tool life. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered. In Clamshell

Item	Cutting Capacity		
No.	mm	Inch	Copper AWG
32646	160	6.3	#6
32652	200	8.0	#4

High Leverage Angle Cutters



PRO-PICK
Soft vinyl grips
DIN ISO 5749

32620 High Leverage Angle Cutters 26° offset cutting angle. DynamicJoint® provides 40% easier cuts and significantly longer tool life. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered.

Item	Cutting Capacity			lbs.
No.	mm	Inch	Copper AWG	
32620	200	8.0	#4	.30

Diagonal Cutters

Flush cutting, with return spring



DIN ISO 5749
326 Flush Cutting Diagonal Cutters With Return Spring DynamicJoint® provides 40% easier cuts and significantly longer tool life. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. For flush cutting soft and semi-hard wires.

Item	Cutting Capacity		
No.	mm	Inch	lbs.
32607	127	5.0	.14
32614	160	6.3	.36

Soft Grip BiCut SuperCut

PRO-PICK Cutting capacity up to 3mm hardened piano wire



Double the power at the press of a button, switch between 2 strengths in one-handed operation

32636 Soft Grip BiCut SuperCut For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc. In Clamshell

Item	Cutting Capacity		
No.	mm	Inch	lbs.
32636	200	8.0	.72

Soft Grip BiCut SuperCut & Screwdriver Set



32644 7 Pc. Soft Grip BiCut SuperCut & Screwdriver Set lbs. 1.78

Item No.	BiCut SuperCut:
32644	8.0"/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm



Wire Stripping Pliers



High Carbon



57810 Wire Stripping Pliers

For working small nuts & pulling wire. Precision ground stripping stations for both solid & Stranded wire. Long, curved cutter requires less force to cut. Holes in the jaw for looping wire. Return spring & opening stop to prevent spring from becoming disengaged. Wire stripping stations 10 - 18 Solid & 12 - 20 Stranded. Screw Cutter 6-32 / 8-32

Item No.	mm	Inch
57810	184	7.25

Wire 5-in-1 Combination Strippers & Crimpers



High Carbon



Crimps Insulated & Non-Insulated

57814 Wire 5-in-1 Combo Strippers & Crimpers Long head with cushion gripping surface, shears blade and firm wire stripping stations. Hardened tool steel, non-glare black finish. Serrated pliers nose for pulling and looping wire. Curved cutter for improved cutting action, requires less force. Wire stripping stations AWG 10-22. Screw Cutter 4-40 / 5-40 / 6-32 / 8-32 / 10-32 / 10-24.

Item No.	mm	Inch	Strips
57814	210	8.25	10-22

Wire Strippers & Cutters



High Carbon



57818 Wire Strippers & Cutters

For working small nuts & pulling wire. Precision ground stripping stations for both solid & Stranded wire. Long, curved cutter requires less force to cut. Holes in the jaw for looping wire. Return spring & opening stop to prevent spring from becoming disengaged. Wire stripping stations 20 - 30 Solid & 22 - 32 Stranded. Screw Cutter 6-32 / 8-32

Item No.	mm	Inch
57818	184	7.25

Upfront Cutters, Crimper, And Strippers



High Carbon



Crimps Insulated & Non-Insulated

57812 Upfront Cutters/Crimper/Strippers

Curved cutter reduces force required to cut, longer blade length capable of cutting NM-B cable in a single stroke. Hardened tool steel, non-glare black finish. Screw cutter/sizing holes are moved closer to the pivot for more leverage, making it easier to shear screw. Wire stripping stations AWG 10-22. Screw Cutter 4-40 / 6-32 / 8-32 / 10-32 / 10-24

Item No.	mm	Inch	Strips
57812	216	8.5	10-22

Wire Strippers & Cutters



High Carbon



57816 Wire Strippers & Cutters Serrated pliers nose for pulling and working wire. Precision ground stripping stations. Scissors action cutter. Holes in jaw for looping wire. With return spring. Wire stripping stations 10 - 20 / 0.8 - 2.6mm.

Item No.	mm	Inch	Strips
57816	152	6.0	10-20

Dual NM-B Cable Strippers



High Carbon



57820 Wire Strippers Dual NM-B Cable

Dual cable stripper features serrated pliers nose, wire looping holes, spring return and lock. Staggered cutting blade produces clean, sure cut with 30-50% less effort. Strippers Size 12-2 / 14-2 NM-B. 12-14 AWG. Screw Cutter 6-32 / 8-32.

Item No.	mm	Inch	Strips
57820	197	7.75	12-14

Wiha Precision Electronic Pliers & Cutters

The Comfortable Precision Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

Light weight design for maximum user comfort in production work



Lay-on, riveted precision joint

Glare free black finish


Precision ground cutting edges for smooth cuts

C70 tool steel
HR60 hardness

Velvet soft ergonomically designed multi component handle

Electronic Diagonal Cutters

Full Flush



Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring


Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. In clam

Item No.	mm	Inch	Cut Capacity
56813	128	5.0	1.0mm/16AWG

Electronic Diagonal Cutters



Full Flush




56818 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire. In clamshell

Item No.	mm	Inch	Cut Capacity
56818	138	5.5	1.3mm/16AWG

Electronic Diagonal Cutters

Full Flush




Wire Holding Spring

56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire. In Clamshell

Item No.	mm	Inch	Cut Capacity
56825	138	5.5	1.3mm/16AWG

Electronic Oblique 48° Cutter



Full Flush


56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. In clam

Item No.	mm	Inch	Cut Capacity
56833	138	5.5	1.3mm/16AWG

Electronic Diagonal Cutters



Semi Flush




56815 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires. In Clamshell $\frac{1}{2}$ lbs. .23

Item No.	mm	Inch	Cut Capacity	Medium Hard Wire
56815	138	5.5	2.0mm/16AWG	0.8

Electronic Diagonal Cutters



Full Flush



56812 Precision Electronic Diagonal Cutters, Narrow Shape Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. In Clamshell $\frac{1}{2}$ lbs. .19

Item No.	mm	Inch	Cut Capacity
56812	118	4.5	0.8mm/16AWG

Narrow Front Cutter/ Long Nose Pliers




Full Flush

56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. In clamshell

Item No.	mm	Inch	Cut Capacity
56830	118	4.5	0.6mm/16AWG


Electronic Pointed Pliers



56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires. In Clamshell

Item No.	mm	Inch	Pkg.	lbs.
56801	138	5.5	1	.23

Wiha ESD Safe Pliers & Cutters



Box joint for longer tool life & endurance, mirror polished finish

ESD standard IEC 61340-5-1



Two component handle with non-slip soft grip surface



Welded double leaf spring

Protects the hand & reduces manual effort & user fatigue

Hardened & annealed high carbon tool steel, induction hardened cutting edges




Precision Cutters Tapered Head

Semi Flush



In Clamshell

32703 Precision Cutters, Small Tapered Head, Semi Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.  lbs. .19

Item No.	mm	Inch	Copper	Head	Wdth
32703	115	4.5	1.0	9.5mm	

Precision Cutters Tapered Head

Semi Flush



In Clamshell

32702 Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Wdth
32702	115	4.5	1.0	9.5mm	

Precision Cutters Wide Tapered Head

Flush



In Clamshell

32708 Precision Cutters, Wide Tapered Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Wdth
32708	115	4.5	1.2	11.0mm	

Precision Cutters Tapered Head

Flush




In Clamshell

32705 Precision Cutters, Small Tapered Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Wdth
32705	115	4.5	1.0	9.5mm	

Precision Cutters Tapered Head

Flush



In Clamshell

32704 Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Wdth
32704	115	4.5	1.0	9.5mm	

Precision Cutters Wide Tapered Head

Full Flush



In Clamshell

32710 Precision Cutters, Wide Tapered Head, Full Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Wdth
32710	115	4.5	1.0	11.0mm	

Precision Cutters Slim Oval Form

Flush



32712 Precision Cutters, Slim Oval Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width
32712	115	4.5	1.0	10.5mm	

Oblique Angled Cutters

Ultra Full Flush




32724 Oblique Angled Cutters, 29°, Full Flush Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width
32724	115	4.5	1.0	12.0mm	

ESD Safe Pliers

Bent Snipe
Nose 45°



32744 ESD Safe Pliers, Snipe Nose (Chain Nose) Bent 45°, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. ESD Safe Dissipative.

Item No.	mm	Inch	Head	Width
32744	120	4 3/4	9.5mm	

Precision Cutters Slim Oval Form

Full Flush



32714 Precision Cutters, Slim Oval Head, Full Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width
32714	115	4.5	1.0	10.0mm	

End Cutters Wide Head

Flush




32734 End Cutters, Wide Head, Flush End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width
32734	115	4.5	1.4	11.0mm	

ESD Safe Pliers

Long Needle Nose



32746 ESD Safe Pliers, Long Needle Nose Pliers, Straight, Serrated Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. ESD Safe Dissipative.

Item No.	mm	Inch	Head	Width
32746	145	5 3/4	12.0mm	

Precision Cutters Wide Oval Form

Bevel




32716 Precision Cutters, Wide Oval Head, Bevel Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head	Width
32716	115	4.5	1.4	11.0mm	

ESD Safe Pliers

Short Snipe Nose



32742 ESD Safe Pliers, Short Snipe Nose (Chain Nose) Straight, Serrated Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head	Width
32742	120	4 3/4	9.5mm	

ESD Safe Pliers

Needle Nose,
Bent 90°




32748 ESD Safe Pliers, Needle Nose Pliers, Bent 90°, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head	Width
32748	145	5 3/4	12.0mm	

ESD Safe Pliers

Short Round Nose Pliers



32750 ESD Safe Pliers, Short Round Nose Pliers, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.


Item No.	mm	Inch	Head Wdth
32750	120	4 3/4	9.5mm

ESD Safe Diagonal Cutters




32760 ESD Safe Precision Flush Cutting Diagonal Cutters Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel. Two component non-slip soft grip handle, ESD Safe Dissipative. In clamshell

Item No.	mm	Inch	Head Wdth
32760	133	5.25	.5"



ESD Safe Pliers

Short Flat Nose Pliers



32752 ESD Safe Pliers, Short Flat Nose Pliers, Smooth Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth
32752	120	4 3/4	9.5mm

ESD Long Nose Pliers



32762 ESD Safe Long Nose Pliers With Return Spring Extra long cutters for flat and round cables. Serrated jaws. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel. Two component non-slip soft grip handle, ESD Safe Dissipative. In Clamshell

Item No.	mm	Inch	Head Wdth
32762	165	6.5	.625"



Surface resistance of handles is 10⁶ - 10⁹ Ohms

45892 26-Piece Precision PicoFinish®

Screwdrivers, Pliers, Precision Micro Bit Set & ESD Safe Tweezers ESD Protum Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

45892 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer Set in Canvas Pouch

ESD Safe Protum Strippers, Pliers & Cutters 5.25" Diagonal Cutters

4.5" Full Flush Tapered Cutters

4.75" Short Snipe Nose Pliers

5.75" Long Needle Nose Pliers

ESD Safe Slotted & Phillips Precision Drivers Slotted: 2.0, 2.5, 3.0, 3.5mm & Phillips: 00, 0, 1

ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm
Torx®: T4, T5, T6, T7, T9, T10

ESD Safe Tweezer: 00 SA ESD -

120mm Heavy Duty Strong, Tapered To Strong Point

lbs. 1.74



32794 11-Piece ESD Safe Precision PicoFinish® Screwdrivers, Pliers Set Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. Blade CVM steel, hardened, hard chromed.

32794 11 pc. ESD Safe PicoFinish®	
Screwdrivers, Pliers & Cutters	
5.25" Diagonal Cutters	lbs.
4.5" Full Flush Tapered Cutters	1.32
4.75" Short Snipe Nose Pliers	
5.75" Long Needle Nose Pliers	
PicoFinish Precision® Screwdrivers	
Slotted: 2.0, 2.5, 3.0 & 3.5mm	
Phillips: #00, 0 & 1	



MagicRing Ball End Hex Keys

PRO-PICK


Screw-holding steel compression ring for one-handed fastener management

Wiha exclusive CV-Moly super tool steel, hardened, hard chromed, screw holding

Ball end hex keys chamfered ends for easy insertion

U.S. Patent 6,302,001 B1

Screw Holding Hex Tools!



ErgoStar Holder
Turn-select holder for quick and easy tool selection



66991 13 Pc. MagicRing Long SAE Ball End Hex L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish. In Clamshell

Item No.	SAE: .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 66991 1/4, 5/16, 3/8"
lbs.	1.14

PRO-PICK



66990 9 Pc. MagicRing Long METRIC Ball End Hex L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish. In Clamshell

Item No.	METRIC: 1.5*, 2.0*, 2.5*, 3.0, 4.0, 66990 5.0, 6.0, 8.0, 10.0mm
lbs.	1.07


PRO-PICK

ErgoStar Ball End Hex Keys Chrome-Plated Finish



66996 9 Piece ErgoStar METRIC Ball End Hex Long L-key Set In Clamshell


Item No.	METRIC: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 66996 6.0, 8.0, 10.0mm
lbs.	1.02



66988 13 Piece ErgoStar SAE Ball End Hex Long L-key Set In Clamshell

Item No.	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 66988 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
lbs.	1.08

Inch & Metric Ball End Hex L-Keys Chrome Finish



66994 9 Piece Metric Ball End Hex Long L-key Set


Item No.	METRIC: 1.5, 2.0, 2.5, 3.0, 4.0, 66994 5.0, 6.0, 8.0, 10.0mm
lbs.	.98



36998 13 Pc. SAE Ball End Hex Long L-key Set, In Plastic Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 36998 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
lbs.	1.0

Hex L-keys - Short Arm



35392 5 Pc. Mini METRIC Hex L-key Set
Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm

lbs.	.03	In Clamshell
------	-----	--------------



35393 5 Pc. Mini SAE Hex L-key Set
Equipped with .028, .035, .050, 1/16, 5/64"

lbs.	.03	In Clamshell
------	-----	--------------

See Nut Setter Counter Display on pg. 52




Color Coded Ball End Hex L-keys

PRO-PICK



66981 13 Pc. SAE Ball End Hex Long L-key Color Coded Set, In Plastic Holder
Special Chrome-Vanadium tool steel. In Clamshell
Item No. .050, 1/16, 5/64, 3/32, 7/64, 1/8, 66981 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
↔ lbs. 1.11

PRO-PICK



66980 9 Piece METRIC Ball End Hex Long Color Coded L-key Set In Clam
Item No. METRIC: 1.5, 2.0, 2.5, 3.0, 4.0, 66980 5.0, 6.0, 8.0, 10.0mm
↔ lbs. .99



Long Arm Ball End Hex Keys Black Oxide Finish



Ball End Hex Keys
Chamfered ends for easy insertion



Ball End Hex L-keys
Working angle up to 25°



36991 13 Piece SAE Ball End Hex Long L-key Set Blade CVM, hardened, black oxide finish. In Clamshell ↔ lbs. 1.0
Item No. 13 pc. set includes:
36991 .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



36990 9 Pc. METRIC Ball End Hex Long L-key Set Blade CVM, hardened, black oxide finish. In Clamshell ↔ lbs. .98
Item No. METRIC: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 36990 6.0, 8.0, 10.0mm

Wiha PocketStar Fold-Ups

PRO-PICK



35195 7 Pc. METRIC Hex PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle. Blister hang card
Item No. PocketStar ↔ lbs.
35195 METRIC: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm .51

PRO-PICK



35197 9 Pc. SAE Hex PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle. Blister hang card
Item SAE PocketStar: 5/64, ↔ lbs.
No. 3/32, 7/64, 1/8, 9/64, 35197 5/32, 3/16, 7/32, 1/4" .47

Wiha MagicRing Screw Holding T-handle

Eyelet for hanging or tethering

Handle is molded directly onto blade

High-torque handle design



Blade Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chrome finish

Screw Holding Hex Tools

Smooth edges prevent injuries & eliminate pressure marks




54090 5 Piece MagicRing Ball End T-handle Set, METRIC Sizes
Blade CVM, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant. In Clamshell
Item METRIC: ↔ lbs.
No. 4.0, 5.0, 6.0, 54090 8.0, 10.0mm 1.49



54091 6 Piece MagicRing Ball End T-handle Set, SAE Sizes
Blade CVM, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant. In Clamshell
Item SAE: ↔ lbs.
No. 5/32, 3/16, 7/32, 54091 1/4, 5/16, 3/8" 1.59

Wiha SoftFinish® Multi-Drivers



- SoftFinish® cushion grip handle for comfort and control
- Dual durometer construction for long-lasting durability
- Parallel flats for roll-off prevention
- Interchangeable blade receiver for multi-tool adaptivity
- Exact fit precision machined tips for reduced cam-out

Case Pack of 6 Multi-Drivers Includes Counter Top Display

PRO-PICK



12.0" x 5.75" x 9.5"



77891 11inOne SoftFinish® Multi-Driver Screwdriver

premium quality tool steel engineered for strength and durability and feature exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:	
🔩 Slotted: 3/16", 1/4"	lbs.
⊕ Phillips: #1, #2	.55
◻ Square: #1, #2	
⚙️ TORX®: T20, T25	
🔩 Nut Driver: 1/4", 5/16", 3/8"	

Wiha SoftFinish® Multi-Drivers



Double-ended bits phosphate finish for corrosion protection and surface resilience

Reams 1/2", 3/4", and 1" conduit for smooth edges and proper fit

Reams both the inside and outside edges for consistent efficiency

Shrouded slotted screwdriver tip for fastener-slip prevention

Functional performance specifically designed for Electrical Metallic Tubing (EMT) Conduit

Case Pack of 6 Multi-Drivers
Includes Counter Top Display

PRO-PICK

PRO-PICK



12.0" x 5.75" x 9.5"



77890 6inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength and durability and feature exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:	
● Slotted: 3/16", 1/4"	lbs.
⊕ Phillips: #1, #2	.45
○ Nut Driver: 1/4", 5/16"	



77892 Conduit Reamer & 6inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength and durability. Exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:	
● Slotted: 3/16", 1/4"	lbs.
⊕ Phillips: #1, #2	.75
○ Nut Driver: 1/4", 5/16"	

Wiha 26inOne Ultra Drivers

“Grab & Go Tool Box”



13 Double End Bits
Locking Bit Holder
Pop-up Bit Access
Rugged Industrial Design
Cushion Grip Handle
Professional Quality



Tradesman



77790 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder. Retail box

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3 lbs.
- ⊕ Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- ⬢ Hex SAE: 1/8+9/64, 5/32+3/16"
- ⬢ Hex METRIC: 3.0+4.0, 5.0+6.0mm

Technician's



77791 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder. Retail box

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3 lbs.
- ⊕ Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

Industrial



77792 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder. Retail box

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2 lbs.
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- ⬢ Hex SAE: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ Hex METRIC: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Wiha Security Ultra Driver



77789 Security Cushion Grip Ultra Driver

26inOne Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder. Retail box

Includes 1/4" double end Security bits:

- Slotted/Phillips: 5.5mm+#2
- Square: #1+#2 lbs.
- ⊗ TORX®: T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .45
- ⬢ Hex SAE: 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ Hex METRIC: 3.0+4.0, 5.0+6.0mm
- Spanner: #4+#6, #8+#10

Tradesman Bit Reload



77780 13-Piece Double End Insert Bit

Reload For the 26inOne (For #77790)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3 lbs.
- ⊕ Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- ⬢ Hex SAE: 1/8+9/64, 5/32+3/16"
- ⬢ Hex METRIC: 3.0+4.0, 5.0+6.0mm

Technician's Bit Reload



77781 13-Piece Double End Insert Bit

Reload For the 26inOne (For #77791)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3 lbs.
- ⊕ Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

Industrial Bit Reload



77782 13-Piece Double End Insert Bit

Reload For the 26inOne (For #77792)

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2 lbs.
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- ⬢ Hex SAE: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ Hex METRIC: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Bonus Pack



77795 Cushion Grip Ultra Driver 26inOne

Plus Bonus Pack. In Clamshell

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3 lbs.
- ⊕ Pozidriv®: #1+2 .50
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30
- ⬢ Hex SAE: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ Hex METRIC: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Double End Valve Stem Tool

1/4" Hex to 1/4" Square Socket Adapter



77785 Cushion Grip Ultra Driver HVAC

Series In Clamshell

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3 lbs.
- Square: #1+2 .57
- ⊗ TORX®: T10+T15, T20+T25
- ⬢ Hex SAE: 5/32+3/16, 7/32+1/4, 3/8"
- 1/4" Hex to 1/4" Square Adapter
- Double End Core Stem Valve
- 1/4" Valve Socket Adapter

Wiha 12inOne Ultra Driver



Handle Diameter 1.45"



38040 12inOne Ultra Driver Bit Set Plus

Bonus Pack Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Stainless steel, magnetic bit holder

- Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3 lbs.
- Square: #1, 2 .42
- ⊗ TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- ⊗ Security TORX®: T8s, T10s

Cushion Grip Double End Stubby Bit Sets

PRO-PICK



Double end Ultra Driver bits fit stubby handle

- ⊖
- +
-



38090 14inOne SoftFinish® Stubby Multi-Bit Driver with Wiha cushion grip handle and CVM tool steel shaft. In Clamshell

Set includes the following 1/4" bits:

- ⊖ Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5
- +
- Phillips: #0+#3 #1+#2 lbs.
- Square: #0+#3 #1+#2 .28



Wiha Insulated Pop-Up Ultra Driver SlimLine Sets

Locking blade holder securely holds blades in place for precise fastening



Blades High quality CV steel, through-hardened

1000Volt Rated
10,000 Volt Tested

Certified to VDE, EN ISO, BS EN, ASME specifications

Wiha Insulated Pop-Up Ultra Driver Insert Bit Sets



Certified to VDE, EN ISO, BS EN, ASME specifications

Blades High quality CV steel, through-hardened

Convenient rotating cap

Friction hold bit holder securely holds bits in place



1000Volt Rated
10,000 Volt Tested

1000Volt



- ⊖
- +



28393 Insulated Pop-Up Ultra Driver Blade Holder Set With SlimLine Blades

Insulated cushion grip multi-component handle. Locking bit holder holds SlimLine Blades securely. Convenient rotating cap.

28393 Set includes the following blades:

- ⊖ Slotted: 3.0, 4.0, 5.5, 6.5mm
- +
- Phillips: #1, #2
- lbs. .38

- ⊖
- +
-

PRO-PICK



28394 Insulated Pop-Up Ultra Driver Blade Holder Set With SlimLine Blades

28394 Set includes the following blades:

- ⊖ Slotted: 3.0, 4.0mm
- +
- Phillips: #1, #2
- Square: #1, #2
- lbs. .38

- ⊖
- +
- +



28395 Insulated Pop-Up Ultra Driver Blade Holder Set With SlimLine Blades

28395 Set includes the following blades:

- ⊖ Slotted: 3.0, 4.0mm
- +
- +
- ⊕ Phillips: #1, #2
- ⊕ Terminal Xeno: #1, #2
- lbs. .38

- ⊖
- +
-
- +




38050 Insulated Pop-Up Ultra Driver Bit Holder Set With 1/4" Insert Bits

Insulated cushion grip multi-component handle. Bit holder holds 1/4" Insert bits. Convenient rotating cap. In Clamshell

Item Set includes the following bits:

No.	⊖ Slotted: 4.5, 5.5, 6.0mm								
38050	+ <tr> <td></td> <td>□ Phillips: #0, 1, 2, 3</td> </tr> <tr> <td></td> <td>□ Square: #1, 2, 3</td> </tr> <tr> <td></td> <td>⊕ Pozidriv®: #1, 2, 3</td> </tr> <tr> <td></td> <td>□ lbs. .46</td> </tr>		□ Phillips: #0, 1, 2, 3		□ Square: #1, 2, 3		⊕ Pozidriv®: #1, 2, 3		□ lbs. .46
	□ Phillips: #0, 1, 2, 3								
	□ Square: #1, 2, 3								
	⊕ Pozidriv®: #1, 2, 3								
	□ lbs. .46								

- ⊖
- +
-
- ⊕



38051 Insulated Pop-Up Ultra Driver Bit Holder Set With 1/4" Insert Bits

Insulated cushion grip multi-component handle. Bit holder holds 1/4" Insert bits. Convenient rotating cap. In Clamshell

Item Set includes the following bits:

No.	⊖ Slotted: 4.5, 5.5, 6.0mm								
38051	+ <tr> <td></td> <td>□ Phillips: #0, 1, 2, 3</td> </tr> <tr> <td></td> <td>□ Square: #1, 2, 3</td> </tr> <tr> <td></td> <td>⊕ TORX®: T15, T20, T25</td> </tr> <tr> <td></td> <td>□ lbs. .46</td> </tr>		□ Phillips: #0, 1, 2, 3		□ Square: #1, 2, 3		⊕ TORX®: T15, T20, T25		□ lbs. .46
	□ Phillips: #0, 1, 2, 3								
	□ Square: #1, 2, 3								
	⊕ TORX®: T15, T20, T25								
	□ lbs. .46								

Wiha Insulated SlimLine Tools

Integrated Slim Insulation molded directly onto blade

High quality CV steel, through-hardened

Insulation does not exceed screw head diameter



1000Volt Rated
10,000 Volt Tested

Insulation Test Standards:
Insulation according to EN/IEC 60900, ASTM F-1505, VDE 0682/part 201, DIN 7437, NFPA70E & CSA specification



PRO-PICK



28398 19 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Cushion grip. Locking blade holder, holds blades securely. In clamshell

Item No.	Slotted: 3.0, 4.0, 5.5mm
28398	Phillips: #1, #2
	Xeno SL/PH: #1, #2
lbs.	Xeno SL/PZ: #1, 2
.64	TORX®: T8, T10, T15, T20
	Square: #1, 2
	Hex METRIC: 3.0, 4.0, 5.0mm
	28301 - SlimLine Blade Holder



28348 12 Piece Insulated SlimLine Blade Set With Belt Holder High quality CV steel, through hardened. Up to 33% narrower insulation diameter than standard insulated tools. SlimLine blade holder holds 12 SlimLine blades. In Clamshell

Item No.	Slotted: 4.0, 5.5mm
28348	Phillips: #1, #2
	Hex METRIC: 2.5, 3.0, 4.0mm
lbs.	TORX®: T15, T20, T25
.42	Square: #1, #2



28301 SlimLine Blade Holder, W/Wiha-SoftFinish® Handle Insulation According to VDE, ASTM F-1505 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt.

Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Locking blade holder, holds blades securely. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	Size	mm	Inch	mm	Inch	lbs.
28301	1/4"	50	2.0	160	6.3	.15



28390 15 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Cushion grip. Locking blade holder, holds blades securely. In Clamshell

Item No.	Slotted: 3.0, 4.0, 5.5, 6.5mm
28390	Phillips: #1, #2
	Xeno SL/PH: #1, #2
lbs.	TORX®: T8, T10, T15, T20
.56	Square: #1, #2
	28301 - SlimLine Blade Holder



28328 4-piece SlimLine Blade Set With SoftFinish® Handle. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested. Blades High quality CV steel, through hardened, black finish. Friction fit blade holder, holds blade securely.

Item No.	Slotted: 3.5mm	
28328	Phillips: #2	lbs. .14
	Square: #2	



28302 SlimLine Stubby Blade Holder, With Wiha-SoftFinish® Handle. Insulation According to VDE, ASTM, EN/IEC, NFPA70E & CSA, up to 1000 Volt. Wiha-SoftFinish® handle, multi-component, cushion grip. In Clamshell

Item No.	Size	mm	Inch	lbs.
28302	1/4"	57	2.2	.11



28391 8 Piece Insulated SlimLine Blade Set High quality CV steel, through hardened. Cushion grip. Locking blade holder, holds blades securely. In clamshell

Item No.	Slotted: 4.0, 6.5
28391	Phillips: #1, #2
	Xeno SL/PH: #2
lbs.	TORX®: T15, T20
.45	28301 - SlimLine Blade Holder

In Roll-up Pouch



Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation



Wiha Insulated TorqueControl & SlimLine Tool Sets



Ideal for jobs where access is limited



Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation

PRO-PICK



With Certificate of Calibration

28789 11 Pc. Insulated TorqueControl Set With SlimLine Blades Certified to EN ISO, BS EN, ASME. Set includes Insulated multi-component adjustable TorqueVario-S 10-50 In/lbs. handle, 8 SlimLine blades, SlimLine blade holder & Torque adjustment tool. In Clamshell

Item	Slotted: 4.0, 6.5mm
No.	Phillips: #1, 2
28789	Square: #1, 2
	Terminal Xeno SI/Pz: #1, 2
lbs.	Torque Handle Range 10-50 In/lbs.
1.32	SlimLine Blade Holder 6.75" OAL



With Certificate of Calibration

28781	20 Piece Insulated TorqueControl Set With SlimLine Blades Certified to EN ISO 6789, BS EN 26789, ASME B107.14M. Set includes Insulated multi-component adjustable TorqueVario-S handle, SoftFinish® SlimLine blade handle, PicoFinish® SlimLine blade holder, 15 SlimLine blades, SlimLine blade holder & Torque adjustment tool. In Clamshell
Item	Slotted: 2.5, 3.5, 4.0, 6.5mm
No.	Phillips: #1, 2 (qty. 2 of #2)
28781	Terminal Xeno SI/Ph: #1, 2
	TORX®: T10, T15, T20, T25
lbs.	Square: #1, 2
1.61	Handle Range 10-50 In/lbs.
	SlimLine SoftFinish® Blade Holder
	PicoFinish® SlimLine Holder
	SlimLine Blade Holder 6.75" OAL



TorqueVario-S handle +/-6% accuracy tolerance

Audible and perceptible click when the torque setting has been attained

Automatically resets for next torque cycle

E-SCREWDRIVER speedE®-II ELECTRIC

PRO-PICK



Packaging
H 2-5/8"
W 10-1/4"
L 6-1/8"



32490	13 Pc. speedE-II Electric Screwdriver With SlimLine Blades Certified to EN ISO, BS EN, ASME. Set includes speedE electric 0.4 - 1.0 Nm handle, 8 Insulated SlimLine blades, 2 Li-Ion rechargeable batteries & wall plug adapter/charger.
Item	speedE Screwdriver: Handle Range 0.4 Nm - 1.0Nm
No.	Insulated SlimLine Blades Include:
32490	SlimLine Slotted: 3.5, 5.5mm
	SlimLine Phillips: #1, #2
lbs.	SlimLine Square: #1, #2
2.14	SlimLine Terminal Xeno SI/Ph: #1, #2



*speedE electric screwdriver is only insulated when used with Wiha SlimLine blades



Insulated Hex T-handles

Insulation Test Standards:

Insulation according to EN/IEC, ASTM, VDE, DIN, NFPA70E & CSA specification



Blade CVM tool steel, hardened to average 58/60RC

Insulation Molded directly onto blade for permanent bonding



PRO-PICK

33490 6 Piece Hex SAE T-handle Set

In Clamshell

Item	SAE:	lbs.
No.	5/32, 3/16, 7/32,	lbs.
33490	1/4, 5/16, 3/8"	1.66



PRO-PICK

33478 5 Piece Hex METRIC T-handle Set

In Clamshell

Item	METRIC:	lbs.
No.	4.0, 5.0, 6.0,	lbs.
33478	8.0, 10.0mm	1.20

Cat. IV Voltage Detector - Battery Operated

Audible alarm signal is variable for indicating voltage strengths

Visual voltage strength meter for precise voltage location



25506 Voltage Detector 12-1000V AC Rated. Non-Contact Category IV Single-Pole

Red LED & audible alarm indicate present voltage (Includes 2 AAA batteries)

Item	mm	Inch	lbs.	In
No.				
25506	152	6.0	.50	Clamshell

Insulated Inch & Metric Folding Ruler



With Wire Puller Slot



Meets VDE, EN/IEC, ASTM, CSA, NFPA standards

Cat. IV Voltage Detector - Battery Operated



25505 Battery Operated Voltage Detector Tests 50-1000 Volts. Category IV, CE IEC 61010-1 With audible sound & light warnings. (Requires 2 AAA batteries). In Clamshell

Item	mm	Inch	lbs.
No.			
25505	146	5.75	.13



61630 Insulated Inch & Metric Folding Ruler 10,000Volt Tested/1000Volt Rated. Inch & Metric deep embossed scales. 10 folding sections. 30% fiberglass reinforced polyimide. 1/16 & 1mm Increments. In Clamshell

Item	Meter	Inch	Sections	lbs.
No.				
61630	2	78"	10	.31

Wiha Long Life MaxiFlex Folding Ruler

Patented play free joint with steel spring pin, wear resistant & maintenance free 90° positive stop joints



Reinforced with 30% fiberglass, rugged polyimide is scratch resistant

Deep embossed water proof scales

Tough and Flexible, impact resistant

Chemical and weather resistant for outdoor use



(Non-Insulated)

61662 Combination Metric & Inch Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical and weather resistant both tough & flexible, impact resistant. Metric rules have 10cm red marking. In Clamshell

Item	Meter	Inch	Width	Sections	Increments	lbs.
No.						
61662	2	78"	15mm	10	1/16 & 1mm	.31

TERMINATORblue™ IMPACT BITS


Upgrade to PRO



Wiha TERMINATORblue™ impact bits feature an energy absorbing torsion zone for 30 times performance & computer-controlled heat treatment for 120 times life-time over Wiha standard bits



Wiha Terminator Impact Bits



TERMINATORblue™ IMPACT BITS

- > **Energy absorbing torsion zone** for 30 times performance over Wiha standard bits
- > **Computer-controlled heat treatment** for 120 times service-life over Wiha standard bits
- > **Exact fit precision machined tip** for reduced cam-out

120X
SERVICE-LIFE



70269 2 in. Phillips TerminatorBlue® Impact Bits, 1/4" Power - 5 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
70269	2	50	2



70002 1 in. Phillips TerminatorBlue® Impact Bits, 1/4" Insert - 2 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
70002	2	25	2



702 2 in. Phillips TerminatorBlue® Impact Bits, 1/4" Power - 2 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
70201	1	50	2
70202	2	50	2
70203	3	50	2



70282 2 in. Square TerminatorBlue® Impact Bits, 1/4" Power - 5 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
70282	2	50	2



70025 1 in. Square TerminatorBlue® Impact Bits, 1/4" Insert - 2 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
70025	2	25	2



702 2 in. Square TerminatorBlue® Impact Bits, 1/4" Power - 2 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
70225	2	50	2



702 2 in. TORX® TerminatorBlue® Impact Bits, 1/4" Power - 5 Bit Pack

Item	✱	—	—
No.	Size	mm	pkg.
70277	T25	50	2
70279	T30	50	2



70020 1 in. TORX® TerminatorBlue® Impact Bits, 1/4" Insert - 2 Bit Pack

Item	✱	—	—
No.	Size	mm	pkg.
70020	T25	25	2



702 2 in. TORX® TerminatorBlue® Impact Bits, 1/4" Power - 2 Bit Pack

Item	✱	—	—
No.	Size	mm	pkg.
70218	T15	50	2
70219	T20	50	2
70220	T25	50	2
70222	T30	50	2
70223	T40	50	2






70096 1/4" Quick Release Bit Holder, magnetic

Item	○	—	—
No.	Size	mm	pkg.
70096	1/4	2.4	1








70302 3.5 in. Phillips TerminatorBlue®
Impact Bits, 1/4" Power - 2 Bit Pack

Item			
No.	Size	mm	pkg.
70302	2	90	2






70242 2 in. Phillips TerminatorBlue®
Impact Bits, 1/4" Insert - 15 Bit Pack

Item			
No.	Size	mm	pkg.
70242	2	50	15






70325 3.5 in. Square TerminatorBlue®
Impact Bits, 1/4" Power - 2 Bit Pack

Item			
No.	Size	mm	pkg.
70325	2	90	2






70265 2 in. Square TerminatorBlue®
Impact Bits, 1/4" Insert - 15 Bit Pack

Item			
No.	Size	mm	pkg.
70265	2	50	15






703 3.5 in. TORX® TerminatorBlue®
Impact Bits, 1/4" Power - 2 Bit Pack

Item			
No.	Size	mm	pkg.
70319	T20	90	2
70320	T25	90	2
70322	T30	90	2






70260 2 in. TORX® TerminatorBlue®
Impact Bits, 1/4" Insert - 15 Bit Pack

Item			
No.	Size	mm	pkg.
70260	T25	50	15






70042 1 in. Phillips TerminatorBlue®
Impact Bits, 1/4" Insert - 20 Bit Pack

Item			
No.	Size	mm	pkg.
70042	2	25	20






70065 1 in. Square TerminatorBlue®
Impact Bits, 1/4" Insert - 20 Bit Pack

Item			
No.	Size	mm	pkg.
70065	2	25	20








70060 1 in. TORX® TerminatorBlue®
Impact Bits, 1/4" Insert - 20 Bit Pack

Item			
No.	Size	mm	pkg.
70060	T25	25	20

PRO-PICK



70098 8 Piece 1 in. BitBuddy® Set
Includes: 1/4" bit holder & 7 Insert impact bits.





- Item No. 70098
-  Phillips: #1, 2
 -  Square: #1, 2
 -  TORX®: T20, T25, T30
 -  1/4" SlimFix Locking Bit Holder
-  lbs. .28



PRO-PICK



70298 7 Piece 2 in. BitBuddy® Set
Includes: 7 Power 2 in. power impact bits.











- Item No. 70298
-  Phillips: #1, 2
 -  Square: #1, 2
 -  TORX®: T20, T25, T30
-  lbs. .28



PRO-PICK



76889 32 Piece Ratchet Bit Set Includes:
Wiha 1/4" mini ratchet handle, bit holder, Hex/
Sqr. Adapter and 29 Insert bits. In Clamshell
Item No. 76889 1/4" Ratchet Bit Set

-  Phillips: #1, 2, 3 (2 of each)
 -  Square: #1, 2, 3
 -  TORX®: T10, T15, T20, T25, T27, T30, T40
 -  Hex METRIC: 3.0, 4.0, 5.0, 6.0mm
 -  Hex SAE: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
 -  Pozidriv®: #1, 2, 3
 -  1/4" SlimFix Locking Bit Holder
 -  1/4" Hex to 1/4" Square Adapter
 -  1/4" Reversible Bit Ratchet 72 Tooth
-  lbs. .79



Wiha Bit Holders

Magnetic



Retainer out of stainless steel

38451 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.
38451	1/4"	125	5.0	240	9.46	.25



Adjustable Blade Length
Magnetic Bit Holder

28489 Drive-Loc VI Bit Holder High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Inch	Extends	lbs.
28489	1/4"	1-3/4" to 4-7/8"	.36



38060 Mini Bit Ratchet & SlimFix Set 72 tooth mini ratchet, rugged drop forged steel. SlimFix impact rated locking 1/4" bit holder. Accepts 1/4" Bits. In Clamshell

Item No.	Includes Phillips: #2
38060	lbs. .28

For working in confined spaces



28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Inch	mm	Inch	lbs.
28103	1/4"	57	2.2	.11



Magnetic, holds bit and screw

38802 Bit Holders With Wiha Soft Grip T-handle Chrome-V-Moly, hardened, hard chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Size	mm	Inch	mm	Inch	lbs.
38802	1/4"	178	7.0	102	4.0	.18

Wiha Standard 1/4" Insert Bit sets



71990 39 Piece Bits Collector Includes SoftFinish® Handle, 1/4" Drive-Loc bit holder, 1/4" Bit holding socket adapter & the following 1/4" bits. In Clamshell

Security TORX®: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Spanner: 4, 6, 8, 10
Tri-Wing: 1, 2, 3, 4 Torq Set: 6, 8, 10
Slotted: 6.0, 8.0mm Phillips: 1, 2
Pozidriv®: 0, 1, 2, 3 Square: 1, 2, 3



71988 Bits Collector with Security TORX®, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv® and Square bits. 38 Pc. Set includes: 1/4" mini ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits: In Clamshell

Security TORX®: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Tri-Wing: 1, 2, 3, 4
Torq Set: 6, 8, 10
Spanner: 4, 6, 8, 10
Slotted: 6.5, 8.0mm
Phillips: 1, 2
Pozidriv®: 0, 1, 2, 3
Square: 1, 2, 3



74996 Ratchet Bit Set, 35 Pcs. Includes: Wiha 1/4" mini ratchet handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits. In Clamshell

Item No. 74996 1/4" Ratchet Bit Set
Slotted: 5.5, 6.0mm
Phillips: #0, 1, 2, 3
Square: #1, 2
TORX®: T8, T10, T15, T20, T25, T27, T30
Hex METRIC: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
Hex SAE: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
1/4" SlimFix Locking Bit Holder 1/4" Hex to 1/4" Square Adapter
lbs. .80

Wiha 1/4" Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool

Slide out drawer allows quick bit access and secure storage



Plastic storage box is compact, durable and light weight

1/4" Magnetic Adapter fits all standard 1/4" bits


Molded hex cavity in box end magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs



79243 Bit-Selector With Slotted, Phillips & TORX® Bits, Includes 1/4" Bit Holder & The Following 10 Bits:  lbs. .32

- ↓  Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- ⊗ TORX®: T10, T15, T20

79248 Bit-Selector With Slotted, Phillips & Square Bits, Includes 1/4" Bit Holder & The Following 10 Bits:  lbs. .32


- ↓  Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- Square: #1, 2, 3

71090 Bit-Selector With Slotted, Phillips & Hex 1/4" Bits, Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:

-  Slotted: 4.5, 5.5, 6.5mm
- ⊕ Phillips: #1, 2, 3
- ⬢ Hex SAE: 1/8, 5/32, 3/16"



79242 Bit-Selector With TORX® Bits Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

- lbs.  TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

Wiha XSelector & XLSelector Standard Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover



XLSelector Pocket Sized 5.3" x 3.1" x .7"



XSelector Pocket Sized 3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder

These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



79443 XSelector Bit Set With Slotted, Phillips, and TORX® Bits Set Includes Quick Release Holder & the following 10 bits:

- ↓  Slotted: 5.5, 6.5, 8.0mm 
- ⊕ Phillips: #0, 1, 2, 3 lbs.
- ⊗ TORX®: T10, T15, T20 .27




79499 XLSelector 1/4" Ratchet & Bit Set Wiha 1/4" mini ratchet handle, bit holder & 15 Insert bits Includes:

- ↓  Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2
- ⊗ TORX®: T7, T8, T9, T10, T15, T20, T25
- Square: #1, 2
-  lbs. .56






79491 XLSelector 1/4" Ratchet & Bit Set Wiha 1/4" mini ratchet handle, bit holder & 15 Insert bits Includes:

- ↓  Slotted: 4.5, 6.0mm 
- ⊕ Phillips: #1, 2, 3 lbs.
- Square: #1, 2 .56
- ⊕ Pozidriv: #1, 2
- ⬢ Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm




79495 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits, 31 Pc. Set Includes: ClicFix Bit Holder-magnetic & 30 Insert Bits In Clamshell

- ↓  Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- ⊗ TORX®: T6, T7, T8, T9, T10, T15, T20, T25 
- ⬢ METRIC Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm .62
- ⬢ Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"





79490 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:

- ↓  Slotted: 6.0mm
- ⊕ Phillips: #1, 2
- ⊕ Torq Set: #6, 8, 10
- ⊕ Square: #1, 2
- ⊕ Triwing: #2, 3, 4, 5
- ⊕ Pozidriv: #1, 2
- ⊕ Spanner: #4, 6, 8, 10
- ⊗ Security TORX®: T8s, lbs.
- T10s, T15s, T20s, T25s .64
- ⬢ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



79493 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:

- ↓  Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #1, 2, 3
- Square: #1, 2
- ⊗ TORX®: T7, T8, T9, T10, T15, T20, T25
- ⬢ Hex METRIC: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- ⬢ Hex SAE: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
-  lbs. .64

Wiha Nut Setters



70491 3 pc. Hex SAE Nut Setter Set
Permanent industrial magnet. 102mm OAL

Item No.	lbs.	Set includes:
70491		1/4, 5/16, 3/8 x 4.0"
	.39	In Clamshell



70486 6 pc. Color Coded Hex SAE Nut Setter Set Powerful magnet for secure holding of fasteners. 6"/152mm OAL. In Blister Card

Item No.	lbs.	Set includes:
70486		1/4" R, 5/16" Y, 3/8" Bl
	1.21	7/16" Br, 1/2" O, 9/16" Bk

PRO-PICK

6 blister sealed Nut Setters sets in counter display



TORX® Short Arm L-keys



36392 TORX® Set, 7 Pc. In Plastic Holder
Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	In
36392	.10	Clamshell

TORX® Long Arm L-keys



36699 Long Arm TORX® Set, 13 Pc. in Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

Item No.	lbs.	In
36699	1.13	Clamshell



36394 TORX® Set, 9 Pc. In Plastic Holder
T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	In
36394	.30	Clamshell



36698 Long Arm TORX® Set, 10 Pc. In Molded Holder Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30. In Clamshell

Item No.	lbs.	In
36698	1.04	

Wiha ErgoStar Ball End TORX® Long L-keys



36689 ErgoStar TORX® Long Arm Set, 13 Pc. In Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45. In Clamshell

Item No.	lbs.
36689	1.08

Wiha "Rust Free" Finish TORX® L-keys

Pacified Zinc Chromate Finish 96 hour salt bath tested for best corrosion protection

CVM tool steel through hardened and tempered for maximum tool life

36693 TORX® Long Arm Set, 13 Pc. In ErgoStar Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45. In Clamshell

Item No.	lbs.
36693	1.10

Wiha PocketStar Fold Outs



Push button key release



Blade length range 1.68 - 1.94"

36396 TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8". In Clamshell

Item No.	lbs.
36396	.22

T7, T8, T9, T10, T15, T20, T25

Wiha Combination Ratchet Wrench Sets

PRO-PICK




Soft grip rack with wire bail holds wrenches securely


30390 7pc Set Metric Combination Ratchet Wrenches Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30390	9.0, 10.0, 11.0, 12.0,
lbs. 2.02	13.0, 14.0, 15.0mm

Soft grip rack with wire bail holds wrenches securely



30391 12pc Set Metric Combination Ratchet Wrenches Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30391	8.0, 9.0, 10.0, 11.0, 12.0,
	13.0, 14.0, 15.0, 16.0,
lbs. 4.31	17.0, 18.0, 19.0mm

PRO-PICK



Soft grip rack with wire bail holds wrenches securely

30393 7pc Set Inch Combination Ratchet Wrenches Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
30393	5/16, 11/32, 3/8, 7/16,
lbs. 2.02	1/2, 9/16, 5/8"

Wiha Combination Wrench Sets



- 12 point box end with 5° swing arc
- Box end is offset 15° to deliver maximum power
- Open end is offset 15° for maximum rotation in tight places



Soft grip rack with wire bail holds wrenches securely


30490 7pc Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30490	10.0, 12.0, 13.0, 14.0,
lbs. 2.44	15.0, 16.0, 17.0mm

Soft grip rack with wire bail holds wrenches securely



30491 12pc Set Metric Combination Wrenches Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30491	8.0, 9.0, 10.0, 11.0, 12.0,
	13.0, 14.0, 15.0, 16.0,
lbs. 3.82	17.0, 18.0, 19.0mm


Wiha Combination Ratchet Wrench Set

Professional Ratchet Wrenches




- 72 tooth geared ratcheting
- 12 point box end with 5° swing arc
- Box end is offset 0° to deliver maximum power
- Open end is offset 15° for maximum rotation in tight places

Soft grip rack with wire bail holds wrenches securely



30394 12pc Set Inch Combination Ratchet Wrenches

Item No.	Inch:
30394	1/4, 5/16, 11/32, 3/8, 7/16,
	1/2, 9/16, 5/8, 11/16, 3/4,
lbs. 4.31	13/16, 7/8"




Soft grip rack with wire bail holds wrenches securely


30493 7pc Set Inch Combination Wrenches Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
30493	3/8, 7/16, 1/2, 9/16,
lbs. 2.59	5/8, 11/16, 3/4"

Soft grip rack with wire bail holds wrenches securely



30494 12pc Set Inch Combination Wrenches

Item No.	Inch:
30494	1/4, 5/16, 3/8, 7/16,
	1/2, 9/16, 5/8, 11/16,
lbs. 5.00	3/4, 13/16, 7/8, 15/16"

2' x 4' PLANOGRAM



4' x 4' PLANOGRAM



Item	Description	Case Qty
32097	Insulated Slot/Ph/Sq Drivers 7 Pc. Set	6
32088	Insulated PicoFinish Slot/Ph 8 Pc. Set	3
26195	PicoFinish Precision Slot/Ph 5 Pc. Set	3
92035	Insulated Phillips Screwdriver 2 x 100mm	3
92045	Insulated Square Tip Driver #2 x 150mm	3
53006	SoftFinish® XHeavy Duty Slotted 10.0mm	3
77891	11inOne Multi-Driver Screwdriver	6
76892	Impact Power XSelector Set PH, Sq, Tx	3
40010	Magnetizer Demagnetizer	10
21103	Switch Cabinet Key	3
66991	MagicRing® Ball End Hex L-Key 13 Pc. Set	3
66990	MagicRing® Ball End Hex L-Key 9 Pc. Set	3
32938	Insulated Industrial Lineman's Pliers	3
32923	Insulated Industrial Long Nose Pliers 8.0"	3
32939	Insulated Industrial H. Leverage Cutters 8.0"	3
32636	Soft Grip BiCut SuperCut 8.0"	3
57810	Wire Stripping Pliers 7.25"	3
70486	Color Coded Nut Setters 6 Pc. Set	6

Item	Description	Case Qty
32934	Insulated Apprentice Tool Set 16 Pc.	1
32968	Insulated Industrial Pliers/Cutters 3Pc.	3
32923	Insulated Industrial Long Nose Pliers 8"	3
32939	Insulated Industrial H. Leverage Cutters	3
32938	Insulated Industrial Lineman's Pliers	3
32637	Soft Grip Auto Pliers 10.0"	3
32097	Insulated Slot/Ph/Sq Drivers 7 Pc. Set	6
32088	Insulated PicoFinish Slot/Ph 8 Pc. Set	3
25505	Category IV Voltage Detector 110V	3
57810	Wire Stripping Pliers 7.25"	3
32636	Soft Grip BiCut SuperCut 8.0"	3
32602	Soft Grip Cable Cutters 7.9"	3
66991	MagicRing® Ball End Hex L-Key 13 Pc. Set	3
92024	Insulated Slotted Screwdriver 6.5	3
92012	Insulated Slotted Screwdriver 4.5	3
92035	Insulated Phillips Screwdriver 2 x 100mm	3
92045	Insulated Square Tip Driver #2 x 150mm	3
53006	SoftFinish® XHeavy Duty Slotted 10.0mm	3
70486	Color Coded Magnetic Nut Setters 6 Pc.	6
77891	11inOne Multi-Driver Screwdriver	6
28394	Insulated Pop-Up SlimLine 7 Pc. Set	3
33490	Insulated T-Handle Hex Inch 6 Pc. Set	3
92005	Insulated Slotted Screwdriver 3.5	3
92033	Insulated Phillips Screwdriver 1 x 80mm	3
92043	Insulated Square Tip Driver #1 x 100mm	3
91473	General Purpose Tool Pouch with Zipper	3
40010	Magnetizer Demagnetizer	10
38045	SoftFinish® Stubby Bit Holder 7 Pc. Set	3
76892	Impact Power Bit Buddy Set PH, Sq, Tx	3
76889	1/4" Revs Ratchet and Bit Set 32 Piece	3

Our planograms are customizable - you can add items and change them around as long as they are from our Merchandise catalog

4' x 8' PLANOGRAM



Item	Description	Case Qty
32934	Insulated Apprentice Tool Set 16 Pc.	1
32968	Insulated Industrial Pliers/Cutters 3Pc.	3
66991	MagicRing® Ball End Hex L-Key 13 Pc. Set	3
66990	MagicRing® Ball End Hex L-Key 9 Pc. Set	3
33478	Insulated T-Handle Hex Metric 5 Pc. Set	3
33490	Insulated T-Handle Hex Inch 6 Pc. Set	3
30277	SoftFinish® Slotted & Phillips 5 Pc. Set	3
32097	Insulated Slot/Ph/Sq Drivers 7 Pc. Set	3
28394	Insulated Pop-Up SlimLine 7 Pc. Set	3
77891	11inOne Multi-Driver Screwdriver	6
77890	6inOne Multi-Driver Screwdriver	6
77785	Ultra Driver 26inOne HVAC Bit Holder	3
91472	Universal Zipper Pouch For Precision Tools	3
32938	Insulated Industrial Lineman's Pliers	3
32917	Insulated Industrial Lineman's Pliers 9"	3
32936	Insulated Industrial BiCut SuperCut 8.0"	3
32927	Insulated Industrial Cable Cutters 8.0"	3
32939	Insulated Industrial H. Leverage Cutters	3
32923	Insulated Industrial Long Nose Pliers 8"	3
57818	Wire Strippers & Cutters 7.25"	3
57810	Wire Stripping Pliers 7.25"	3
25505	Category IV Voltage Detector 110V	3
66981	Color-Coded Inch L-key 13 Pc. Set	3
66980	Color Coded Metric L-key 9 Pc. Set	3
32194	Insulated SlimLine Screwdriver 5 Pc. Set	3
35844	Insulated SlimLine Square Driver #1	3
35845	Insulated SlimLine Square Driver #2	3
30746	Insulated SlimLine Xeno Driver #1	3
30747	Insulated SlimLine Xeno Driver #2	3
32088	Insulated PicoFinish Slot/Ph 8 Pc. Set	3
32637	Soft Grip Auto Pliers 10.0"	3
32636	Soft Grip BiCut SuperCut 8.0"	3

Item	Description	Case Qty
32602	Soft Grip Cable Cutters 7.9"	3
32620	Soft Grip 8.0"/200mm Angle Cutters	3
32621	Soft Grip Long Nose Pliers 8"	3
57820	Wire Strippers Dual NM-B Cable 7.75"	3
21103	Switch Cabinet Key	3
76889	1/4" Revs Ratchet and Bit Set 32 Piece	6
76892	Impact Power Bit Buddy Set PH, Sq, Tx	3
70486	Color Coded Magnetic Nut Setters 6 Pc.	6
92012	Insulated Slotted Screwdriver 4.5	3
92010	Insulated Slotted Screwdriver 4.5	3
92005	Insulated Slotted Screwdriver 3.5	3
92043	Insulated Square Tip Driver #1 x 100mm	3
92033	Insulated Phillips Screwdriver 1 x 80mm	3
92035	Insulated Phillips Screwdriver 2 x 100mm	3
92045	Insulated Square Tip Driver #2 x 150mm	3
53132	SoftFinish® XHeavy Duty Phillips #2	3
53006	SoftFinish® XHeavy Duty Slotted 10.0mm	3
38056	SoftFinish® Stubby Bit Holder 7 Pc. Set	3
40010	Magnetizer Demagnetizer	10
91473	General Purpose Tool Pouch with Zipper	3

These are suggestions based on our popular items

You can purchase Planogram items in case pack quantities

Free Planogram backer with every program order - see pg. 56

AS EASY AS...

Counter Displays



70486
On page 52



On pages
40-41

77890


77891



70298
On page 49



Bit Box Counter
Displays on pg. 49



91422 Planogram Backer
Item No. Size
91422 4' x 4'

Planogram Display Accessories

Let Wiha help start-up
your Planogram!

FREE *Planogram Backer With
Every Program Order

* Add Planogram Backer Item #91422
To Your Order



91508 Wiha Header Sign 2 sided sign
Item No. Size
91508 24" x 6"



91509 Wiha Header Sign 2 sided sign
Item No. Size
91509 48" x 9"



91504 Wiha Header Sign 2 sided sign
Item No. Size
91504 22.5" x 7"



91200 Time To Re-Order Tags
Item No. Size
91200 2.25" x 4.5"



91556 Metal Sign Holder for peg wall
Item No. Size
91556 45.5" x 9"



91557 Metal Sign Holder for peg wall
Item No. Size
91557 22.5" x 7"



91507 Magnetic Base Holder
Item No. Size
91507 1.125" x 3"

Available Storage Pouches



91488 23" Cordura® Tool Bag
 23" Heavy duty canvas tool bag. Handles with Velcro closure. 12 exterior pockets & 10 interior pockets. Shoulder strap included

Item No.	Size
91488	23" x 12" x 12"



91487 16" Cordura® Tool Bag
 16" Heavy duty canvas tool bag. Handles with Velcro closure. 12 exterior pockets & 10 interior pockets. Shoulder strap included

Item No.	Size
91487	16" x 8.5" x 11"



91486 12" Tool Bag
 12" Heavy duty canvas tool bag. 6 pockets. Handles with Velcro closure. 3 exterior pockets & 3 interior pockets.

Item No.	Size
91486	12.5" x 9"



91473 Cordura® General Purpose Zipper Bag
 Heavy duty nylon. Keeps Wiha tools & accessories organized.

Item No.	Size
91473	9.75" x 7.25" x 3.0"



91472 Cordura® Utility Organizer Zipper Pouch
 Multiple interior webbing positions to store tools and accessories.

Item No.	Size
91472	8.0" x 4.5" x 1.5"



91482 Cordura® Electrician's Belt Pouch
 Heavy duty nylon. Keeps Wiha tools & accessories organized.

Item No.	Size
91482	10.5" x 9" x 3.0"



91459 Roll-Up Tool Pouch
 Holds 10 Precision Tools up to 170mm in length. Has security flaps and elastic clasp.

Item No.	Size
91459	14" x 7.5"

Numerical Index by Item Number

Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples
10250	27	3	28781	45	1	30931	28	3	32620	31	3	32948	25	3
21103	9	3	28789	45	1	30936	29	3	32621	30	4	32954	27	3
25505	46	3	30241	12	3	30940	28	3	32623	31	3	32956	27	3
25506	46	3	30243	12	3	30942	29	3	32624	30	4	32960	7	1
26090	17	3	30245	12	3	31141	12	3	32625	31	3	32968	22,27	3
26093	16	3	30247	12	3	31142	12	3	32631	30	3	32977	27	1
26099	17	3	30249	12	3	31143	12	3	32634	32	3	33395	7	1
26190	17	3	30250	12	3	31144	12	3	32635	32	3	33396	7	1
26193	16	3	30251	12	3	31145	12	3	32636	31	4	33478	46	3
26194	17	3	30252	12	3	31146	12	3	32637	32	4	33490	46	3
26195	16	3	30253	12	3	31147	12	3	32644	31	3	33532	8	3
26196	16	3	30254	12	3	31148	12	3	32646	31	3	33795	7	1
26197	17	3	30256	12	3	31149	12	3	32652	31	3	33796	7	1
26198	16	3	30257	12	3	31190	13	3	32657	32	3	33895	6	1
26199	17	3	30258	12	3	31191	13	3	32658	32	3	33896	6	1
26390	18	3	30259	12	3	31350	13	3	32659	32	3	34680	7	1
26391	18	3	30260	12	3	31351	13	3	32660	32	3	34681	7	1
26392	16	3	30261	12	3	31353	13	3	32661	32	4	34682	6	1
26399	18	3	30262	12	3	31354	13	3	32664	32	3	34690	7	1
26491	18	3	30263	12	3	32046	11	3	32665	32	3	34691	6	1
26493	16	3	30264	12	3	32049	11	3	32702	35	3	35195	39	6
26499	18	3	30266	12	3	32052	11	3	32703	35	3	35197	39	6
26593	16	3	30268	12	3	32055	11	3	32704	35	3	35392	38	3
26631	17	3	30269	12	3	32058	11	3	32705	35	3	35393	38	3
26761	18	3	30270	12	3	32080	6	1	32708	35	3	35820	13	3
26762	18	3	30271	12	3	32081	7	1	32710	35	3	35821	13	3
26763	18	3	30272	12	3	32083	9	3	32712	36	3	35822	13	3
26764	18	3	30277	12	3	32084	9	3	32714	36	3	35823	13	3
26765	18	3	30278	12	3	32085	10	3	32716	36	3	35844	11	3
26766	18	3	30280	6	1	32088	10	3	32724	36	3	35845	11	3
26790	18	3	30286	12	3	32090	8	3	32734	36	3	35894	13	3
26791	18	3	30390	53	3	32097	9	3	32742	36	3	36364	13	3
26792	18	3	30391	53	1	32099	9	3	32744	36	3	36366	13	3
26794	18	3	30392	5	1	32105	8	3	32746	36	3	36368	13	3
26795	16	3	30393	53	3	32145	11	3	32748	36	3	36370	13	3
26796	16	3	30394	53	1	32146	11	3	32750	37	3	36372	13	3
26799	18	3	30490	53	3	32189	11	3	32752	37	3	36374	13	3
26810	17	3	30491	53	1	32194	11	3	32760	37	3	36376	13	3
27392	20	3	30492	5	1	32195	11	3	32762	37	3	36378	13	3
27394	20	3	30493	53	3	32490	45	1	32794	37	1	36380	13	3
27396	20	3	30494	53	3	32512	11	3	32800	24	1	36382	13	3
27589	20	3	30746	11	3	32513	11	3	32801	24	1	36384	13	3
27789	20	3	30747	11	3	32514	11	3	32923	25	3	36386	13	3
27792	20	3	30770	11	3	32515	11	3	32926	25	3	36388	13	3
27892	20	3	30901	28	3	32517	11	3	32927	26	3	36392	52	3
27922	21	3	30903	28	3	32518	11	3	32928	25	3	36394	52	3
28103	50	3	30905	28	3	32519	11	3	32929	26	3	36396	52	3
28301	44	3	30907	28	3	32600	31	3	32930	25	3	36689	52	3
28302	44	3	30909	28	3	32602	31	3	32933	26	3	36693	52	3
28328	44	3	30911	29	3	32603	30	3	32934	22	1	36698	52	3
28348	44	3	30912	28	3	32606	30	3	32935	23	1	36699	52	3
28390	44	3	30913	29	3	32607	31	3	32936	26	3	36990	39	3
28391	44	3	30917	29	3	32609	30	3	32937	23	1	36991	39	3
28393	43	3	30919	29	3	32613	31	3	32938	25	3	36998	38	3
28394	43	3	30925	28	3	32614	31	3	32939	26	3	38040	42	3
28395	43	3	30926	28	3	32616	30	3	32941	25	3	38043	14	3
28398	44	1	30927	28	3	32617	30	3	32942	26	3	38048	14	3
28489	50	3	30929	28	3	32618	30	3	32945	26	3	38050	43	3

Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples	Item No.	Page	Order in Multiples
38051	43	3	70222	48	6	91486	57	1	96010	19	3	96709	19	3
38060	50	3	70223	48	6	91487	57	1	96012	19	3	96710	19	3
38090	43	3	70225	48	6	91488	57	1	96015	19	3	96715	19	3
38451	50	3	70242	49	6	91504	56	1	96018	19	3	96720	19	3
38802	50	3	70260	49	6	91507	56	1	96020	19	3			
40010	21	10	70265	49	6	91508	56	1	96025	19	3			
45892	37	1	70269	48	6	91509	56	1	96030	19	3			
53001	14	3	70277	48	6	91556	56	1	96035	19	3			
53002	14	3	70279	48	6	91557	56	1	96040	19	3			
53003	14	3	70282	48	6	91567	4	1	96100	19	3			
53004	14	3	70298	49	6	91596	4	1	96102	19	3			
53005	14	3	70302	49	6	92000	8	3	96105	19	3			
53006	14	3	70319	49	6	92002	8	3	96110	19	3			
53007	14	3	70320	49	6	92004	8	3	96307	19	3			
53131	14	3	70322	49	6	92005	8	3	96309	19	3			
53132	14	3	70325	49	6	92006	8	3	96313	19	3			
53133	14	3	70486	52	6	92008	8	3	96315	19	3			
53180	6	1	70491	52	3	92010	8	3	96316	19	3			
54090	39	3	71090	51	3	92012	8	3	96320	19	3			
54091	39	3	71988	50	3	92014	8	3	96323	19	3			
56801	34	3	71990	50	3	92018	8	3	96325	19	3			
56812	34	3	74996	50	3	92020	8	3	96327	19	3			
56813	34	3	75093	21	3	92022	8	3	96330	19	3			
56815	34	3	75094	21	3	92024	8	3	96331	19	3			
56818	34	3	75095	21	3	92026	8	3	96413	19	3			
56825	34	3	75096	21	3	92028	8	3	96415	19	3			
56830	34	3	75097	21	3	92031	8	3	96416	19	3			
56833	34	3	75804	20	3	92033	8	3	96419	19	3			
56871	29	3	76000	14	3	92035	8	3	96420	19	3			
57810	33	3	76099	14	1	92038	8	3	96423	19	3			
57812	33	3	76889	49	6	92043	9	3	96425	19	3			
57814	33	3	77780	42	3	92045	9	3	96430	19	3			
57816	33	3	77781	42	3	92050	10	3	96431	19	3			
57818	33	3	77782	42	3	92052	10	3	96510	19	3			
57820	33	3	77785	42	3	92054	10	3	96515	19	3			
61630	46	3	77789	42	3	92056	10	3	96520	19	3			
61662	46	3	77790	42	3	92058	10	3	96523	19	3			
66980	39	3	77791	42	3	92060	10	3	96525	19	3			
66981	39	3	77792	42	3	92062	10	3	96527	19	3			
66988	38	3	77795	42	3	92063	10	3	96530	19	3			
66990	38	3	77890	41	6	92064	10	3	96531	19	3			
66991	38	3	77891	40	6	92065	10	3	96535	19	3			
66994	38	3	77892	41	3	92066	10	3	96536	19	3			
66996	38	3	79242	51	3	92067	10	3	96539	19	3			
70002	48	6	79243	51	3	92068	10	3	96540	19	3			
70020	48	6	79248	51	3	92069	10	3	96545	19	3			
70025	48	6	79443	51	3	92070	10	3	96547	19	3			
70042	49	6	79490	51	3	92071	10	3	96550	19	3			
70060	49	6	79491	51	3	92072	10	3	96555	19	3			
70065	49	6	79493	51	3	92075	9	3	96556	19	3			
70096	48	6	79495	51	3	92076	9	3	96560	19	3			
70098	49	6	79499	51	3	92077	9	3	96563	19	3			
70201	48	6	91200	56	1	92078	9	3	96703	19	3			
70202	48	6	91422	56	1	92079	9	3	96704	19	3			
70203	48	6	91459	57	3	92080	9	3	96705	19	3			
70218	48	6	91472	57	3	92081	9	3	96706	19	3			
70219	48	6	91473	57	3	92082	9	3	96707	19	3			
70220	48	6	91482	57	3	96008	19	3	96708	19	3			



Tools that work for you

USA

(800) 494-6104 | (763) 295-6591
fax: (800) 494-7456 | (763) 295-6598
cservice@wihatools.com
www.wihatools.com

CANADA

(866) 494-0096 | (763) 295-6591
fax: (763) 295-6598
canada@wihatools.com
www.wihatools.ca



No Hassle Guarantee

Wiha branded tools are regarded as the most durable, best designed and highly innovative products around. Our tools are used by demanding professional tradespeople and tool aficionados alike. They are meant to be used and utilized often. However, if you are not happy for any reason return them within 12 months of purchase with proof of purchase and we will **Repair** or **Replace**.

Rest assured, if for some reason there is a defect in material or workmanship we will replace your tool free of charge for as long as you own the tool.

Failures due to misuse, abuse or normal wear and tear are not covered by this guarantee. We stand by our products with what we believe is the best **No Hassle Guarantee** in the industry.

Exclusions

Wiha Tools has the right to exclude Bits, Tweezers and Ceramic Screwdrivers. These products are either consumable or wear easily.

All torque tools are designed for 5,000 cycles or 1 year (whichever comes first). If a tool becomes out of specification within that period Wiha Tools will **Repair** or **Replace**. Visit www.wihatools.com to learn more about our Torque Control Service Program.

Legal

Some areas do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This guarantee gives you specific rights, and you may also have other rights, which vary, from state to state, province to province, or country to country.

This **No Hassle Guarantee** is the sole and exclusive guarantee for the Willi Hahn Corporation dba Wiha Tools. No employee, agent, dealer, or other person is authorized to alter this guarantee or make any other guarantees on behalf of Wiha Tools.

Willi Hahn Corporation USA
Attn: No Hassle Guarantee
1348 Dundas Circle
Monticello, MN 55362

Subject to change without notice

©2023 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.

Catalog Item No. 99007
version - 1/1/2023

Distributed By: