



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30503015-001  
Harvest/Lot ID: SFW2423  
Batch#: SFW2423  
Sample Size Received: 153 gram  
Total Amount: 153 gram  
Retail Product Size: 6 gram  
Ordered : 05/03/23  
Sampled : 05/03/23  
Completed: 05/06/23  
Sampling Method: SOP.T.20.010.FL

**TESTED**

May 06, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

MISC.



**Cannabinoid**

**TESTED**



Total THC  
**ND**

Total THC/Gummy : 0 mg



Total CBD  
**0.354%**

Total CBD/Gummy : 21.24 mg



Total Cannabinoids  
**0.356%**

Total Cannabinoids/Gummy : 21.36 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.354	ND	ND	ND	ND	ND	ND	0.002	ND
mg/g	ND	ND	3.54	ND	ND	ND	ND	ND	ND	0.02	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
5.9994g

Extraction date:  
05/04/23 12:41:48

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059696POT

Instrument Used : DA-LC-007

Analyzed Date : 05/04/23 13:00:23

Reviewed On : 05/06/23 14:14:18

Batch Date : 05/04/23 08:42:50

Dilution : 40

Reagent : 050123.01; 050123.R14; 071222.35; 070621.18; 050123.R11

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
05/06/23



# Certificate of Analysis

**TESTED**

HIGH ROLLER PRIVATE LABEL LLC


 Sample : DA30503015-001  
 Harvest/Lot ID: SFW2423

 4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US  
 Telephone: (954) 505-4481  
 Email: admin@highrollerllc.com

 Batch# : SFW2423  
 Sampled : 05/03/23  
 Ordered : 05/03/23

 Sample Size Received : 153 gram  
 Total Amount : 153 gram  
 Completed : 05/06/23 Expires: 05/06/24  
 Sample Method : SOP Client Method

Page 2 of 5

 <b>Pesticides</b>						<b>PASSED</b>					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
<b>TOTAL CONTAMINANT LOAD (PESTICIDES)</b>	0.01	ppm	30	PASS	ND	<b>OXAMYL</b>	0.01	ppm	0.5	PASS	ND
<b>TOTAL DIMETHOMORPH</b>	0.01	ppm	3	PASS	ND	<b>PACLOBUTRAZOL</b>	0.01	ppm	0.1	PASS	ND
<b>TOTAL PERMETHRIN</b>	0.01	ppm	1	PASS	ND	<b>PHOSMET</b>	0.01	ppm	0.2	PASS	ND
<b>TOTAL PYRETHRINS</b>	0.01	ppm	1	PASS	ND	<b>PIPERONYL BUTOXIDE</b>	0.01	ppm	3	PASS	ND
<b>TOTAL SPINETORAM</b>	0.01	ppm	3	PASS	ND	<b>PRALLETHRIN</b>	0.01	ppm	0.4	PASS	ND
<b>TOTAL SPINOSAD</b>	0.01	ppm	3	PASS	ND	<b>PROPICONAZOLE</b>	0.01	ppm	1	PASS	ND
<b>ABAMECTIN B1A</b>	0.01	ppm	0.3	PASS	ND	<b>PROPOXUR</b>	0.01	ppm	0.1	PASS	ND
<b>ACEPHATE</b>	0.01	ppm	3	PASS	ND	<b>PYRIDABEN</b>	0.01	ppm	3	PASS	ND
<b>ACEQUINOCLY</b>	0.01	ppm	2	PASS	ND	<b>SPIROMESIFEN</b>	0.01	ppm	3	PASS	ND
<b>ACETAMIPRID</b>	0.01	ppm	3	PASS	ND	<b>SPIROTETRAMAT</b>	0.01	ppm	3	PASS	ND
<b>ALDICARB</b>	0.01	ppm	0.1	PASS	ND	<b>SPIROXAMINE</b>	0.01	ppm	0.1	PASS	ND
<b>AZOXYSTROBIN</b>	0.01	ppm	3	PASS	ND	<b>TEBUCONAZOLE</b>	0.01	ppm	1	PASS	ND
<b>BIFENAZATE</b>	0.01	ppm	3	PASS	ND	<b>THIACLOPRID</b>	0.01	ppm	0.1	PASS	ND
<b>BIFENTHRIN</b>	0.01	ppm	0.5	PASS	ND	<b>THIAMETHOXAM</b>	0.01	ppm	1	PASS	ND
<b>BOSCALID</b>	0.01	ppm	3	PASS	ND	<b>TRIFLOXYSTROBIN</b>	0.01	ppm	3	PASS	ND
<b>CARBARYL</b>	0.01	ppm	0.5	PASS	ND	<b>PENTACHLORONITROBENZENE (PCNB) *</b>	0.01	PPM	0.2	PASS	ND
<b>CARBOFURAN</b>	0.01	ppm	0.1	PASS	ND	<b>PARATHION-METHYL *</b>	0.01	PPM	0.1	PASS	ND
<b>CHLORANTRANILIPROLE</b>	0.01	ppm	3	PASS	ND	<b>CAPTAN *</b>	0.07	PPM	3	PASS	ND
<b>CHLORMEQUAT CHLORIDE</b>	0.01	ppm	3	PASS	ND	<b>CHLORDANE *</b>	0.01	PPM	0.1	PASS	ND
<b>CHLORPYRIFOS</b>	0.01	ppm	0.1	PASS	ND	<b>CHLORFENAPYR *</b>	0.01	PPM	0.1	PASS	ND
<b>CLOFENTEZINE</b>	0.01	ppm	0.5	PASS	ND	<b>CYFLUTHRIN *</b>	0.05	PPM	1	PASS	ND
<b>COUMAPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>CYPERMETHRIN *</b>	0.05	PPM	1	PASS	ND
<b>DAMINOZIDE</b>	0.01	ppm	0.1	PASS	ND						
<b>DIAZINON</b>	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
<b>DICHLORVOS</b>	0.01	ppm	0.1	PASS	ND	<b>3379, 585, 1440</b>	<b>0.8499g</b>	<b>05/04/23 15:24:23</b>	<b>450,585</b>		
<b>DIMETHOATE</b>	0.01	ppm	0.1	PASS	ND	<b>Analysis Method :</b>					
<b>ETHOPROPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),</b>					
<b>ETOFENPROX</b>	0.01	ppm	0.1	PASS	ND	<b>SOP.T.40.102.FL (Davie)</b>					
<b>ETOXAZOLE</b>	0.01	ppm	1.5	PASS	ND	<b>Analytical Batch : DA059726PES</b>			<b>Reviewed On :</b>	<b>05/06/23 13:29:40</b>	
<b>FENHEXAMID</b>	0.01	ppm	3	PASS	ND	<b>Instrument Used : DA-LCMS-003 (PES)</b>			<b>Batch Date :</b>	<b>05/04/23 10:47:14</b>	
<b>FENOXYCARB</b>	0.01	ppm	0.1	PASS	ND	<b>Analyzed Date : 05/04/23 14:32:49</b>					
<b>FENPYROXIM</b>	0.01	ppm	2	PASS	ND	<b>Dilution : 250</b>					
<b>FIPRONIL</b>	0.01	ppm	0.1	PASS	ND	<b>Reagent : 050123.R24; 050323.R03; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11</b>					
<b>FLONICAMID</b>	0.01	ppm	2	PASS	ND	<b>Consumables : 6697075-02</b>					
<b>FLUDIOXONIL</b>	0.01	ppm	3	PASS	ND	<b>Pipette : DA-093; DA-094; DA-219</b>					
<b>HEXYTHIAZOX</b>	0.01	ppm	2	PASS	ND	<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
<b>IMAZALIL</b>	0.01	ppm	0.1	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
<b>IMIDACLOPRID</b>	0.01	ppm	1	PASS	ND	<b>450, 585, 1440</b>	<b>0.8499g</b>	<b>05/04/23 15:24:23</b>	<b>450,585</b>		
<b>KRESOXIM-METHYL</b>	0.01	ppm	1	PASS	ND	<b>Analysis Method :</b>					
<b>MALATHION</b>	0.01	ppm	2	PASS	ND	<b>SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</b>					
<b>METALAXYL</b>	0.01	ppm	3	PASS	ND	<b>Analytical Batch : DA059728VOL</b>			<b>Reviewed On :</b>	<b>05/05/23 11:21:41</b>	
<b>METHIOCARB</b>	0.01	ppm	0.1	PASS	ND	<b>Instrument Used : DA-GCMS-001</b>			<b>Batch Date :</b>	<b>05/04/23 10:49:11</b>	
<b>METHOMYL</b>	0.01	ppm	0.1	PASS	ND	<b>Analyzed Date : 05/04/23 15:38:56</b>					
<b>MEVINPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>Dilution : 250</b>					
<b>MYCLOBUTANIL</b>	0.01	ppm	3	PASS	ND	<b>Reagent : 050223.R25; 040521.11; 042723.R38; 050223.R19</b>					
<b>NALED</b>	0.01	ppm	0.5	PASS	ND	<b>Consumables : 6697075-02; 14725401</b>					
						<b>Pipette : DA-080; DA-146; DA-218</b>					
						<b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 05/06/23



# Certificate of Analysis

**TESTED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA30503015-001

Harvest/Lot ID: SFW2423

Batch# : SFW2423

Sampled : 05/03/23

Ordered : 05/03/23

Sample Size Received : 153 gram

Total Amount : 153 gram

Completed : 05/06/23 Expires: 05/06/24

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0206g	Extraction date: 05/05/23 09:32:42	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 05/05/23 14:18:04
Analytical Batch : DA059751SOL	Batch Date : 05/04/23 14:56:21
Instrument Used : DA-GCMS-003	
Analysis Date : 05/05/23 09:42:11	

Dilution : 1  
Reagent : 030420.09  
Consumables : R2017.167; G201.167  
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**TESTED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA30503015-001

Harvest/Lot ID: SFW2423

Batch# : SFW2423

Sampled : 05/03/23

Ordered : 05/03/23

Sample Size Received : 153 gram

Total Amount : 153 gram

Completed : 05/06/23 Expires: 05/06/24

Sample Method : SOP Client Method

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3336, 3621, 585, 1440 <b>Weight:</b> 0.9886g <b>Extraction date:</b> 05/04/23 09:42:07 <b>Extracted by:</b> 3336 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA059687MIC <b>Reviewed On :</b> 05/05/23 11:17:49 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 05/04/23 07:59:05 <b>Analyzed Date :</b> 05/04/23 12:27:46 <b>Dilution :</b> N/A <b>Reagent :</b> 042623.R85; 092122.06; 021623.11 <b>Consumables :</b> 7563002022 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.8499g <b>Extraction date:</b> 05/04/23 15:24:23 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA059727MYC <b>Reviewed On :</b> 05/06/23 13:28:16 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 05/04/23 10:49:09 <b>Analyzed Date :</b> 05/04/23 14:33:29 <b>Dilution :</b> 250 <b>Reagent :</b> 050123.R24; 050323.R03; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11 <b>Consumables :</b> 6697075-02 <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2775g <b>Extraction date:</b> 05/04/23 11:41:40 <b>Extracted by:</b> 1022,3619 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA059729HEA <b>Reviewed On :</b> 05/05/23 11:16:29 <b>Instrument Used :</b> DA-ICPMS-003 <b>Batch Date :</b> 05/04/23 10:50:25 <b>Analyzed Date :</b> 05/04/23 14:08:50 <b>Dilution :</b> 50 <b>Reagent :</b> 040623.R23; 042623.R82; 042823.R30; 050423.R01; 042823.R28; 042823.R29; 041123.R28; 042523.R20; 020123.02 <b>Consumables :</b> 179436; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2775g <b>Extraction date:</b> 05/04/23 11:41:40 <b>Extracted by:</b> 1022,3619 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA059729HEA <b>Reviewed On :</b> 05/05/23 11:16:29 <b>Instrument Used :</b> DA-ICPMS-003 <b>Batch Date :</b> 05/04/23 10:50:25 <b>Analyzed Date :</b> 05/04/23 14:08:50 <b>Dilution :</b> 50 <b>Reagent :</b> 040623.R23; 042623.R82; 042823.R30; 050423.R01; 042823.R28; 042823.R29; 041123.R28; 042523.R20; 020123.02 <b>Consumables :</b> 179436; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
05/06/23



# Certificate of Analysis

**TESTED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA30503015-001  
Harvest/Lot ID: SFW2423  
Batch# : SFW2423  
Sampled : 05/03/23  
Ordered : 05/03/23

Sample Size Received : 153 gram  
Total Amount : 153 gram  
Completed : 05/06/23 Expires: 05/06/24  
Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA059748FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 05/04/23 15:45:51

Reviewed On : 05/04/23 15:51:17  
Batch Date : 05/04/23 12:46:30

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
05/06/23