



Sweater Weather Instructions

1. Unpack your Kit

Each kit has the following items included:

- 1 - Battery
- 1 - Battery Holder
- 3 - Flat Top RGB LED
- 3 - Red Wires
- 3 - Blue Wires
- 2 - Wood Screws
- 1 - Ornament



2. Screw screws into holes


Give each screw about 3 twists.
You don't want them falling out but you want to keep enough room to wrap wires around them.



3. Place LEDs

Match the flat side of the LED to the flat side of the engraving. Alternatively you can also match the long and short legs to the flat side of the engraving. Long legs are positive and short legs are negative. The flat side marks the negative on the engraving so match the short leg to the flat side. Once all LEDs are in place, flip the board over.


Bend LED legs one going down and one going up (make sure to keep bending consistent on each LED. If you bend the negative leg down and the positive up repeat for all LEDs)



4. Wrap wire around LED legs







*Note: Do one color of wire completely before moving on to the other color

You want to have the insulation as close to the LED as possible to avoid possible shorts. Wrap the wire around the leg 3 or more times then bend the leg flat. After the leg is flat bend it back towards itself at the halfway point. (Optional step is to cut off excess wire with wire cutters) Make sure you wrap all the positive legs with red wire and all negative legs with blue wire.




5. Wrap Wires And Battery Holder Around Screw

Once all of your LEDs are wrapped with wire, gather all of one color up in your hand. Line up the insulation so each wire is the same. Grab your battery holder and match the red wire with the red wires and the black wire with the blue wires. Give the wires a twist then wrap them all around the screw 1-2 times. Tighten screw to secure wires.



6. Place Battery in Battery Holder & Turn On!

The battery holder has an ON and OFF switch. The battery sits in the battery holder with the “+” facing up. It is held in place once the battery holder is closed. You did it! Turn on and enjoy the dazzling display of LEDs!



Questions? Need help? Contact us at info@alpenglowindustries.com

Follow us!



@alpenglowind



@alpenglow@mstdn.social



@alpenglow.bsky.social