

## FRIGG

### Technical Rider & Stage Plot 2023

#### Frigg line-up

Tommi Asplund	Fiddle 1
Alina Kivivuori	Fiddle 2
Tero Hyväluoma	Fiddle 3
Esko Järvelä	Fiddle 4 / Speak 1
Petri Prauda	Mandolin / Cittern / Speak 2
Juho Kivivuori	Double bass
Topi Korhonen	Acoustic Guitar

#### Backline requirements

##### Artist brings:

- Instruments (**except double bass, see below**)
- Fiddle microphones (DPA 4099 or similar)
- Double bass microphone (DPA 4099b)

##### Organiser provides:

- Three DI-boxes
- Two speak mics
- Four mic stands
- Acoustic guitar stand
- Stage monitors

##### **When flying and in concerts outside Finland we also need:**

- **High quality 3/4 double bass** with a jazz pizzicato trim and a pickup (f. ex. Fishman, Realist, Underwood...)


**OR, when separately agreed**, we bring Chadwick Folding Bass

- **High quality bass combo** (f. ex. Markbass, Gallien-Krueger, Ampeg...) lifted on a case (app. height of 1 meter). Head+cabinet also accepted. If bass amplifier is not available, please contact us

## Input list

#	Instrument	Mic/DI	Stand / Other
1	Fiddle (Tommi)	XLR (Phantom)	Tall (for fiddle hanger)
2	Fiddle (Alina)	XLR (Phantom)	
3	Fiddle (Tero)	XLR (Phantom)	Tall (for fiddle hanger)
4	Fiddle (Esko)	XLR (Phantom)	
5	Mandolin	DI	
6	Cittern	DI	
7	Double bass	DI	(Use both channels in the mix)
8	Double bass	XLR (Phantom)	
9	Acoustic guitar	XLR (Phantom)	
10	Speak 1	Shure Beta 58	Tall
11	Speak 2	Shure Beta 58	Tall

## Stage plot



### Stage size:

- Frigg needs minimum 2.5 x 5 meters (ca. 8 x 16 feet) stage
- **In case the stage is smaller than requested** contact us to confirm it

## Monitors

### Monitor placement:

- Approximately 1 m between wedges sideways
- Back row wedges approximately 1,5 m behind the front-line wedges

### Stage monitoring:

- 7 Professional quality wedges (D&B M4 or similar) in preferably 5 independent groups with graphic equalizers
- Front monitors (1-4) summed into two groups (1-2 & 3-4)

### If 7 wedges aren't available:

- Fiddles 1 & 2 can use the same wedge
- Fiddles 3 & 4 can use the same wedge
- Double bass & Guitar can use the same wedge

## Contact

### Technical contact:

Juho Kivivuori / Frigg  
juho.kivivuori@gmail.com, +358 50 5489014

### Management & Agents:

[www.frigg.fi/contacts](http://www.frigg.fi/contacts)

**Frigg is looking forward to working with you!**