


Enclosure Set & Enclosure Net USER MANUAL

Assemby, Installation, Care Maintenance and Use Instctions



This Instructions manual is for Upper Bounce Enclosure Sets and Enclosure Nets which is designed to fit most model Trampolines.

Models begins with UBES:
for Inside type Enclosure Sets


Models begins with UBESOS: for Outside type Enclosure Sets

Models begins with UBNET: for Enclosure Nets Only

Models begins with UBESFG: for FLEX ON TOP enclosure sets

Manual Version #05





THANK OU FOR PURHASING THEPPER BOUNCE® TRAMPOLINEART

Simply follow the assembly and safety instructions in this manual and you will soon be starting your **UPPER BOUNCE**[®] exercise program and be on your way to a happier, healthier lifestyle.

> **MONDAY - THURSDAY** 9:30 A.M. - 5:00 P.M. Eastern Time.

FRIDAY 9:00 A.M. - 12:00 P.M. Eastern Time.

TABLE OF CONTENTS

	Page
Measuring Tips For Enclosure Set	3
Measuring Tips For Enclosure Net	4
Enclosure Set Parts List	5
Pole Assembly	6-7
Inside type Enclosure Net Assembly	8
Outside type Enclosure Net Assembly	10-11
Arch type Enclosure Net Assembly	12
Ring on top Enclosure Net Assembly	13-14
Replacement Parts List	15-16

Thank you for choosing Upper Bounce for your trampoline and trampoline replacement needs! When you select Upper Bounce®, you are choosing high quality trampolines, or replacement parts and accessories. At Upper Bounce® we think about "fun and safety" for the whole family!


Before you are ready to start installing your new Enclosure Set, please verify that the enclosure set you are going to install matches the trampoline size you have.

Measuring Tips For Enclosure Set

These are the steps to make sure you purchased the right Enclosure Set:

STEP-1

FRAME SIZE




Measure your frame from one outside edge vertically and horizontally to the other outside edge so you get the correct measurements.

STEP-2

POLE AMOUNT


legs you have that's the amount of poles you will need.

Count the legs. The amount of W shaped



POLE CONNECTOR

Measure the diameter of your trampoline leg to make sure that the pole connecting tool fits your trampoline. If the leg measures up to 1.75" you will need a 1.75" connector.



Based on the 1) Frame Size 2) Leg Amount 3) Leg Diameter

Determine if you bought the correct Enclosure Set

Measuring Tips For Enclosure Net

If you purchased an enclosure net only

- 1. Make Sure the Net size matches the frame size (see above how to measure the frame size).
- 2. Make sure the poles/arch amount of the product matches the amount of your trampoline.
- 3. Make sure the height of the product is matching to the height of your existing poles or arches.

Height chart of all type of nets		
7.5 ft	65"	
8 ft	65"	
9 ft	65"	
10 ft	64"	
12 ft and +	71"	

ENCLOSURE SET PARTS LIST

	DADT IMAGE	NAME	QUANTITY						
ITEM	PART IMAGE	NAME	MODELS						
			UBES104 UBES124 UBES144 UBESOS124	UBESFG144 UBESFG124	UBES86 UBES126 UBES146 UBES156 UBES106 UBES136 UBES057.56 UBESOS126 UBESOS136 UBESOS136 UBESOS136 UBESOS136	UBESFG86 UBESFG116 UBESFG126 UBESFG136 UBESFG146 UBESFG156	UBES128 UBES148 UBES158 UBES138 UBESOS138 UBESOS148 UBESOS158	UBESFG158 UBESFG178	UBESFG155
A	For FG Type	Upper Pole	0	4	0	6	0	8	5
A-1	For ES/OS Type		4	0	6	0	8	0	0
В		Lower Pole	4		6		8		5
С		Clamp Tool Set	8		12		16		16
D	<u>5</u>	Tool		1		1		1	1
E-1	For Inside 🕥 Type		4	0	6	0	8	0	0
E-2	For Outside Type	Pole Cap	4	0	6	0	8	0	0
E-3	For FG Type		0	4	0	6	0	8	5
F		Enclosure Net	1			1		1	1
G		Big Rope		1		1		1	1
Т		PVC Sleeve (Do not use these sleeves if you have an outside net)	4	4	(6	,	8	5

This Page also to be used for these Models				
Straight Poles	UBHWD-PS4	UBHWD-PS6	UBHWD-PS8	
Curved Poles	UBHWD-CPS4	UBHWD-CPS6	UBHWD-CPS8	


Warning:

2 adults in good physical condition are required for the following assembly. Wear proper shoes and maintain balance to prevent a fall. Failure to follow all instructions and warnings may result in serious injury.


1. First, place all parts to be used in the process of installation in front of you.


For straight poles - For the lower poles use the ones that are tapered.

For curved poles - Use the curved pole as the upper pole.




- 2. Take the clamp and clasp the lower enclosure pole into the rounded end of the clamp. Make sure that the black rubber cap of the lower pole faces down.
- a) If the pole fits too loosely, insert the green rounded piece before clasping the pole so clamp will tightly clasp the pole.
- b) If the pole is too thick and does not fit into the hole, remove the green rounded piece to create more space for the pole. You should then be able to clasp the trampoline pole into the clamp.
- c) Once the pole is securely inserted into the clamp, you should now insert the plastic bracket until you reach the pole.
- 3. Be aware that the mark on the lower pole needs to align with the trampoline frame. If there is no line on the pole then please have it attached 18" below the frame.







4. The set comes with 2 clamps per pole. One being attached 2" **below frame**, while the other being attached 2" **above the end of the lower pole**.



5. Insert the plastic bracket, then clasp the trampoline leg into the clamp. Secure tightly with steel brackets and nuts.




6. Now you can have the upper part of the pole inserted into the lower part that is already attached to the leg.




7. Repeat the steps above to have all your enclosure poles connected securely to your trampoline legs.

Cover all the poles with the PVC Sleeve (Item T).



8. After connecting all enclosure poles insert the pole caps, if you have an inside type net use part number E1 and for outside type Net use E2. If you are using the curved poles, use the pole caps provided.



After you installed the poles you should install the enclosure net. For instructions how to install the enclosure net see next page for the inside type model and the outside type. Choose the one applies to your purchase.

INSIDE TYPE MODELS

Enclosure Nets				
UBNET-7.5-6-IS	UBNET-12-6-IS			
UBNET-8-6-IS	UBNET-13-6-IS			
UBNET-8-4-IS	UBNET-13-8-IS			
UBNET-9-6-IS-Y	UBNET-14-4-IS			
UBNET-10-4-IS	UBNET-14-6-IS			
UBNET-10-6-IS	UBNET-14-8-IS			
UBNET-10-8-IS	UBNET-15-6-IS			
UBNET-12-8-IS	UBNET-15-8-IS			
UBNET-12-4-IS	UBNET-16-6-IS			


Enclosure Sets			
UBES86	UBES148		
UBES104	UBES156		
UBES124	UBES158		
UBES144	UBES106		
UBES126	UBES136		
UBES128	UBES138		
UBES146	UBES166		

Oval Net UBNETO-1614 UBNETO-1715

Steps to install the clips


Step 1

Hold the clip piece with the ridges on the outer bar facing you.



Step 2

Holding the fabric tie with your other hand, silde it through the left slot on the clip.




Turn the tie back and thread the end back through the clip, through the right slot this time



Step 4

Adjust to the appropriate length and pull the tie horizontally until it is taut and tightens in place.




STEP-1


SECURING THE TOP OF THE NET


NOTE: If you purchased a ring on top enclosure set continue to page 12.


If you purchased a straight pole Enclosure Set use this step

If you have a "C" Type pole cap.











STEP-2


SECURING THE BOTTOM OF THE NET


- 1. Connect the net to the V-rings of the trampoline mat using the attached clips, securing at regular intervals. This holds the net in place for you to complete the attachment with rope.
- 2. Secure one end of the rope by knotting it to the V-ring closest on one side to the trampoline entrance zipper.





Your trampoline safety net is now fully secured. Follow the safety checks in the 'Testing the Trampoline' section before using the trampoline net.





OUTSIDE TYPE MODELS


Enclosure Sets				
UBESOS7.56	UBESOS138			
UBESOS108	UBESOS146			
UBESOS124	UBESOS148			
UBESOS126	UBESOS156			
UBESOS136	UBESOS158			

Enclosure Nets				
UBNET-7.5-6-OS	UBNET-13-8-OS			
UBNET-10-8-OS	UBNET-14-6-OS			
UBNET-12-4-OS	UBNET-14-8-OS			
UBNET-12-6-OS	UBNET-15-6-OS			
UBNET-13-6-OS	UBNET-15-8-OS			


STEP-1

SECURING THE TOP OF THE NET

Start installing the Net to the poles by inserting thebegining of the Sleeve on the Poles Until it reaches 2 ft. and continue doing the same to all poles as figure 1.



Pull down each sleeve, a few inches at a time till all sleeves reac the bottom of enclosure frame asshown in figure 2.





SECURING THE BOTTOM OF THE NET

Choose whether you would like to connect the net on the outside (Option A), or the inside of the trampoline (Option B).

Option A - Attach the Net on the Outside of the trampoline


Connect bottom straps/clips to every few Jumping mat v-rings from under the Safety Pad. Attach the clips from outside as figure shows.






Option B - Attach the Net on the Inside of the trampoline

Pull the net closer to the mat on the bottom, and Connect the bottom straps/clips to every few jumping mat V-rings. The bottom of the net should be between the pad and the mat.





FOR ARCH TYPE MODELS


		Enclosure Nets		
UBNET-6-3-AST	UBNET-11-3-AST	UBNET-12-4-AST	UBNET-13-4-AST	UBNET-15-3-AST
UBNET-7-3-AST	UBNET-12-2-AST	UBNET-13-2-ASTR	UBNET-14-3-AST	UBNET-15-4-AST
UBNET-8-2-AST	UBNET-12-3-AST	UBNET-13-3-AST	UBNET-14-4-AST	


Arch Net - Square UBNETSQ-1313-4

STEP-1

SECURING THE TOP OF THE NET

Disconnect the top arches, slide top arch part into sleeve. When arch part and poles meet click them back together tightly.







STEP-2

SECURING THE BOTTOM OF THE NET

See page 9 how to install the rope





FLEX ON TOP MODELS


Enclosure Nets				
UBNET-8FG-6	UBNET-14FG-6			
UBNET-11FG-6	UBNET-15FG-5			
SKNET-11-FG-6-LG	UBNET-15FGB-5			
UBNET-12FG-6	UBNET-15FG-6			
UBNET-12FG-4	UBNET-15FG-8			
UBNET-13FG-6	UBNET-17FG-8			
UBNET-14FG-4				

Enclosure Sets				
UBESFG86	UBESFG146			
UBESFG116	UBESFG155			
UBESFG124	UBESFG156			
UBESFG126	UBESFG158			
UBESFG136	UBESFG178			
UBESFG144				

FG Set
UBFGPCS-8
UBFGPCS-11
UBFGPCS-12
UBFGPCS-13
UBFGPCS-14
UBFGPCS-15

STEP-1


Connect the Pole Caps to the top of the poles with screw.



STEP-2


Note: You will need to run the fiberglass into the top sleeves of the net, and connect 1 fiber to the other while running it from 1 sleeve to the other, there is various ways how to connect 1 to the other. See step 4,

Start connecting the Fiber glass to each other, by clicking them together, until you finish all the rods.



STEP-3


Start by running the Fiberglass Rods through the sleeves opening at the upper edge of the safety net until you reach the other side of the sleeve as figure 1.




STEP-4

After inserting the top rods through all the sleeves you need to connect all rods together, there is several ways to connect it:


1. With T pole caps as figure 1.




2. With nuts that connects it together with Adjustable Wrench as figure 2.



3. Connect each other by just clicking them together.



At last point add the connector to complete the circle






STEP-5


nect the ring, have another person


stand on the opposite side of you and push the rods towards the center as shown in fig.



STEP-6


Insert the assembled rod circle into the opening of the pole cap.






STEP-7

See page 9 how to install the rope





REPLACEMENT PARTS LIST

If you need to replace any part of your trampoline, you can look for the Upper Bounce parts list below for each item model name:

	JUMPING MA	NG MA TS	SAFETY P ADS		SAFETY NETS	/ NETS		WEATHER CO VERS	SO VERS
. 444.	Poor!								
	Ex UBMA T-7.! -42 (Amt -5.5 (Sp	Example UBMA T-7.5 (Frame siz e) -42 (Amt of springs) -5.5 (Spring siz e)	Example UBPAD-S (Super) -7.5(F rame siz e) -8(Blue) / P(Premium) / G(Green) / BG(Blue Green)	Strap Type Net (Inside) Example UBNET-7.5(F rame siz e) -6(Amount of poles)-IS	Strap Type Net (Outside) Example UBNET-7.5(Frame siz e) -6(Amt of poles)-OS	Sleeves on Top - Net (Arch) Example UBNET-7 (Frame siz e) -3(Amt of arches)-AST	For Curved Poles Example UBNET-8FG(Frame siz e) -6(Amount of poles)	Black Example UBWC-12(Frame size) -BK(Black)	Blue Example UBWC-14(Frame size) -BL(Blue)
				·		UBNET-6-3-AST			
				UBNET-7.5-6-1S	UBNET-7.5-6-0S	UBNET-7-3-AST			
	UBMAT	UBMA T-7.5-42-5.5	UBPAD-S-7.5-B					UBWC-7.5	
BM/ BM/	UBMA T-8-40-5.5 UBMA T-8-48-5.5	UBMA T-8-56-5.5 UBMA T-8-60-5.5	UBPAD-S-8-B	UBNET-8-6-IS UBNET-8-4-IS		UBNET-8-2-AST	UBNET-8FG-6	UBWC-8	
	UBMA UBMA	UBMA T-10-56-5.5 UBMA T-10-64-5.5	UBPAD-S-10-B	UBNET-10-4-IS UBNET-10-6-IS UBNET-10-8-IS	UBNET-10-8-OS			UBWC-10	
	UBMA T UBMA T	UBMA T-11-60-5.5 UBMA T-11-72-5.5	UBPAD-S-11-B			UBNET-11-3-AST	UBNET-11FG-6	UBWC-11	
MMAM	UBMA T-12-60-7 UBMA T-12-72-5.5 UBMA T-12-72-7 UBMA T-12-80-5.5	UBMA T-12-80-7 UBMA T-12-84-5.5 UBMA T-12-84-6.5 UBMA T-12-60-5.5	UBPAD-S-12-B UBPAD-S-12-G UBPAD-S-12-BG UBPAD-P-12-B	UBNET-12-8-IS UBNET-12-4-IS UBNET-12-6-IS	UBNET-12-4-0S UBNET-12-6-0S	UBNET-12-2-AST UBNET-12-3-AST UBNET-12-4-AST	UBNET-12FG-4 UBNET-12FG-6	UBWC-12-BK	UBWC-12-BL
MAAT	UBMA T-13-72-5.5 UBMA T-13-80-5.5 UBMA T-13-80-7	UBMA T-13-84-5.5 UBMA T-13-84-7 UBMA T-13-88-7	UBPAD-S-13-B	UBNET-13-6-IS UBNET-13-8-IS	UBNET-13-6-OS UBNET-13-8-OS	UBNET-13-2-ASTR UBNET-13-3-AST UBNET-13-4-AST	UBNET-13FG-6	UBWC-13	
M M M M M M M M M M M M M M M M M M M	UBMA T-14-72-5.5 UBMA T-14-72-7 UBMA T-14-80-5.5 UBMA T-14-80-7 UBMA T-14-84-7	UBMAT-14-84-8.5 UBMAT-14-88-7 UBMAT-14-88-8.5 UBMAT-14-96-7 UBMAT-14-96-8.5	UBPAD-S-14-B UBPAD-S-14-G UBPAD-S-14-BG UBPAD-P-14-B	UBNET-14-4-IS UBNET-14-6-IS UBNET-14-8-IS	UBNET-14-6-OS UBNET-14-8-OS	UBNET-14-3-AST UBNET-14-4-AST	UBNET-14FG-4 UBNET-14FG-6	UBWC-14-BK	UBWC-14-BL
M M M M M M M M M M M M M M M M M M M	UBMA T-15-84-6.5 UBMA T-15-90-7 UBMA T-15-96-7	UBMA T-15-96-8.5 UBMA T-15-96-6.5 UBMA T-15-100-7	UBPAD-S-15-B UBPAD-S-15-G UBPAD-S-15-BG UBPAD-P-15-B	UBNET-15-6-IS UBNET-15-8-IS	UBNET-15-6-OS UBNET-15-8-OS	UBNET-15-3-AST UBNET-15-4-AST	UBNET-15FG-5 UBNET-15FGB-5 UBNET-15FG-6 UBNET-15FG-8	UBWC-15-BK	UBWC-15-BL
	UBMAT	UBMA T-16-108-7.5	UBPAD-S-16-B	UBNET-16-6-IS				UBWC-16	
							UBNET-17FG-8		
	OTHE	OTHER TYPE	Safety Pads Square	Arch Net - Square		Oval Net U	Universal Net Type		
Jare	Square Ma t	UBMA TSQ-13	UBPADSQ-13 Safety Pads Rentangular	UBNETSQ-1313-4		UBNETO-1614	UBNET-U1		
al M	Oval Ma ts	UBMA TO-1715-96-7 UBMA TO-1614-96-5.5	UBPADRTG-S-148-B UBPADRTG-S-159-B						
Ind N	Band Ma ts	UB-BMA T-1273 UB-BMA T-1378	1 n I						
		UB-BMA T-1484	UBPADO-1715 UBPADO-1614						

Other Accessories : Ladder UBL3S-42-G Ladder with Flat Steps UBLBFS3-42 Trampoline Shoe Bag UBSHB-3 Trampoline Anchor Kit (Set of 4) UBHWD-AK-4 Deep Fastening Spiraled Anchor Kit - Set Of 4 UBHWD-AKB-4 Trampoline Spring Pull Tool (T-Hook) UBHWD-TH Upper bounce® Trampoline Jumping Skate UB-TJB



To explore all trampoline parts
Checkout our buying guide at
www.upperbounce.com/buyingguide



To process an exchange go to http://www.upperbounce.com/exchange

Take 15% OFF

for any trampoline parts purchased from us

USE CODE: 150FFMANUAL



While we provide a large variety of trampolines, we also pride ourselves in the large selection of our trampoline replacement parts which are compatible with most trampolines regardless of their brand.

If you are having difficulties finding replacement parts for your trampoline you can either send us an email to **sales@upperbounce.com** for warranty related issues to **support@upperbounce.com** or give us a call at **1888-965-3331**

Our Customer Service Department staff are trained in the details of all trampolines and will help you find the right part to get you bouncing again.

We never forget our goal... Get the Upper Bounce!