

SAFETY DATA SHEET (SDS)

SHEIT BRITISHEET (SBS)		
Section 1. Identification		
Product identifier	LORIS ANTISEPTIC ISOPROPYL ALCOHOL PAD/ WIPE/ SWAB	
Other means of identification	Category of product 103-00, 104-00	
Recommended use and restrictions on use	Antiseptic (containing 30-40 % of water) /	
	Sealed pouches including less than 10 mL of isopropyl alcohol	
Initial supplier identifier	Lernapharm (Loris) Inc., 2323 Halpern, St-Laurent (Montreal) Québec, Canada H4S 1S3	
	Telephone: 514-331-4634	
Emergency telephone number/restriction on use	Canada – CANUTEC 24 hour number 613-996-6666	
Section 2. Hazard identification		

Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 2)

Skin irritation (Category 3)

Eye irritation (Category 2A)

Specific target organ toxicity – single exposure (Category 3), Central nervous system

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





Danger

H225 Highly flammable liquid and vapour.

H316 Causes mild skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only in a well-ventilated area. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.

ventilated place. I	Keep coi	itainer tightly closed. Keep cool.			
Other hazards known None					
Section 3. Composition/information on ingredients					
Chemical name (common name/synonyms) CAS number or other Concentration (%)*					
Isopropanol			67-63-0	60-70	
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).				s).	
NOT MADE WITH NATURAL RUBBER LATEX					
Section 4. First-aid measures					
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.				
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is				
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two				
	glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.				
Skin contact	t None in normal conditions of use.				
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do.				
Continue rinsing. If eye irritation persists: Get medical attention.					
Most important symptoms and effects (acute or delayed) May be harmful if swallowed and enters airways.					
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.					
Section 5. Fire-fighting measures					
Specific hazards	of the h	azardous product (hazardous combustion p	products)		
Carbon oxides and	d other i	rritant/toxic gases and fumes.			

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.



Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use only in a well-ventilated area. Avoid contact with eyes, skin and clothing. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store away from incompatible materials (Section 10).

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 67-63-0 - ACGIH - TLV-TWA 200 ppm & TLV-STEL 400 ppm & PEL-TWA 400 ppm.

Appropriate engineering controls

General ventilation normally adequate. Make emergency eyewash stations available in work area.

Individual protection measures/personal protective equipment

No respiratory protection is required with adequate ventilation under normal use. Practice good personal hygiene after using this material.

Sec	tion	9.	Phy	ysical	and	chemic	al	pro	perties	5

Appearance, physical state/colour	Clear liquid	Vapour pressure	Not available
Odour	Alcohol	Vapour density	Heavier than air
Odour threshold	Not available	Relative density	0.872-0.883
pH	5-8	Solubility	Soluble
Melting/freezing point	Not available	Partition coefficient - n-octanol/water	Not available
Initial boiling point/range	80°C	Auto-ignition temperature	Not available
Flash point	13°C (literature)	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	$< 5 \text{ mm}^2/\text{s} @ 20^{\circ}\text{C}$
Flammability (solids and gases)	Not available	VOC	Not available
Upper and lower flammability/explosive limits	2.0 % - 12.0 %	Other	None known

Section 10. Stability and reactivity

Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Accumulation of flammable/explosive vapours.

Conditions to avoid (static discharge, shock or vibration)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take action to prevent static discharges.

Incompatible materials

Oxidizing materials; acids; etc.

Hazardous decomposition products

None known

Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

May be harmful if swallowed and enters airways. Causes mild skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – Central nervous system; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – Unlikely, but possible; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

CAS 67-63-0 LD₅₀ Oral - Rat - 4720 mg/kg; LC₅₀ Inhalation - Rat - 4 h - 17000 ppm; LD₅₀ Dermal - Rabbit - 12890 mg/kg



DATE & VERSION – December 02, 2022 VERSION 5

ATE not availab	ole in this document.		
ATE not availab	ne in uns document.	Section 12. Ecological information	
E4	-4'144'-1'-64'		
Ecotoxicity (aq	uatic and terrestrial information)	Toxicity to fish LC_{50} – Pimephales promelas (fathead minnow) 9640 mg/l - 96 h; Toxicity to daphnia and other aquatic invertebrates LC_{50} - Daphnia magna (Water flea) 5102 mg/l - 24 h; Immobilization EC50 - Daphnia magna (Water flea) - 6851 mg/l - 24 h Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2000 mg/l - 72 h EC50 - Algae - > 1000 mg/l - 24 h	
Persistence and	degradability No data avail	lable	
Bioaccumulativ	re potential No bioaccumulation	on is to be expected.	
Mobility in soil	No data available		
Other adverse	effects No data available		
		Section 13. Disposal considerations	
Information on	safe handling for disposal/metho	ds of disposal/contaminated packaging	
Dispose of conte	ents/container into safe container in	accordance with local, regional or national regulations.	
		Section 14. Transport information	
		acking group (PG) of the TDG Regulations	
	TED as per special provision 56 i		
		LIQUID, N.O.S. (Isopropanol); Class 4.1; PG II	
		Cacking group (PG) of the IMDG (maritime)	
NOT REGULA	TED as per special provision 216	I IOUID NOS (Icontenanol): Class 4.1. DC II	
		LIQUID, N.O.S. (Isopropanol); Class 4.1; PG II Packing group (PG) of the IATA (air)	
	TED as per special provision A40		
		LIQUID, N.O.S. (Isopropanol); Class 4.1; PG II	
		ay also be shipped as NOT REGULATED in accordance with TDG-IMDG-IATA special	
Special precaut		ovisions.	
Environmental	hazards (IMDG or other) No	one	
Bulk transport	(usually more than 450 L in capa	city) Possible	
	· ·	Section 15. Regulatory information	
Safety/health C		Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).	
Environmental	Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL	
	nvironmental outside regulations	specifics	
None			
		Section 16. Other information	
	st revision of the safety data sheet	t December 02, 2022 version 5	
Corrections	Section 1; 3; 14;	/ 1' 0 C C 1' C / C O / 1H 14 10 C / COOM	
References	Safety Data Sheets from manufact	urer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations ACGIH	American Conference of Government	montal Industrial II vaignists	
ACGIH	Acute toxicity estimate	mentai muustrai riygiemsis	
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous	s Goods Code	
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA PEL	Occupational Safety and Health Administration (U.S.A.)		
STEL	Permissible Exposure Limit Short-term Exposure Limit		
TDG	Transport of dangerous goods in	Canada	
TLV	Threshold Limit Value	- Canada	
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials l	Information System	
To the best of our	r knowledge, the information contained	d herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any	

liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.