



Parcel box systems eBoxx €



SECURITY
SINCE 1920



**MODULAR SYSTEMS FOR APARTMENT BUILDINGS,
COMMERCIAL PROPERTIES AND OFFICE BUILDINGS**

BURG-WÄCHTER Parcel box systems


Intelligently combined

THE VOLUME OF PARCELS IS CONTINUOUSLY INCREASING. THE BURG-WÄCHTER eBOXX PARCEL BOX SYSTEMS PROVIDE THE SOLUTION FOR ALL LANDLORDS AND OWNERS, WHETHER FOR APARTMENT BUILDINGS, RESIDENTIAL ESTATES OR OFFICES AND COWORKING SPACES.



The mail order business is booming. More and more parcels are being dispatched every year. The recipients are not only private individuals, but also companies and self-employed persons. Unfortunately, many parcels are not received directly because the recipient is not available at the time of delivery. That's all over now. BURG-WÄCHTER provides the solution for landlords of apartment buildings, residential estates and offices with its eBoxx parcel box systems. Which means, even the first delivery is now possible. Your tenants will be pleased!

BURG-WÄCHTER has been developing and producing high-quality letter boxes and parcel boxes for 45 years. There is a choice between mechanical (eBoxx E 634) and electronic versions (eBoxx EASY+ E 635).



The number of parcel deliveries in Germany is accelerating. There was an increase of around 38 percent between 2000 and 2010, this figure has grown to 84 percent between 2010 and 2020 – and it's still growing!

Having 24/7 parcel delivery makes your property even more attractive to tenants.



ONE BOX FOR EVERYTHING – ONE SYSTEM FOR ALL. EASY AND FLEXIBLE. PROVIDED BY THE eBOXXES E 634 AND E 635 FROM BURG-WÄCHTER.



From the parcel service to the organic baker: The eBoxx is the parcel box for universal use. Whether it's a large parcel service provider, a drinks supplier or a neighbour who wants to deliver a parcel: The eBoxx accepts all deliveries effortlessly. Even multiple deliveries are possible with the electronic eBoxx EASY+.

This is because each deliverer receives their own personal code with which they can open the parcel box and securely lock it again.



The eBoxx parcel box systems can be flexibly adapted to your specific requirements. For two, three, four or more residential units or for office communities: Up to six parcel box and letterbox units are possible when mounting on stands. In the case of wall or floor mounting, even more parcel boxes and letter boxes can be combined into one system.



Available with optional letterbox. Both the mechanical eBoxx and the electronic eBoxx EASY+ variant (models E in each case) can be complemented with either one or two letter boxes per box. Meaning you no longer need a separate letterbox. The letter boxes can be mounted exactly above or below the parcel box.



No power connection necessary!

Even the electronic EASY+ version has no need for a power supply. Simply insert the batteries and off you go! No expensive and usually time-consuming earthworks are required.



Simple and easy to use: Deliverers only need a few moments to reliably deliver a parcel; owners of an eBoxx EASY+ simply use their personal code to remove their delivery. The mechanical model allows your tenants to open and close the parcel box in the classic way using the key.



Everything in one hand. Setting up the electronic EASY+ version of the parcel system is simple with the free secuENTRY KeyApp for iOS and Android.

Do you only need one parcel box?

Of course, it is also possible to install just one eBoxx – for private or commercial use.

The BURG-WÄCHTER modular system for eBoxx parcel box systems

Everything with a system

WHETHER CLASSIC MECHANICAL OR SMART ELECTRONIC, BOTH PARCEL BOX MODELS CAN BE CONFIGURED AND EXPANDED TO MEET YOUR INDIVIDUAL REQUIREMENTS AND THE NEEDS OF YOUR TENANTS.



Terzo posts

Quality stands made from powder-coated aluminium ensure a secure base.

eBoxx EASY+ E 635

The electronic parcel box:
The eBoxx EASY+ E 635 model is opened and closed by code. This enables even multiple deliveries.

eBoxx letterbox A 625

The ideal complement to the eBoxx parcel boxes.
More functionality and perfect replacement for an old letterbox system.

eBoxx E 634


The mechanical version of the parcel box is locked by the deliverer simply by pressing a button.
The user opens the parcel box with a key.


Terzo base

The Terzo bases enable installation without concreting.

Terzo T crossbar

The crossbar provides the necessary stability for stand mounting with up to six parcel boxes and letterboxes.






eBoxx EASY+

GENUINE ADDITIONAL VALUE FOR YOUR TENANTS! THE DELIVERY PROVIDER ONLY NEEDS A FEW SECONDS TO SECURELY DEPOSIT THE PARCEL DUE TO THE INTUITIVE OPERATION OF THE eBOXX EASY+ E 635. NATURALLY, YOUR TENANTS HAVE FULL CONTROL OVER WHO IS ALLOWED TO DELIVER AT ALL TIMES.

Assign codes or check status. Operating the eBOXX EASY+ E 635 is child's play using the free of charge secuENTRY KeyApp. Landlords and owners can easily manage the individual parcel boxes via the KeyApp. The following applies to each individual tenant: Whether it's a parcel company or an organic farmer, you decide which deliverers are allowed to deliver to your parcel box and whether the delivery code is valid permanently or only once. Your tenants can of course change or delete all codes at any time. They retain full control have everything in hand at all times! The secuENTRY KeyApp also displays the battery level of the parcel box and whether a delivery has been deposited.


The free secuENTRY KeyApp is available for Android and iOS or via our website under: www.burg.biz/international/



Durable quality – perfectly thought out

Just the right fit

STABLE. TOP QUALITY. DURABLE. OUR eBOXXES HAVE BEEN DESIGNED TO LAST FOR MANY YEARS. FLEXIBLE MOUNTING OPTIONS ENSURE PERFECT PLACEMENT AND OPTIMAL ERGONOMICS. TOP QUALITY "MADE IN GERMANY"



There are 45 years of experience invested in our eBoxx parcel boxes. BURG-WÄCHTER has been developing and producing high-quality letter boxes since 1975.

The eBoxx parcel boxes are manufactured with the utmost precision – laser welding and base reinforcement ensure they are extremely robust. Of course, letterbox A fits accurately on the parcel box.

A very smooth, easy and precise door opening ensures that the doors close accurately even after a long period of time. An integrated rain drainage system protects deliveries and mail from getting wet.

Durability and quality guaranteed through double-sided galvanised sheet steel and powder-coated housing.

Our complete system provides the same level of perfection. Sophisticated combinations and various mounting options mean that our parcel systems can be adapted to your individual requirements. Possible combinations can be found on the following pages.



Made in Germany

Our parcel boxes represent quality "Made in Germany". Our eBoxxes have been produced as a result of many years of experience in the development and production of letter boxes and other security products.



Pull force 300 N
3
SECURITY LEVEL

Pull force


The eBoxx is well equipped against vandalism. The parcel box provides extremely robust protection thanks to a pull force rating of security level 3 (30 kg) in accordance with TS 16819.



EN 13724
2
SECURITY LEVEL

Break-in protection

The optional letterbox also meets the highest requirements. The built-in lock reduces the risk of break-open according to the EN 13724 standard (security level 2)



TS 16819

Child safety lock

In case of emergency, the eBoxx has an emergency opening option from the inside with a child safety lock and a ventilation system.



Weather resistant

The weather resistance was tested in a sprinkling test and confirmed according to TS 16819 (corrosion class 3).

We pay attention to size!


ERGONOMIC AND BARRIER-FREE PLANNING IS THE BE-ALL AND END-ALL OF OUR PARCEL BOX SYSTEMS – OUR OBJECTIVE IS CONVENIENT USE.

There are many different options to choose from with our parcel box systems. They are all ergonomically designed so that the letterbox insert and the letterbox lock are easily accessible.

Our stand systems – whether set in concrete or screwed to the ground – are designed to automatically comply with the corresponding DIN EN 13724 standard when professionally installed.

For the alternative wall mounting, it is your own choice as to the height at which your parcel box is mounted.


Our tip: When mounting, orientate to the ideal range for the insertion height of the letterbox.



Easy installation – endless possibilities

Floor or wall systems

FULL FLEXIBILITY FOR YOUR PARCEL BOX SYSTEM. YOU CAN DECIDE HOW MANY BOXES ARE TO BE COMBINED FOR FLOOR OR WALL MOUNTING*.



eBoxx letterbox A 625

eBoxx EASY+ E 635 (or eBoxx E 634)

Endless possibilities
 Our parcel boxes are, of course, already prepared for all types of mounting at the factory. Making mounting even easier.

Convenience tip: Elevated mounting on a concrete base makes the parcel box even more convenient to use when mounted on the ground.



Individual modules eBoxx and letterbox


eBoxx EASY+ E 635
 order no. 41920 W/41930 ANT
eBoxx E 634
 order no. 37710 W/40740 ANT



1x eBoxx EASY+ E 635 or eBoxx E 634

Total height x width x depth:
 575 x 380 x 450 mm

eBoxx letterbox A 625
 order no. 41960 W/41970 ANT



1x letterbox A 625
 1x assembly set letterbox A 625

Total height x width x depth:
 115 x 380 x 450 mm

Be it two, six or ten parcel boxes you need. The number of parcel boxes and letter boxes can be adapted to your individual needs for both floor and wall mounting.

You decide how many boxes you want to arrange next to and below each other and add the required number of letter boxes. This provides you with the perfect parcel box system for your apartment building or office building.

In addition to maximum flexibility in the number of eBoxxes used, mounting on the wall* has another advantage: Because you decide where and at what height the models are mounted. Consequently, your tenants always have optimal access to the parcel box and letterbox.




* For wall mounting, it is assumed that the load-bearing capacity of the wall is sufficient.

State of the art


Our eBoxx stand system

ELEGANT, STURDY AND ALWAYS AT THE RIGHT HEIGHT – THE PARCEL BOX SYSTEM WITH TERZO POSTS FACILITATES FREE-STANDING INSTALLATION AS REQUIRED.




The modular system for all demands


A maximum of six boxes can be combined to form a stand system. Most requirements can consequently be met in a particularly elegant way, e.g. for apartment buildings.



eBoxx EASY+ E 635 (or eBoxx E 634)



+



Crossbar Terzo T 760 or



Crossbar Terzo T 1140


The eBoxx parcel box systems with Terzo posts offer a variety of options for modular combination. The smallest system consists of two parcel boxes. At the same time, you have the choice of whether the models are mounted above or next to each other. Do you need more parcel boxes? No problem: Using the **Terzo posts** and the **Terzo crossbar**, up to six eBoxxes can be combined to form a stand system. A crossbar is not required for the combination of a 2-piece parcel box system consisting of two parcel boxes mounted on top of each other.

The **letter box A** is also the ideal addition for stand mounting. This transforms your parcel box system into a modern multi-functional letter and parcel system. The letterbox fits precisely on top of or underneath the eBoxxes.


Regardless of which system you choose: The installation on the Terzo stands not only provides an elegant structure for all combinations, but also adapts particularly flexibly to your entrance area as a free-standing system.

With or without letterbox

Whether complemented by one or two letterboxes. Or just the pure parcel box. You can decide how you want to design your system. Retrofitting with letter boxes is of course possible at any time.



eBoxx letterbox A 625




Cast in concrete or mounted on a stand

Regardless of which mounting method you choose – with the Terzo posts, your system will remain extremely stable. The choice of post mounting means that you can also adapt to your structural conditions here – set in concrete or with a matching Terzo base. This makes it possible to install the system at the location of your choice.



Terzo posts 170




Terzo posts 170 with Terzo base

Selection of the system modules with **two boxes**

Stand mounting


eBoxx EASY+ E 635
Set no. 84383 W/84353 ANT
eBoxx E 634
Set no. 84437 W/84413 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
2x Terzo base
2x assembly set eBoxx system

Total height x width x depth:
1700 x 570 x 450 mm


eBoxx EASY+ E 635
Set no. 84387 W/84357 ANT
eBoxx E 634
Set no. 84442 W/84417 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
1x letterbox A 625
2x Terzo posts 170
2x Terzo base
2x assembly set eBoxx system

Total height x width x depth:
1700 x 570 x 450 mm


eBoxx EASY+ E 635
Set no. 84390 W/84360 ANT
eBoxx E 634
Set no. 84445 W/84421 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
2x letterbox A 625
2x Terzo posts 170
2x Terzo base
2x assembly set eBoxx system

Total height x width x depth:
1700 x 570 x 450 mm


eBoxx EASY+ E 635
Set no. 84371 W/84341 ANT
eBoxx E 634
Set no. 84424 W/84401 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1151 x 950 x 450 mm


eBoxx EASY+ E 635
Set no. 84375 W/84345 ANT
eBoxx E 634
Set no. 84428 W/84405 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
2x letterbox A 625
2x Terzo posts 170
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1151 x 950 x 450 mm


eBoxx EASY+ E 635
Set no. 84377 W/84347 ANT
eBoxx E 634
Set no. 84431 W/84407 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
4x letterbox A 625
2x Terzo posts 170
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1266 x 950 x 450 mm


eBoxx EASY+ E 635
Set no. 84373 W/84343 ANT
eBoxx E 634
Set no. 84426 W/84403 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1700 x 950 x 450 mm


eBoxx EASY+ E 635
Set no. 84379 W/84349 ANT
eBoxx E 634
Set no. 84433 W/84409 ANT



eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
2x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1700 x 950 x 450 mm

eBoxx EASY+ E 635
Set no. 84381 W/84351 ANT
eBoxx E 634
Set no. 84435 W/84411 ANT




eBoxx systems, include:
2x eBoxx EASY+ E 635 or eBoxx E 634
4x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1700 x 950 x 450 mm

Selection of the system modules with **three boxes**


eBoxx EASY+ E 635
Set no. 84374 W/84344 ANT
eBoxx E 634
Set no. 84427 W/84404 ANT



eBoxx systems, include:
3x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm


eBoxx EASY+ E 635
Set no. 84380 W/84350 ANT
eBoxx E 634
Set no. 84434 W/84410 ANT



eBoxx systems, include:
3x eBoxx EASY+ E 635 or eBoxx E 634
3x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm


eBoxx EASY+ E 635
Set no. 84382 W/84352 ANT
eBoxx E 634
Set no. 84436 W/84412 ANT



eBoxx systems, include:
3x eBoxx EASY+ E 635 or eBoxx E 634
6x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm


eBoxx EASY+ E 635
Set no. 84372 W/84342 ANT
eBoxx E 634
Set no. 84425 W/84402 ANT



eBoxx systems, include:
3x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1151 x 1330 x 450 mm


eBoxx EASY+ E 635
Set no. 84376 W/84346 ANT
eBoxx E 634
Set no. 84429 W/84406 ANT



eBoxx systems, include:
3x eBoxx EASY+ E 635 or eBoxx E 634
3x letterbox A 625
2x Terzo posts 170
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1151 x 1330 x 450 mm

eBoxx EASY+ E 635
Set no. 84378 W/84348 ANT
eBoxx E 634
Set no. 84432 W/84408 ANT




eBoxx systems, include:
3x eBoxx EASY+ E 635 or eBoxx E 634
6x letterbox A 625
2x Terzo posts 170
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1266 x 1330 x 450 mm

Selection of the system modules with **four or five boxes**


eBoxx EASY+ E 635
Set no. 84385 W/84355 ANT
eBoxx E 634
Set no. 84439 W/84415 ANT



eBoxx systems, include:
4x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1700 x 950 x 450 mm


eBoxx EASY+ E 635
Set no. 84388 W/84358 ANT
eBoxx E 634
Set no. 84443 W/84418 ANT



eBoxx systems, include:
4x eBoxx EASY+ E 635 or eBoxx E 634
2x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1700 x 950 x 450 mm

eBoxx EASY+ E 635
Set no. 84391 W/84361 ANT
eBoxx E 634
Set no. 84446 W/84422 ANT




eBoxx systems, include:
4x eBoxx EASY+ E 635 or eBoxx E 634
4x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 760
2x assembly set eBoxx system

Total height x width x depth:
1700 x 950 x 450 mm

Selection of the system modules with **six boxes**


eBoxx EASY+ E 635
Set no. 84386 W/84356 ANT
eBoxx E 634
Set no. 84441 W/84416 ANT



eBoxx systems, include:
6x eBoxx EASY+ E 635 or eBoxx E 634
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm


eBoxx EASY+ E 635
Set no. 84389 W/84359 ANT
eBoxx E 634
Set no. 84444 W/84419 ANT



eBoxx systems, include:
6x eBoxx EASY+ E 635 or eBoxx E 634
3x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm


eBoxx EASY+ E 635
Set no. 84392 W/84362 ANT
eBoxx E 634
Set no. 84447 W/84423 ANT



eBoxx systems, include:
6x eBoxx EASY+ E 635 or eBoxx E 634
6x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm

eBoxx EASY+ E 635
Set no. 84384 W/84354 ANT
eBoxx E 634
Set no. 84438 W/84414 ANT



eBoxx systems, include:
5x eBoxx EASY+ E 635 or eBoxx E 634
5x letterbox A 625
2x Terzo posts 170
2x Terzo base
1x Terzo crossbar T 1140
2x assembly set eBoxx system

Total height x width x depth:
1700 x 1330 x 450 mm

Further information:

Instructions, installation aids and all dealers
in your area can be found at: [www.burg.biz/
international/](http://www.burg.biz/international/)

We have
exactly the
right parcel
box for you!

Please give us a call!

Which modules do I need for my parcel box system? What do I need for mounting? How do I operate the app? We will be happy to answer all your questions regarding our modern parcel boxes. To ensure that your tenants always receive all parcels directly in future, regardless of whether they are at home or not.

Please call:

Tel: +49 (0)2335 965 30
+44 (0)1274 395 333

Please send us an email:

export@burg.biz



WE DELIVER SECURITY

SINCE 1920
BURG-WÄCHTER



ALWAYS THE
SAFE CHOICE!

BURG-WÄCHTER KG

Altenhofer Weg 15
58300 Wetter
Germany

TELEPHONE

+49 (0) 23 35 965 30

FAX

+49 (0) 23 35 965 390

E-MAIL

export@burg.biz

SOCIAL MEDIA



BURG-WÄCHTER UK

Eurocam Technology Park
Chase Way, Bradford
BD5 8HW, United Kingdom

TELEPHONE

+44 (0) 1274 395 333

E-MAIL

UKCS@burg.biz