



### BWNC-842DBIAE

8MP AI bullet camera with IVA, H.265+, IR, ePoE  
2,7-12mm, mit (IVA+), Verpixelung

## PRODUCT DESCRIPTION

### ► Application:

SANTEC SNC-842-E series is a 8 MP bullet camera with integrated IR-LEDs and it is the perfect solution for all 24/7 indoor and outdoor applications. This IP camera has a weather-proof housing (IP-66) and is vandal-proof (IK10). Thanks to 8 megapixel resolution, the images are very clear hence no detail is undetected. Due to the auto focus lens and the web interface the camera is easy to adjust. The camera comes with features such as 3DNR for noise reduction, Wide Dynamic Range (WDR), PoE and micro-SD card slot, to name but a few.

### ► Technical specifications:

Type	IP Day/Night bullet AI camera
Decoding / Video / Lens	>>>>DECODING/VIDEO/LENS<<<<<<
Sensor type	8MP 1/1.8" LowLight CMOS
Max. Picture resolution (pixel)	UHD 8 MP (3840x2160)
Video codec	H.264, H.265, MJPEG, H.264+, H.265+
Max. frame rate (fps)	25/30fps bei 8MP
Number of video streams	5 (1xMain, 4x Sub)
Lens mount	Intern
Iris control	DC
S/N ratio (dB)	< 50dB
Focal length	2,7 - 12 mm / F1.4
Lens type	4x autofocus lens
Angle of view (horizontal)	114°(W)-47°(T)
Angle of view (vertical)	59°(W)?27°(T)
Sensitivity (Lux)	0.003 Lux@F1.2 (color)
Sensitivity (Lux)	0Lux (IR on)

BURG-GUARD GmbH  
Wormgermühle, 58540 Meinerzhagen, Germany  
Tel.: +49 2358 905 490, Fax: +49 2358 905 499  
BURG-GUARD@burg.biz, www.burg-guard.com



Our products undergo constant development. Please refer to the price list for our most up-to-date product program. Errors and omissions excluded. No responsibility accepted for accuracy of images.





**Note:**

SD card is not included.

► **Weitere Bilder:**



► **Recommended Accessories**

SNPS-12D2

SANTEC stabilized power supply 12 V DC, 1.5 A, plug

BWNA-MA154

pole mount adaptor incl. straps f. BWNC-842DBIA u. BWNC-452DBIA

16925

Remote online support price per one hour support