



## BWNC-842DDIAE

4K/ 8 MP Dome, H.265(+), TrueWDR, AI DL IVA ePoE  
2,7-12mm, mit (IVA+) , Verpixelung

### PRODUCT DESCRIPTION

#### ► Application:

SANTEC SNC-842-E series is a 8 MP bullet camera with integrated IR-LEDs and it is the perfect solution for all 24/7 indoor and outdoor applications. This IP camera has a weather-proof housing (IP-66) and is vandal-proof (IK10). Thanks to 8 megapixel resolution, the images are very clear hence no detail is undetected. Due to the auto focus lens and the web interface the camera is easy to adjust. The camera comes with features such as 3DNR for noise reduction, Wide Dynamic Range (WDR), PoE and micro-SD card slot, to name but a few.

#### ► Technical specifications:

Type	IP day/night IR-dome camera
Decoding / Video / Lens	>>>>DECODING/VIDEO/LENS<<<<<<
Sensor type	8MP 1/1.8" LowLight CMOS
Max. Picture resolution (pixel)	UHD 8 MP (3840x2160)
Video codec	H.264, H.265, MJPEG, H.264+, H.265+
Max. frame rate (fps)	25/30fps bei 8MP
Number of video streams	5 (1xMain, 4x Sub)
Lens mount	Intern
Iris control	DC
S/N ratio (dB)	< 50dB
Focal length	2,7 - 12 mm / F1.4
Lens type	4x autofocus lens
Angle of view (horizontal)	114°(W)-47°(T)
Angle of view (vertical)	59°(W)?27°(T)
Sensitivity (Lux)	0.003 Lux@F1.2 (color)
Sensitivity (Lux)	0Lux (IR on)

BURG-GUARD GmbH  
Wormgermühle, 58540 Meinerzhagen, Germany  
Tel.: +49 2358 905 490, Fax: +49 2358 905 499  
BURG-GUARD@burg.biz, www.burg-guard.com







### Note:

SD card is not included.

### ► Weitere Bilder:



### ► Recommended Accessories

SNPS-12D2	SANTEC stabilized power supply 12 V DC, 1.5 A, plug
SNCA-MK-4633	Adapter plate for SNC-231RDIA, SNC-431RDIA, SNC-241DDIA, SNC-831DDIA
SNCA-CMT-4852	Ceiling Mount for SANTEC IP Speed-Dome
SNCA-WM-4645	Wall bracket for IP cameras
SNCA-MK-4632	Adapter for SNC-831DDIA, Suitable for: see recommended accessories
SNCA-ICM-PFB201C	In-ceiling bracket suitable for see recommended accessories
SNCA-PM-4661	Mastadapter inkl. Spannbänder von 80 bis 130 mm
16925	Remote online support price per one hour support