

► Technical specifications:

Camera mounting	Screw mounting
Housing colour	White
Housing material	Aluminium
Integrated IR-LEDs	Yes
IR distance (m. ca.)	30
Smart IR	Yes
Voltage	12 VDC (+/-25%), PoE
Max. Power consumption (watt)	6 (IR on)
Operating temperature (°C)	-30 to +60
Storage temperature (°C)	0 to +60
Rel. humidity (%)	Max. 95, non-condensing
Dimensions WxHxD (mm)	70 x 70 x 166,2
Weight	570g
Identifier	CE, RoHS
Items included in delivery	Mounting drawing paper,screws, QIG
Specials	PoE, IVA
Festplatte	1TB Video Surveillance HDD

► Note:

Set Artikel Detaillierte Informationen entnehmen Sie bitte dein einzelnen Artikeln

► Recommended Accessories

SML-2212	SANTEC 22" CCTV 6 in 1 plastic-monitor, 1920x1080, 60Hz, CVBS,CVI,TVI,AHD,VGA,HDMI
SNCA-MK-134	Junction Box for BURGcam BULLET-304
SNPS-12D2	SANTEC stabilized power supply 12 V DC, 1.5 A, plug
SNCA-MK-4531-E	Water proof junction box for cameras IP66