



## IPC324SB-DF28K-I0

4MP HD LightHunter IR Fixed Dome Network Camera  
30m IR, Alarm:1 in/1 out, Audio: 1 in/1 out

### PRODUCT DESCRIPTION

#### ► Application:

IPC324SB-DF28K-I0 4MP HD LightHunter IR Fixed Dome Network Camera ? High quality image with 4MP, 1/3"CMOS sensor ? 4MP (2688\*1520)@ 30/25fps; 4MP (2560\*1440)@ 30/25fps; 3MP (2304\*1296) @ 30/25fps; 2MP (1920\*1080) @30/25fps; ? Ultra 265, H.265, H.264, MJPEG ? LightHunter technology ensures ultra-high image quality in low illumination environment ? 120dB true WDR technology enables clear image in strong light scene ? Support 9:16 Corridor Mode ? Alarm:1 in/1 out, Audio: 1 in/1 out ? Smart IR, up to 30m (98ft) IR distance ? Supports 256 G Micro SD card ? IK10 vandal resistant ? IP67 protection ? Support PoE power supply

#### ► Technical specifications:

Type	IP day/night IR dome camera
Decoding / Video / Lens	>>>>>DECODING/VIDEO/LENS<<<<<<
Sensor type	1/3" 4.0 MP prog. scan CMOS
LightHunter	Yes
Max. Picture resolution (pixel)	4 MP (2688x1520) / (2560x1440)
Video codec	(U-)H.265,(U-) H.264, MJPEG
Streaming Method	Unicast / Multicast
Max. frame rate (fps)	4MP@25fps
Max frame rate 1.sub stream	30 fps bei 720p
Max frame rate 2.sub stream	30 fps at D1
Bit Rate Control	CBR / VBR
Bit Rate per channel	H.265/H.265: 128-16384Kbps
Number of video streams	3 (individually adjustable)
Lens mount	Intern
Lens type	Built-in motorized lens

BURG-GUARD GmbH  
Wormgermühle, 58540 Meinerzhagen, Germany  
Tel.: +49 2358 905 490, Fax: +49 2358 905 499  
BURG-GUARD@burg.biz, www.burg-guard.com



Our products undergo constant development. Please refer to the price list for our most up-to-date product program. Errors and omissions excluded. No responsibility accepted for accuracy of images.





### Note:

Uniview Software, z.B. um die Geräte im Netzwerk zu suchen, finden Sie unter Software bzw. Downloads&Software.

### ► Weitere Bilder:



### ► Recommended Accessories

TR-UM06-E-IN	Uniview fixed dome mounting indoor
TR-UP06-IN	Uniview pole mount suitable for IPC54X/IPC56X Series, Outdoor
TR-A01-IN	Uniview plastic Waterproof joint TR-UP06-A-IN,TRJB07-IN,TR-JB07-A-IN
TR-JB03-G-IN	Uniview junction Box IPC32X Series