



## SCB-IP-P04

NUUO 4-Channel NVR Software  
support of more than 50 IP camera brands

## PRODUCT DESCRIPTION

### ► Application:

NUUO NVR IP+ is a flexible and cost-efficient solution which can manage IP/Megapixel cameras. NUUO NVR adopts open platform technology supporting as many as 53 brands of IP/Megapixel cameras with more than 1100 models.

### ► Technical specifications:

Type	Video management software license
IP video channels (active)	4
Audio inputs	1
Number of supported monitors	3
Export interface	USB/network
Compression (video)	MPEG-4 / H.264 / MJPEG / MxPEG
Alarm recording (dig. input)	Yes
Motion recording	Yes
Digital input recording	Yes
Manual recording	Yes
Permanent recording	Yes
Schedule recording	Yes
Live picture	Yes
Mega pixel camera support	Yes
Dsisplay split	1/4/6/9/10/13/16/25/36/49/64
Call notification	Yes
Digital output notification	Yes
Audio notification	Yes

BURG-GUARD GmbH  
Wormgermühle, 58540 Meinerzhagen, Germany  
Tel.: +49 2358 905 490, Fax: +49 2358 905 499  
BURG-GUARD@burg.biz, www.burg-guard.com



Our products undergo constant development. Please refer to the price list for our most up-to-date product program. Errors and omissions excluded. No responsibility accepted for accuracy of images.

► **Technical specifications:**

CMS notification	Yes
E-mail notification	Yes
E-map notification	Yes
Monitor notification (Popup)	Yes
PTZ notification	Yes
Snapshot notification	Yes
SMS notification	Yes
Motion detection	Yes
Missing/abandoned object detection	Yes
Lost focus detection	Yes
Foreign object detection	Yes
Camera occlusion detection	Yes
Lost signal detection	Yes
Pre-alarm recording	Yes
Post-alarm recording	Yes
Watermark	Yes
Picture data export	USB / network
Counting application	Yes
Intelligent search	Yes
Intelligent search criteria	motion, missing, foreign, occlusion, signal
Password protection	Yes
Log files	Yes
Supported OS	Microsoft Windows XP bis 7, 2008 Server (32/64Bit)
Management of IP devices	Yes
DynDNS support	Yes
UPNP support	Yes
Digital matrix	Yes
Preset positions	unlimited
PTZ control	Yes
Remote connections	Yes
Max. remote connections	16
User management	Yes
Time synchronisation	Yes
DHCP support	Yes
Access	Browser / Software
Supported software for remote access	Remote Viewer

## ► Recommended Accessories

SCB-C24	NUUO 16-Channel Digital Output RS-485 for NUUO Systems
SCB-C28	NUUO 4-Channel Digital input/output for NUUO Systems