



ALWAYS THE
SAFE CHOICE!



Technical Specification:

Cam Locks, Furniture Locks &
Blocking Keys

Content

Article	Page
Cam Lock ZBK 70	3
Cam Lock ZBK 71	4
Cam Lock ZBK 72	5
Cam Lock ZBK 73	6
Cam Lock ZBK 74	7
Cam Lock ZBK 75	8
Cam Lock ZS 76	9
Cam Lock ZS 77	10
Cam Lock ZS 77 H	11
Cam Lock ZS 80	12
Cam Lock ZS 81	13
Cam Lock ZS 82	14
Cam Lock ZS 84	15
Cam Lock ZS 85	16
Cam Lock ZS 86	17
Cam Lock BK 92 K	18
Cam Lock BK 92 M	19
Cam Lock BK 92 Point	20
Furniture Lock MZ 23 / MZ 2320	21
Cam Lock MZ 26	22
Furniture Lock MZ 83	23
Cylinder Lock Blocking Keys E 6 / E 7	24
Cylinder Lock Blocking Keys ME	25


Cam Lock ZBK 70

Technical data:


Surface	Chrome
Fixing	Nut M18x1,5
Material thickness	1-2,5mm
Cam type	A
Cam fastening	Snap ring
Cam path	180°, adjustable in 90° steps
Key blank	35 W
Standard cam	Cam 4.00.E329.4
EAN-Code (loose goods)	40 03482 22360 4
EAN-Code (SB-goods)	40 03482 22361 5
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 35 W




Cam Lock ZBK 71

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	A
Closure obligation	Yes
Cam fastening	Nut M6x1
Cam path	180°, adjustable in 90° steps
Key blank	34 W
Standard cam	For letterboxes Renz, Decayeux, Wesco
EAN-Code (loose goods)	40 03482 22370 3
EAN-Code (SB-goods)	40 03482 22371 0
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:



Standard cam:




Fixing:



Key blank: 34 W

- Dimension A: 21,8mm
- Dimension B: 8,0mm
- Dimension C: 10,3mm




Cam Lock ZBK 72

Technical data:


Surface	Chrome
Fixing	Nut
Material thickness	1-7mm
Cam type	A
Closure obligation	Yes
Cam fastening	Nut M16x1
Cam path	180°, adjustable in 90° steps
Key blank	34 W
Standard cam	For letterboxes Rombi, Knobloch
EAN-Code (loose goods)	40 03482 22380 2
EAN-Code (SB-goods)	40 03482 22381 9
Special versions	Keyed alike Keyed alike as per sample Special latch



Dimensions:




Standard cam:




Dimension A: 25mm Maß B: 8,0mm Maß C: 12mm

Fitting hole:



Fixing:



Key blank: 34W




Cam Lock ZBK 73

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	A
Closure obligation	Yes
Cam fastening	Nut M6x1
Cam path	180°, adjustable in 90° steps
Key blank	34 W
Standard cam	For letterboxes Brabantia (Blech)
EAN-Code (loose goods)	40 03482 22680 3
EAN-Code (SB-goods)	40 03482 22681 0
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:



Fixing:




Standard cam:



Dimension A: 25mm Maß B: 8,0mm Maß C: 12mm

Key blank: 34W




Cam Lock ZBK 74

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	A
Closure obligation	Yes
Cam fastening	Nut M6x1
Cam path	180°, adjustable in 90° steps
Key blank	34 W
Standard cam	For letterboxes Brabantia (Kunststoff)
EAN-Code (loose goods)	40 03482 22680 3
EAN-Code (SB-goods)	40 03482 22681 0
Special versions	Keyed alike Keyed alike as per sample Special latch



Dimensions:




Standard cam:




Dimension A: 25mm Maß B: 5,0mm Maß C: 12mm

Fitting hole:



Fixing:

Key blank: 34W




Cam Lock ZBK 75

Technical data:


Surface	Chrome
Fixing	Clamp spring / nut 19x1
Material thickness	1-2mm
Cam type	A
Closure obligation	Yes
Cam fastening	Nut M6x1
Cam path	90°, adjustable in 90° steps
Key blank	34 W
Standard cam	Renz, ME-FA (ab Bj. 2006)
EAN-Code (loose goods)	40 03482 36240 2
EAN-Code (SB-goods)	40 03482 36241 9
Special versions	Not available




Dimensions:



Fitting hole:





Standard cam:



Dimension: A: 25mm, B: 12mm, C: 10mm

Key blank: 34 W




Cam Lock ZS 76

Technical data:


Surface	Chrome
Fixing	Nut M16x1
Material thickness	1-5mm
Cam type	A
Cam fastening	Nut
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	33 W
Standard cam	RA 25/0, RA 25/2, RA 25/4
EAN-Code	40 03482 01270 3
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 33 W




Cam Lock ZS 77

Technical data:


Surface	Chrome
Fixing	Nut M16x1
Material thickness	1-10mm
Cam type	A
Cam fastening	Nut
Closure obligation	Yes
Cam path	180°, adjustable in 90° steps
Key blank	33 W
Standard cam	RA 25/0, RA 25/2, RA 25/4
EAN-Code (loose goods)	40 03482 03070 7
EAN-Code (SB-goods)	40 03482 03071 4
Special versions	Keyed alike Keyed alike as per sample Special latch



Dimensions:




Fitting hole:




Fixing:

Standard cam:



Key blank: 33 W




Cam Lock ZS 77 H

Technical data:


Surface	Chrome
Fixing	Sleeve
Material thickness	11-18,8mm
Cam type	-
Cam fastening	Screw
Closure obligation	Yes
Cam path	180°, adjustable in 90° steps
Key blank	33 W
Standard cam	RA 23/16
EAN-Code (loose goods)	40 03482 03080 6
EAN-Code (SB-goods)	40 03482 03081 3
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 33 W




Cam Lock ZS 80

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	A
Usable latch	Cam type A
Cam fastening	Snap ring
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	33 W
Standard cam	RA 25/0, RA 25/2, RA 25/4
EAN-Code (loose goods)	40 03482 01280 2
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 33 W




Cam Lock ZS 81

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	A
Cam fastening	Nut M6x1
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	33 W
Standard cam	RA 25/0, RA 25/2, RA 25/4
EAN-Code (loose goods)	40 03482 03110 0
EAN-Code (SB-goods)	40 03482 03111 7
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 33 W




Cam Lock ZS 82

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm bzw. 4-5mm
Cam type	A
Cam fastening	Nut M6x1
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	33 W
Standard cam	RA 25/0, RA 25/2, RA 25/4
EAN-Code (loose goods)	40 03482 01290 1
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:



Fixing:



Standard cam:



Key blank: 33 W




Cam Lock ZS 84

Technical data:


Surface	Chrome
Fixing	Nut M19x1
Material thickness	1-12mm
Cam type	B
Cam fastening	Nut M7x1
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	79W
Standard cam	RB-Typ
EAN-Code (loose goods)	40 03482 32530 8
EAN-Code (SB-goods)	40 03482 32531 5
Special versions	Keyed alike




Dimensions:




Standard cam:




Fitting hole:



Fixing:



Key blank: 79 W




Cam Lock ZS 85

Technical data:


Surface	Chrome
Fixing	Nut M19x1
Material thickness	1-12mm
Cam type	B
Cam fastening	Nut M6x1
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	36 W Profil V
Standard cam	RB 40/3, RB 40/6, RB 53/0
EAN-Code (loose goods)	40 03482 26880 3
EAN-Code (SB-goods)	40 03482 26881 0
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 36 W V




Cam Lock ZS 86

Technical data:


Surface	Chrome
Fixing	Nut M19x1
Material thickness	1-24mm
Cam type	B
Cam fastening	Nut M6x1
Closure obligation	No
Cam path	180°, adjustable in 90° steps
Key blank	36 W Profil V
Standard cam	RB 40/3, RB 40/6, RB 53/0
EAN-Code	40 03482 26890 2
Special versions	Keyed alike Keyed alike as per sample Special latch




Dimensions:




Fitting hole:




Fixing:



Standard cam:



Key blank: 36 W V







Cam Lock BK 92 K

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	Pin
Cam fastening	Pressed in
Closure obligation	Yes
Cam path	90°
Key blank	65 R
EAN-Code (loose goods)	40 03482 14120 5
EAN-Code (SB-goods)	40 03482 14121 2
Special versions	Keyed alike Keyed alike as per sample



Dimensions:




Key blank 65 R








Cam Lock BK 92 M

Technical data:


Surface	Chrome
Fixing	Clamp spring
Material thickness	1-2mm
Cam type	Own
Cam fastening	Clamp flap
Closure obligation	Yes
Cam path	90°
Key blank	65 R
EAN-Code (loose goods)	40 03482 14110 6
EAN-Code (SB-goods)	40 03482 14111 3
Special versions	Keyed alike Keyed alike as per sample



Dimensions:



Key blank 65 R




Furniture lock MZ 23 / MZ 2320

Technical data:


Surface	MZ 23 polished brass, MZ 2320 nickel plated,
Fixing	Lock case, screw fastening
Zylinderlänge	25mm
Riegelhub	10mm
Zylinderdurchmesser	22mm
Closure obligation	No
Dornmaß	15-40mm, adjustable in 5mm steps
Key blank	65 R
EAN-Code (loose goods) MZ 23	40 03482 04730 9
EAN-Code (SB-goods nur MZ 23)	40 03482 04731 6
EAN (lose Ware) MZ2320	40 03482 04780 4
Special versions	Keyed alike Keyed alike as per sample Master key system



Dimensions:



Key blank 65R:




Cam Lock MZ 26

Technical data:


Surface	nickel plated
Fixing	Screw-on plate
Material thickness	20mm
Cam type	Latch
Cam fastening	Screw
Closure obligation	Yes
Dornmaß	
Key blank	65 R
EAN-Code (loose goods)	40 03482 05050 7
Special versions	Keyed alike Keyed alike as per sample Master key system



Dimensions:



Key blank 65 R:




Furniture lock MZ 83

Technical data:


Surface	nickel plated
Fixing	Lock case, screw fastening
Zylinderlänge	23mm
Riegelhub	10mm
Zylinderdurchmesser	18mm
Closure obligation	No
Dornmaß	25 / 30 mm
Key blank	10 R
EAN-Code (loose goods)	40 03482 05390 4
EAN-Code (SB-goods)	40 03482 05391 1
Special versions	Keyed alike Keyed alike as per sample



Dimensions:



Key blank 10:




Cylinder lock blocking keys E 6 / E7

Technical data:

Surface	Brass
Fixing	-
Zylinderlänge	39mm
Schaftdurchmesser	E 6: 6mm / E 7: 7mm
Closure obligation	Key can only be removed in the closed position
Key blank	E 6: 22 E 7: 24
EAN-Code (loose goods) E 6	40 03482 04270 0
EAN-Code (SB-goods) E6	40 03482 04271 7
EAN-Code (loose goods) E 7	40 03482 04880 9
EAN-Code (SB-goods) E 7	40 03482 04881 6
Special versions	Keyed alike Keyed alike as per sample




Dimensions:



Key blank:

E 6: E7:
22 24



Cylinder lock blocking keys ME



Technical data:

Surface	Brass
Fixing	-
Zylinderlänge	19,3
Schaftdurchmesser	6mm
Closure obligation	Key can only be removed in the closed position
Key blank	14
EAN-Code (loose goods)	40 03482 04340 0
EAN-Code (SB-goods)	40 03482 04341 7
Special versions	Keyed alike Keyed alike as per sample



Dimensions:

Key blank 14:





Notes



Notes



ALWAYS THE
SAFE CHOICE!

BURG-WÄCHTER KG

Altenhofer Weg 15
58300 Wetter
Germany

TELEFON

+49 (0) 23 35 965 30

FAX

+49 (0) 23 35 965 390

E-MAIL

info@burg.biz

SOCIAL MEDIA

