

Excel Enbeam FTTH Outlet Loaded with 4x SC/APC Simplex Adaptors

Item Code: 200-449

excel
without compromise.



Buy Now From

Cable Intelligence 



 Hinged splice tray holds up to 8 heatshrink splice protectors

 Multiple cable entry points

 Fixing hardware included

 For use with flangeless adaptors

 Accepts LC duplex or SC simplex adaptors

 4x 40mm splice protectors supplied as standard

Product Overview

The Excel Enbeam FTTH Surface Mount Box has been designed for applications such as Fibre to the Home or Fibre to the Desk.

This Wall outlet can also be fitted with a DIN rail mounting plate for installations requiring DIN mounting capability.

Product Specifications

Feature	Values
Surface mounted	Yes
Type of connector	SC/APC simplex
With couplers	Yes
Suitable for number of couplers	4
Suitable for type of fibre	Single mode
Width	100 mm
Height	80.6 mm
Depth	29.5 mm

Excel Enbeam FTTH Outlet Loaded with 4x SC/APC Simplex Adaptors

Item Code: 200-449




Additional specifications

Features	Values
Capacity for 2 port	4 Fibres
Capacity for 4 port	8 Fibres
Material	ABS Plastic
Colour	White
Weight	83 grams
Operating Temperature	-20 to +85 °C

Included accessories

Accessories	2-port	4-port
Splice Protectors	2	4
Wall fixings	1 set	1 set

Product drawing



Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements

Excel Enbeam FTTH Outlet Loaded with 4x SC/APC Simplex Adaptors

Item Code: 200-449



EN 50173-1:2018

Information technology. Generic cabling systems - General requirements

UL-94-V-0

Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.

RoHS

Compliant to the Restriction of Hazardous Substances

WFD

Compliant to Waste Framework Directive

SCIP

Compliant - Does Not Contain Substances of Concern in Products

Part Number Table

Part Number	Description
200-446	Excel Enbeam FTTH Outlet up to 4 Fibres (Unloaded)
200-447	Excel Enbeam FTTH Outlet Loaded with 2x SC/APC OS1/OS2 Simplex Adaptors
200-448	Excel Enbeam FTTH Outlet up to 8 Fibres (Unloaded)
200-449	Excel Enbeam FTTH Outlet Loaded with 4x SC/APC Simplex Adaptors

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.