




Buy Now From





Product Overview

The Excel Encasa FTTH surface mount box has been designed for applications such as fibre to the home or fibre to the desk. This wall outlet also has an intergrated DIN rail mounting position for installations requiring DIN mounting capability and comes preloaded with 1 x SC/APC adaptor.

Product Specifications

Feature	Values
Surface mounted	yes
Type of connector	SC/APC simplex
With couplers	yes
Suitable for number of couplers	1
Suitable for type of fibre	Single mode
Width	80 mm
Height	80 mm
Depth	28 mm


Item Code: 207-403



Additional specifications

Features	Values
Material	ABS plastic
Colour	White
Operating temperature	-20 to +85 °C
UL-94-V-0	Yes

Product drawings



Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements

Item Code: 207-403



EN 50173-1:2018	Information technology. Generic cabling systems - General requirements
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.
RoHS	Compliant to the Restriction of Hazardous Substances
WFD	Compliant to Waste Framework Directive
SCIP	Compliant - Does Not Contain Substances of Concern in Products

Part Number Table

Part Number	Description
207-403	Excel Encasa FTTH 1 Fibre SCA Outlet Loaded with 1 x SCA Simplex Shuttered Adaptors
207-404	Excel Encasa FTTH 2 Fibre SCA Outlet Loaded with 2 x SCA Simplex Shuttered Adaptors
207-405	Excel Encasa FTTH 4 Fibre SCA Outlet Loaded with 4 x SCA Simplex Shuttered Adaptors

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at websales@cableintelligence.co.uk

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.