

TEST REPORT



REPORT NO:-BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :-190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 10 Hours

BATCH NO:-

TEST START DATE:-28/03/2019

TEST END DATE:- 29/03/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	80	167	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.1	10.2	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Purple	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	284	-286	ORP Meter
Hydrogen	PPB (Parts per billion)	0	420	Hydrogen Meter

Note:- Above test performed after passing -100 Liter water

Test Performed by :- Richa Acharya

QC. Department


Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmedabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

Continue**

Page no:-1 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT

REPORT NO:- BIF190420007

SAMPLE NAME:-H2 AAA SOP

SAMPLE TYPE:- PP CARTRIDGE(8")

TESTING PERIOD:- 40 Hours

TEST START DATE:-31/03/2019

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE WEIGHT :- 190gm

SAMPLE QTY:-1

BATCH NO:-

TEST END DATE:- 09/04/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	78	156	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	9.5	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	320	-25	ORP Meter
Hydrogen	PPB (Parts per billion)	0	76	Hydrogen Meter

Note:- Above test performed after passing -500 Liter water

Test Performed by :- Richa Acharya

QC Department

Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmedabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-2 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT



SAMPLE NAME:-H2 AAA SOP

SAMPLE TYPE:- PP CARTRIDGE(8")

TESTING PERIOD:- 50 Hours

TEST START DATE:-10/04/2019

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE WEIGHT :- 190gm

SAMPLE QTY:-1

BATCH NO:-

TEST END DATE:- 20/04/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	99	150	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.5	9.3	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	280	11	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -1000 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no: 3 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT

SAMPLE NAME:-H2 AAA SOP

SAMPLE TYPE:- PP CARTRIDGE(8")

TESTING PERIOD:- 50 Hours

TEST START DATE:-22/04/2019

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE WEIGHT :- 190gm

SAMPLE QTY:-1

BATCH NO:-

TEST END DATE:- 02/05/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	73	130	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.3	9	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	314	98	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -1500 Liter water

Test Performed by :- Richa Acharya

Richa Acharya
QC. Department

[Signature]
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-4 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8")

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-03/05/2019

TEST END DATE:-14/05/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	75	122	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	8.7	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	344	42	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -2000 Liter water

Test Performed by :- Richa Acharya

Richa Acharya
QC. Department

Richa Acharya
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-5 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8")

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-15/05/2019

TEST END DATE:-25/05/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	67	105	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.5	8.5	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	286	75	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -2500 Liter water

Test Performed by :- Richa Acharya

Richa Acharya
QC. Department

R. Patel
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-6 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) ☎ 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-


TEST START DATE:-27/05/2019


TEST END DATE:-06/06/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	69	112	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.5	8.5	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	302	86	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -3000 Liter water

Test Performed by :- Richa Acharya


QC. Department


Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-7 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-07/06/2019

TEST END DATE:-18/06/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	62	103	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.8	8.6	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Green	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	+276	36	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -3500 Liter water

Test Performed by :- Richa Acharya

Richa
QC. Department

Richa
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-8 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT



SAMPLE NAME:-H2 AAA SOP

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE WEIGHT :- 190gm

TESTING PERIOD:- 50 Hours

SAMPLE QTY:-1

TEST START DATE:-19/06/2019

BATCH NO:-

TEST END DATE:-29/06/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	55	90	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	8.5	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	310	98	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -4000 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-9 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT



REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-01/07/2019

TEST END DATE:-11/07/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	54	90	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	8.4	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	306	22	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -4500 Liter water

Test Performed by :- Richa Acharya

Richa Acharya
QC. Department

Richa Acharya
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-10 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

TEST REPORT

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-12/07/2019

TEST END DATE:-23/07/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	60	88	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.1	8.3	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	291	102	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -5000 Liter water

Test Performed by :- Richa Acharya

Richa Acharya
QC. Department

B. Patel
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-11 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-24/07/2019

TEST END DATE:-03/08/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	58	88	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.5	8.4	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	291	108	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -5500 Liter water

Test Performed by :- Richa Acharya

Richa Acharya
QC. Department

Richa Acharya
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-12 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

REPORT NO:- BIF190420007

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA SOP

SAMPLE WEIGHT :- 190gm

SAMPLE TYPE:- PP CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 50 Hours

BATCH NO:-

TEST START DATE:-05/08/2019

TEST END DATE:-16/08/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS (Total dissolve Solid)	PPM (Parts per Million)	60	92	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	8.3	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV (millivolts)	306	22	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -6000 Liter water

Test Performed by :- Richa Acharya


QC. Department


Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-13 of 13

BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY