

## TEST REPORT

REPORT NO:- BIF190420006 (A)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :- 295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-1 hour

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-17/08/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	57	161	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.3	10.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	297	-797	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	1561	Hydrogen Meter

Note:- Above test performed after passing – 10 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note :-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-1

## TEST REPORT

REPORT NO:- BIF190420006 (B)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :- 295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 4 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-21/08/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	59	117	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.0	10.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	327	-167	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	742	Hydrogen Meter

Note:- Above test performed after passing – 250 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-2

## TEST REPORT

REPORT NO:- BIF190420006 (C)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 9 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-26/08/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	59	114	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.2	10.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	368	-86	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	197	Hydrogen Meter

Note:- Above test performed after passing – 400 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-3

## TEST REPORT

REPORT NO:- BIF190420006 (D)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :- 295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 13 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-30/08/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	57	112	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.3	10.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	322	-53	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	172	Hydrogen Meter

Note:- Above test performed after passing – 520 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-4

## TEST REPORT

REPORT NO:- BIF190420006 (E)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :- 295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-28 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-14/09/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	60	114	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.0	10.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	323	-85	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	252	Hydrogen Meter

Note:- Above test performed after passing - 1030 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-5

## TEST REPORT

REPORT NO:- BIF190420006 (F)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-1 Month 7 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-24/09/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	73	128	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.3	9.7	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	235	93	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 1200 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-6

## TEST REPORT

REPORT NO:- BIF190420006 (G)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :- 295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-2 Month 6 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-23/10/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	75	129	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.2	10.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	344	-48	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	162	Hydrogen Meter

Note:- Above test performed after passing – 1410 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-7

## TEST REPORT

REPORT NO:- BIF190420006 (H)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-2 Month 25 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-11/11/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	71	120	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	10.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	344	-115	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	225	Hydrogen Meter

Note:- Above test performed after passing – 1690 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-8



## TEST REPORT

REPORT NO:- BIF190420006 (I)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-3 Month 11 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-28/11/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	69	103	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	+340	-74	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	295	Hydrogen Meter

Note:- Above test performed after passing – 1910 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-9

## TEST REPORT

REPORT NO:- BIF190420006 (J)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-3 Month 26 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-12/12/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	62	115	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	9.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	320	35	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 2040 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-10

## TEST REPORT

REPORT NO:- BIF190420006 (K)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-4 Month 20 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-06/01/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	55	99	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.2	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	306	70	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 2500 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-11

## TEST REPORT

REPORT NO:- BIF190420006 (L)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-4 Month 27 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-13/01/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	64	107	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	240	97	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 3060 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-12

## TEST REPORT

REPORT NO:- BIF190420006 (M)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-10 Month 1 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-18/06/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	58	98	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.1	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	250	40	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 3560 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-13

## TEST REPORT

REPORT NO:- BIF190420006 (N)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-11 Month 29 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-15/08/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	76	105	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	10.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	284	134	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 4090 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-14

## TEST REPORT

REPORT NO:- BIF190420006 (O)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-13 Month 12 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-29/09/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	23	55	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.1	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	223	44	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 4520 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-15

## TEST REPORT

REPORT NO:- BIF190420006 (P)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-16 Month 22 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-08/01/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	60	73	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.1	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	265	143	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 4970 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-16



## TEST REPORT

REPORT NO:- BIF190420006 (q)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 6 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-23/01/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	64	74	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.1	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	232	105	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 5280 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-17

## TEST REPORT

REPORT NO:- BIF190420006 (R)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 18 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-04/02/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	57	66	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.3	8.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	290	190	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 5690 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-18

## TEST REPORT

REPORT NO:- BIF190420006 (S)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 22 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-08/02/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	56	65	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	8.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	270	125	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 6110 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-19

## TEST REPORT

REPORT NO:- BIF190420006 (T)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 30 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-16/02/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	39	56	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.4	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	275	85	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing – 6640 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-20

## TEST REPORT

REPORT NO:- BIF190420006 (U)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-18 Month 10 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-27/02/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	52	73	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	315	90	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –7050 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-21

## TEST REPORT

REPORT NO:- BIF190420006 (V)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-18 Month 24 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-10/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	48	70	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.3	8.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Dark green	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	280	150	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -7420 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-22

## TEST REPORT

REPORT NO:- BIF190420006 (W)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 10 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-17/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	79	4	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	9.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	248	133	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –7800 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-23

## TEST REPORT

REPORT NO:- BIF190420006 (X)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 7 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-24/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	69	96	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.5	8.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	245	201	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –8160 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-24



## TEST REPORT

REPORT NO:- BIF190420006 (Y)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 19 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-05/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	64	70	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	8.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	265	153	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –8700 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-25

## TEST REPORT

REPORT NO:- BIF190420006 (Z)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 24 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-10/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	281	290	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.4	8.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	246	212	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -9000 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-26

## TEST REPORT

REPORT NO:- BIF190420006 (A1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 02 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-19/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	42	57	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.6	9.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	284	30	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -9360 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-27

## TEST REPORT

REPORT NO:- BIF190420006 (B1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 10 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-27/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	61	95	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.4	9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blule	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	280	39	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -9300 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-28

## TEST REPORT

REPORT NO:- BIF190420006 (C1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 15 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-01/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	161	184	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.8	8.9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	265	201	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –10000 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-29

## TEST REPORT

REPORT NO:- BIF190420006 (D1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 24 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-10/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	59	77	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	8.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	320	150	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -10460 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-30

## TEST REPORT

REPORT NO:- BIF190420006 (E1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-21 Month

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-17/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	56	76	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.3	9.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	250	122	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -10840 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-31

## TEST REPORT

REPORT NO:- BIF190420006 (F1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-21 Month 05 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-22/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	50	76	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	10.1	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	235	132	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -11080 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-32



## TEST REPORT

REPORT NO:- BIF190420006 (G1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- Month 10 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-30/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	69	70	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	276	207	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -11500 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-33

## TEST REPORT

REPORT NO:- BIF190420006 (H1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-21 Month 22 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-08/06/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	76	97	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	276	172	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -11940 Liter water

Test Performed by :- Meet Sharma

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-34

## TEST REPORT

REPORT NO:- BIF190420006 (I1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-22 Month 12 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-29/06/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	38	45	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	275	107	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -12260 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-35

## TEST REPORT

REPORT NO:- BIF190420006 (J1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-22 Month 23 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-09/07/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	45	54	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	9.1	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	245	100	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -12610 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-36

## TEST REPORT

REPORT NO:- BIF190420006 (K1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-23 Month 2 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-19/07/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	36	53	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	9.9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	322	140	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –13000 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-37

## TEST REPORT

REPORT NO:- BIF190420006 (L1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-23 Month 20 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-06/08/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	42	47	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	9.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Light Bue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	296	180	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –13350 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-38

## TEST REPORT

REPORT NO:- BIF190420006 (M1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-23 Month 27 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-13/08/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	38	52	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.2	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	329	176	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –13620 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-39

## TEST REPORT

REPORT NO:- BIF190420006 (N1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-25 Month 00 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-17/09/21

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	38	45	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.5	9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	329	201	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -14040 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-40



## TEST REPORT

REPORT NO:- BIF190420006 (O1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-27 Month 00 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-17/11/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	47	70	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	8.3	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Dark Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	209	108	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -14600 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-41

## TEST REPORT

REPORT NO:- BIF190420006 (P1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-33 Month 00 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-17/06/2022

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	34	49	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.1	9.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	311	246	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –15050 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-42

## TEST REPORT

REPORT NO:- BIF190420006 (Q1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA BWPA

SAMPLE WEIGHT :-295gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:-39 Month 17 Days

BATCH NO:- /

TEST START DATE:-17/08/2019

TEST END DATE:-03/12/2022

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	32	46	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.4	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	306	204	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing –15410 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-43