

TEST REPORT

REPORT NO:-BIF190420001 (A)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :-275gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 1 Hour

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-29/08/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	61	152	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	10.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	327	-544	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	845	Hydrogen Meter

Note:- Above test performed after passing - 20Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-1

TEST REPORT

REPORT NO:- BIF190420001 (B)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :-275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-16days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-14/09/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	70	120	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	8.1	10.7	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Blue	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	324	-156	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	405	Hydrogen Meter

Note:- Above test performed after passing - 590Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-2

TEST REPORT

REPORT NO:- BIF190420001 (C)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 1 Month 12days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-23/10/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	75	123	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.2	10.0	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	344	-95	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	183	Hydrogen Meter

Note:- Above test performed after passing - 970Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-3

TEST REPORT

REPORT NO:- BIF190420001 (D)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :-275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 2 Month 13 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-11/11/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	71	106	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	10.0	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	344	-84	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	107	Hydrogen Meter

Note:- Above test performed after passing - 1250Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-4

TEST REPORT

REPORT NO:- BIF190420001 (E)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 3 Month

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-28/11/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	69	107	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	340	-114	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	356	Hydrogen Meter

Note:- Above test performed after passing - 1470Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-5

TEST REPORT

REPORT NO:- BIF190420001 (F)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 3 Month 14days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-12/12/2019

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	62	110	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	320	-103	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	128	Hydrogen Meter

Note:- Above test performed after passing - 1600Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-6

TEST REPORT

REPORT NO:- BIF190420001 (G)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-4 Month 3 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-06/01/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	55	101	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.2	9.7	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	306	-33	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	105	Hydrogen Meter

Note:- Above test performed after passing - 2060Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-7

TEST REPORT

REPORT NO:- BIF190420001 (H)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-4 Month 15 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-13/01/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	64	106	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	9.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	240	-78	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	128	Hydrogen Meter

Note:- Above test performed after passing - 2620 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-8

TEST REPORT

REPORT NO:- BIF190420001 (I)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-9 Month

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-29/05/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	70	95	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7	10.1	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	325	58	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 2690 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-9

TEST REPORT

REPORT NO:- BIF190420001 (J)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-9 Month 17 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-15/06/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	70	95	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.2	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	53	-3	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	28	Hydrogen Meter

Note:- Above test performed after passing - 3000 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-10

TEST REPORT

REPORT NO:- BIF190420001 (K)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-9 Month 28 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-26/06/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	71	92	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	9.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	220	-26	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	60	Hydrogen Meter

Note:- Above test performed after passing - 3250 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-11

01/07/2020

Cartidge has blocked

TEST REPORT

REPORT NO:- BIF190420001 (L)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-10 Month 11 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-09/07/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	74	106	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	10.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	260	50	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 3560 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-12

TEST REPORT

REPORT NO:- BIF190420001 (M)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-10 Month 15 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-13/07/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	75	107	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	10.1	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	280	97	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 3720 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-13

TEST REPORT

REPORT NO:- BIF190420001 (N)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-16 Month 1 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-30/12/2020

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	42	66	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	10	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	282	30	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 3740 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-14

TEST REPORT

REPORT NO:- BIF190420001 (O)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-16 Month 11 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-09/01/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	62	85	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	270	51	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 3890 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-15

TEST REPORT

REPORT NO:- BIF190420001 (P)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-16 Month 21 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-19/01/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	64	78	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.4	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	260	-19	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	35	Hydrogen Meter

Note:- Above test performed after passing - 4080 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-16

TEST REPORT

REPORT NO:- BIF190420001 (Q)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 1 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-30/01/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	65	91	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	9.7	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	265	96	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 4340 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-17

TEST REPORT

REPORT NO:- BIF190420001 (R)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 12 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-10/02/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	57	75	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.4	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	265	110	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 4580 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:- 18

TEST REPORT

REPORT NO:- BIF190420001 (S)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-17 Month 20 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-18/02/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	41	69	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.4	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	267	31	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 4800 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-19

TEST REPORT

REPORT NO:- BIF190420001 (T)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-18 Month 3 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-18/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	48	75	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.1	9.9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	280	107	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	28	Hydrogen Meter

Note:- Above test performed after passing - 5000 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:- 20

TEST REPORT

REPORT NO:- BIF190420001 (U)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-18 Month 13 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-11/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	70	95	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.5	9.6	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	300	78	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 5300 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-21

TEST REPORT

REPORT NO:- BIF190420001 (V)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:- 18 Month 20 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-18/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	70	85	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.2	9.0	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	190	78	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	28	Hydrogen Meter

Note:- Above test performed after passing - 5500 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-22

TEST REPORT

REPORT NO:- BIF190420001 (W)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-18 Month 29days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-27/03/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	48	95	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.8	9.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light BLUE	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	342	88	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 5740 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:- 23

TEST REPORT

REPORT NO:- BIF190420001 (X)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 10 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-8/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	64	85	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	8.0	9.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	DARK Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	230	-42	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	127	Hydrogen Meter

Note:- Above test performed after passing - 5860 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-24

TEST REPORT

REPORT NO:- BIF190420001 (Y)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 22 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-20/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	124	124	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.2	9.0	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light BLUE	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	258	37	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 6020 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-25

TEST REPORT

REPORT NO:- BIF190420001 (Z)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-19 Month 28 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-26/04/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	55	81	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	318	150	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 6200 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-26

TEST REPORT

REPORT NO:- BIF190420001 (A1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 7 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-05/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	73	83	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.9	8.9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	245	172	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 6420 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-27

TEST REPORT

REPORT NO:- BIF190420001 (B1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 16 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-14/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	67	79	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.0	9.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	291	195	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 6880 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-28

TEST REPORT

REPORT NO:- BIF190420001 (C1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-20 Month 24 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-22/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	50	55	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.6	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	235	176	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 7300 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-29

TEST REPORT

REPORT NO:- BIF190420001 (D1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-21 Month 1 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-30/05/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	69	81	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.5	10.2	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	276	191	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 7890 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-30

TEST REPORT

REPORT NO:- BIF190420001 (E1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-21 Month 9 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-07/06/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	67	164	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	10.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	237	124	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 8000 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-31

TEST REPORT

REPORT NO:- BIF190420001 (F1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-21 Month 30 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-28/06/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	35	55	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	10.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	227	158	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 8350 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-32

TEST REPORT

REPORT NO:- BIF190420001 (G1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-22 Month 8 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-06/07/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	111	148	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.5	9.5	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	222	39	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 8800 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-33

TEST REPORT

REPORT NO:- BIF190420001 (H1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-22 Month 12 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-10/07/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	36	63	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.1	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	266	137	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 9120 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-34

TEST REPORT

REPORT NO:- BIF190420001 (I1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD: 22 Month 18 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-16/07/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	39	58	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Purple	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	352	210	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 9400 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-35

TEST REPORT

REPORT NO:- BIF190420001 (J1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-22 Month 17 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-22/07/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	39	52	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	9.3	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	340	209	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 9610 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-36

TEST REPORT

REPORT NO:- BIF190420001 (L1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8")

SAMPLE QTY:-1

TESTING PERIOD:-23 Month 8 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-06/08/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	42	54	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.7	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	288	191	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 10030 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-37

TEST REPORT

REPORT NO:- BIF190420001 (M1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-23 Month 15 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-13/08/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	38	64	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.2	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Dark Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	329	210	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 10470 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-38

TEST REPORT

REPORT NO:- BIF190420001 (N1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-23 Month 19 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-17/08/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	30	38	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	8.7	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	318	229	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 10670 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-39

TEST REPORT

REPORT NO:- BIF190420001 (O1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-24 Month 22 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-14/09/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	36	59	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	6.9	9.8	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	313	159	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 11010 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-40

TEST REPORT

REPORT NO:- BIF190420001 (P1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-25 Month 05 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-28/09/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	38	58	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.0	8.9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	294	219	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 11560 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-41

TEST REPORT

REPORT NO:- BIF190420001 (Q1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-27 Month 9 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-01/12/2021

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	106	132	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	8.4	9.4	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	207	125	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 12110 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-42

TEST REPORT

REPORT NO:- BIF190420001 (R1)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+Alkaline AAA

SAMPLE WEIGHT :- 275 gm

SAMPLE TYPE:- PC CARTRIDGE(8'')

SAMPLE QTY:-1

TESTING PERIOD:-33 Month 26 days

BATCH NO:- /

TEST START DATE:-29/08/2019

TEST END DATE:-18/06/2022

Test Name	Parameters	Ro Water	Product Water	Testing Method
TDS (Total Dissolve Solid)	PPM (Parts per Million)	109	122	TDS Meter
PH (Potential of Hydrogen)	PH(0-14)	7.2	9	PH Meter
PH (Potential of Hydrogen)	PH(0-14)	Light Green	Light Blue	PH Reagent
ORP (Oxidation Reduction Potential)	MV (Millivolts)	301	200	ORP Meter
Hydrogen	PPB (Parts per Billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing - 12450 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law

*****Continue*****

Page no:-43

