

## TEST REPORT

REPORT NO:- BIF190420003

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA MWP

SAMPLE WEIGHT :-65gm

SAMPLE TYPE:- PP CARTRIDGE(5")

SAMPLE QTY:-1

TESTING PERIOD:-10 HOUR

BATCH NO:-

TEST START DATE:-23/09/2019

TEST END DATE:- 24/09/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	72	145	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.3	9.5	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	314	-175	ORP Meter
Hydrogen	PPB (Parts per billion)	0	621	Hydrogen Meter

Note:- Above test performed after passing -100 Liter water

Test Performed by :- Richa Acharya

*Richa*  
QC. Department

*R.Patel*  
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-1

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) ☎ 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

REPORT NO:- BIF190420003

SAMPLE SUBMITTED BY:- QA DEPT.

SAMPLE NAME:- Bio+ H2 AAA MWP

SAMPLE WEIGHT :- 65gm

SAMPLE TYPE:- PP CARTRIDGE(5")

SAMPLE QTY:-1

TESTING PERIOD:- 40 Hours

BATCH NO:-

TEST START DATE:-25/09/2019

TEST END DATE:- 10/11/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	75	126	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	9.3	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	344	-124	ORP Meter
Hydrogen	PPB (Parts per billion)	0	250	Hydrogen Meter

Note:- Above test performed after passing -500 Liter water

Test Performed by :- Richa Acharya

  
QC. Department

  
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-2

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.  
Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)  
+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

## TEST REPORT

SAMPLE NAME:-Bio+ H2 AAA MWP

SAMPLE TYPE:- PP CARTRIDGE(5")

TESTING PERIOD:-50 Hours

TEST START DATE:-11/11/2019

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE WEIGHT :- 65gm

SAMPLE QTY:-1

BATCH NO:-

TEST END DATE:- 22/11/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	70	122	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.4	9.2	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	354	52	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -1000 Liter water

Test Performed by :- Richa Acharya

  
QC. Department

  
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-3

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

## TEST REPORT



Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	71	100	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.5	9.1	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	336	187	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -1500 Liter water

Test Performed by :- Richa Acharya

QC. Department

*(Signature)*

Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-4

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

## TEST REPORT

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	69	98	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.5	8.9	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	340	162	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -2000 Liter water

Test Performed by :- Richa Acharya

  
QC. Department

  
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-5

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

## TEST REPORT



SAMPLE NAME:-Bio+ H2 AAA MWP

SAMPLE TYPE:- PP CARTRIDGE(5")

TESTING PERIOD:-50 Hours

TEST START DATE:-20/12/2019

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE WEIGHT :- 65gm

SAMPLE QTY:-1

BATCH NO:-

TEST END DATE:-31/12/2019

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	52	76	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.7	8.6	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	320	219	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -2500 Liter water

Test Performed by :- Richa Acharya

*Richa Acharya*  
QC. Department

*Richa Acharya*  
Authorised Signatory

Note .

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-6

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY

## TEST REPORT



REPORT NO:- BIF190420003

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-Bio+ H2 AAA MWP

SAMPLE WEIGHT :- 65gm

SAMPLE TYPE:- PP CARTRIDGE(5")

SAMPLE QTY:-1

TESTING PERIOD:-50 Hours

BATCH NO:-

TEST START DATE:-02/01/2020

TEST END DATE:-13/01/2020

Test Name	Parameters	Ro Water	Product water	Testing Method
TDS ( Total dissolve Solid)	PPM (Parts per Million)	55	87	TDS Meter
PH (Potential of Hydrogen.)	PH(0-14)	6.2	8.3	PH Meter
PH (Potential of Hydrogen.)	PH(0-14)	Light Yellow	Blue	PH REAGENT
ORP (Oxidation Reduction Potential)	MV ( millivolts)	306	-95	ORP Meter
Hydrogen	PPB (Parts per billion)	0	0	Hydrogen Meter

Note:- Above test performed after passing -3000 Liter water

Test Performed by :- Richa Acharya

*Richa*  
QC. Department

*[Signature]*  
Authorised Signatory

Note:

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

\*\*\*\*\*Continue\*\*\*\*\*

Page no:-7

### BIOTECH INDUSTRIES

Office : 2B/3, 7th floor, Rangoli Tower, Opp. V.S.Hospital, Ashram road, Ellisbridge, Ahmedabad-380 006 Gujarat (INDIA) 1800 313 1983.

Factory : B-51, Bileshwar Estate, Opp. G.V.M.M. Odhav, SP Ring Road, Ahmedabad-382415. Gujarat. (INDIA)

+91 75740 30210 support@biopluswater.in biopluswater.in GSTIN/UIN: 24AAQFB0872P1ZY