

TEST REPORT

REPORT NO:-BIF190420012 (A)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 1 Hour

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-01/06/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 71 | 172 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.9 | 10.7 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 297 | -834 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 1617 | Hydrogen Meter |

Note:- Above test performed after passing - 10 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-1

TEST REPORT

REPORT NO:- BIF190420012 (B)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 15 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-16/06/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 70 | 111 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.8 | 10.1 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 26 | -40 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 200 | Hydrogen Meter |

Note:- Above test performed after passing - 10 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-2

TEST REPORT

REPORT NO:- BIF190420012 (C)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 1 Month

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-01/07/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 70 | 111 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.8 | 10.3 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 300 | -50 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 307 | Hydrogen Meter |

Note:- Above test performed after passing - 650 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-3

TEST REPORT

REPORT NO:- BIF190420012 (D)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 1 Month 9 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-10/07/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 75 | 115 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.8 | 10.4 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 250 | -215 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 410 | Hydrogen Meter |

Note:- Above test performed after passing - 1040 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-4

TEST REPORT

REPORT NO:- BIF190420012 (E)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 2 Month 17 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-18/08/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 69 | 99 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.4 | 10.1 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 334 | 66 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 1440 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-5

TEST REPORT

REPORT NO:- BIF190420012 (F)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 6 Month 30 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-31/12/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 40 | 74 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.2 | 9.9 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 285 | 42 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 1780 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-6

TEST REPORT

REPORT NO:- BIF190420012 (G)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 7 Month 10 days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-11/01/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 63 | 97 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.3 | 9.7 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 282 | 58 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 307 | Hydrogen Meter |

Note:- Above test performed after passing - 2020 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-7

TEST REPORT

REPORT NO:- BIF190420012 (H)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 7 Month 27 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-28/01/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 64 | 105 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.5 | 9.8 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 262 | -49 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 90 | Hydrogen Meter |

Note:- Above test performed after passing – 2400 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-8

TEST REPORT

REPORT NO:- BIF190420012 (I)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 9 Month 19 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-20/03/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 64 | 94 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 8 | 10.4 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Dark Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 265 | 91 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing – 2720 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-9

TEST REPORT

REPORT NO:- BIF190420012 (J)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 10 Month 5 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-06/04/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 145 | 295 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.7 | 9.2 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 288 | 162 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 3060 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-10

TEST REPORT

REPORT NO:- BIF190420012 (K)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 10 Month 22 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-23/04/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 51 | 70 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.7 | 9 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 153 | 110 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 3340 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-11

TEST REPORT

REPORT NO:- BIF190420012 (L)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 11 Month 4 days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-05/05/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 73 | 102 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.9 | 8.6 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Blue | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 245 | 60 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing – 3670 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-12

TEST REPORT

REPORT NO:- BIF190420012 (M)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 1 Month

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-1/05/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 56 | 94 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.1 | 10.3 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 246 | 130 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 4190 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-13

TEST REPORT

REPORT NO:- BIF190420012 (N)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 11 Month 20 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-21/05/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 46 | 67 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.6 | 10.1 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 296 | 205 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 4590 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-14

TEST REPORT

REPORT NO:- BIF190420012 (O)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 11 Month 29 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-30/05/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 69 | 87 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.5 | 10.3 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 276 | 84 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 5010 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-15

TEST REPORT

REPORT NO:- BIF190420012 (P)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 12 Month 27 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-28/06/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 35 | 84 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.7 | 10.3 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 227 | 65 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 5310 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-16

TEST REPORT

REPORT NO:- BIF190420012 (Q)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 13 Month 8 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-09/07/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 41 | 73 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.1 | 9.5 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Blue | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 242 | 87 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 5720 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-17

TEST REPORT

REPORT NO:- BIF190420012 (R)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 13 Month 15 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-16/07/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 39 | 66 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.1 | 10.1 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 352 | 73 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 6060 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-18

TEST REPORT

REPORT NO:- BIF190420012 (S)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 13 Month 30 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-31/07/2020

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 37 | 51 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.2 | 10.4 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 340 | 180 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 6400 Liter water

Test Performed by :- Richa Acharya

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-19

TEST REPORT

REPORT NO:- BIF190420012 (T)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 14 Month 6 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-07/08/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 38 | 52 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.2 | 9.8 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Dark Blue | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 338 | 143 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing - 6660 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-20

TEST REPORT

REPORT NO:- BIF190420012 (U)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 14 Month 16 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-17/08/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 30 | 54 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 6.9 | 10.2 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 318 | 125 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing -7180 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-21

TEST REPORT

REPORT NO:- BIF190420012 (V)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11''

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11'')

SAMPLE QTY:-1

TESTING PERIOD:- 17 Month 16 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-17/11/2021

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 47 | 65 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 8.3 | 9.2 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Blue | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 209 | 98 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing -8190 Liter water

Test Performed by :- Avdesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-22

TEST REPORT

REPORT NO:- BIF190420012 (w)

SAMPLE SUBMITTED BY :- QA DEPT.

SAMPLE NAME:-H2 AAA+Active Copper 11"

SAMPLE WEIGHT :-295 gm

SAMPLE TYPE:- PP CARTRIDGE(11")

SAMPLE QTY:-1

TESTING PERIOD:- 24 Month 19 Days

BATCH NO:- /

TEST START DATE:-01/06/2020

TEST END DATE:-20/06/2022

| Test Name | Parameters | Ro Water | Product Water | Testing Method |
|-------------------------------------|-------------------------|-------------|---------------|----------------|
| TDS (Total Dissolve Solid) | PPM (Parts per Million) | 105 | 120 | TDS Meter |
| PH (Potential of Hydrogen) | PH(0-14) | 7.2 | 9.2 | PH Meter |
| PH (Potential of Hydrogen) | PH(0-14) | Light Green | Light Purple | PH Reagent |
| ORP (Oxidation Reduction Potential) | MV (Millivolts) | 281 | 130 | ORP Meter |
| Hydrogen | PPB (Parts per Billion) | 0 | 0 | Hydrogen Meter |

Note:- Above test performed after passing -8650 Liter water

Test Performed by :- Avdhesh Mishra

QC. Department

Authorised Signatory

Note:-

1. This report is not to be reproduced wholly or in part and can not be used as a evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Subject to Ahmadabad Jurisdiction.
3. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful And offenders may be prosecuted to the fullest extent of the law.

*****Continue*****

Page no:-23

