





Oliver


Designer: Gianfranco Frattini
Year: (1957) 2017

A reissue of a 1957 design by Gianfranco Frattini, Oliver sofa has a light steel frame and wooden feet, while the seat and back are hand-upholstered with artisanal tufting. Essential and elegant, Oliver's timeless style makes it an iconic piece of contemporary design.

Developed by Tacchini in Italy

Dimensions (cm)

Cod. OOLIV190



L 190 P 83,5 cm
H 77 cm
Seat H 40 cm

Non-removable covers

CAD Files:
3D (.dwg, .3ds)
2D (.dwg)

Download CAD files at tacchini.it/en/downloads


Materials description

Internal frame: poplar plywood 25 mm thick and 18 mm thick conifer plywood with belts.

Padding: multi-density polyurethane foam.

Base: painted or chromed metal. Feet in stained ash.

Upholstery: not removable.

Painted base

T02 RAL 9016
White



T07 RAL 9011
Black


Chromed base

T27
Matt Black Chromed

Suggested upholsteries



Bakul




Bamboo



Bopha



Bryony



Cacao



Caladium



Calantha



Cambria



Descampsia



Dianella




Dionea



Drosera



Dulcamara



Equisetum




Euclidium




Eugenia



Evonimo



Eremurus



Escallonia



Escobaría



Laelia



Lamium



Lars



Loren



Ligustrum




Salix



Sedum




Schinus



Thesium



Tibouchina



Ricinus



Mirabilis



Guarana




Leather



Aniline Leather

Materials informations



Polyurethane foam	28%
Upholstery	21%
Coniferous plywood	16%
Poplar plywood	12%
Metal	12%
Elastic belts	7%
Ash	4%

Polyurethane

Flexible expanded polyurethane is a solid elastic polymeric material with open cell structure. It is a non-toxic material and above all free from ozone-damaging components. Production and processing of the polyurethane we use meet the objectives of the new policy of ensuring the protection of human health and of the environment. We focus in particular on the choice and use of the types of density of polyurethane suitable for preserving over the years the features of load capacity, elasticity and resilience. For products used in public spaces flame-retardant expanded polyurethane is chosen, tested and certified according to international regulations.

Wood

Wood is a renewable raw material. All products derived from wood, such as for example plywood, have the advantage of being able to be machined more easily than wood and do not deform. The timber we use – solid or plywood – comes mainly from European and Russian forests and is seasoned to specific values of humidity with tests. Most of the structures of the products in the collection have a frame in solid pine or ash, or in beech or poplar plywood.

Metal

The need to combine complex yet lightweight shapes with resistant materials necessarily involves the use of metals such as steel and aluminium. Products in polyurethane foam are made with an inner steel frame for adding strength to the structure. The bases are in tubular metal which can be chromed with a gloss or satin finish or painted with epoxy powders.

Foam

Similar to polyurethane, foam is used for moulding products with special and organic shapes. It is a material which is highly resistant to ageing and flames. Its appearance at the edges is clean, compact. All products made with a foam structure offer a solution with extraordinary comfort.

Elastic belts

The elastic belt used on the seats of our upholstered products is a component to be chosen with care in order to ensure adequate elasticity and springing for the dimension and the structure of the product. We use plaited elastic webbing to add greater comfort and resistance to weight stresses.

Recyclability

All Ischia elements are 100% recyclable when fully separated. Tacchini undertakes on-going research and development, with efforts made to introduce products which are a perfect combination of function and safety without jeopardizing the final design of the same articles. During production attempts are made to minimize noise and emission levels and to reduce rejects as far as possible. All the single materials which make up the production process, once disassembled, can be reused several times, maintaining a high quality standard.

Packaging

Ischia element is dispatched already assembled. It is protected by tissue paper and cellophane to protect the covering from dust and direct contact with the cardboard. The product is packed in rigid cardboard boxes suitable for world export. Manufacture of the packaging observes the criteria for recovery both as recycling and energy recovery and composting.

Once a product reaches the end of its life cycle it has to be eliminated.

To discover more about Tacchini environmental policy please visit: www.tacchini.it



Gianfranco Frattini

Gianfranco Frattini was born in Padua, Italy, on 15th May, 1926. He graduated in Architecture, at the Politecnico, Milan, in 1953. At the end of the 50's, he is one of the founders of ADI, Association for Industrial Design. Frattini opened his own studio in Milan, after working in the office of his teacher and mentor Gio Ponti. In few years, he became an industrial designer, well-known worldwide. Among his many successful projects, in 1956 designed the chair model 849, nominated for the "Compasso d'Oro" Prize. Now, this armchair, which takes shapes from the original design, is proposed by Tacchini with the name of "Agnese".

Selected projects:

Porto Palacio
(Lisbon, Portugal)



Signature Kitchen Suite
(Milan, Italy)