

**BOEHRINGER INGELHEIM ANIMAL HEALTH USA INC.**

3239 SATELLITE BLVD., BLDG 500, DULUTH, GA, 30096

Telephone: 800-325-9167

Customer Service: 800-243-0127

Fax: 816-236-2717

Website: [www.boehringer-ingelheim.com](http://www.boehringer-ingelheim.com)



THIS SERVICE AND DATA ARE PROVIDED "AS IS". DVMetrics assumes no liability, and each user assumes full risk, responsibility, and liability, related to its use of the DVMetrics service and data. See the Terms of Use for further details.

---

**Ingelvac MycoFLEX®**

**Boehringer Ingelheim Animal Health**

**Mycoplasma Hyopneumoniae Bacterin**

This product has been shown to be effective for the vaccination of healthy swine 3 weeks of age or older against *Mycoplasma hyopneumoniae*. Duration of immunity is at least 26 weeks. For more information regarding efficacy and safety data go to [productdata.aphis.usda.gov](http://productdata.aphis.usda.gov).

**Composition:** Prepared from chemically inactivated cultures of *M. hyopneumoniae*, combined with an adjuvant to stimulate the immune response.

**Directions and dosage:** Shake well before use. Using aseptic technique, inject a single 1 mL dose intramuscularly. For advice on revaccination frequency, contact your veterinarian or the manufacturer.

**Precautions:** Store at 35-46°F (2-8°C). Do not freeze. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Do not mix with other products. In case of anaphylactoid reaction, administer epinephrine. This product has not been tested in pregnant animals. In case of human exposure, contact a physician. **Caution: Do not use as diluent for live vaccines.**

**Boehringer Ingelheim Animal Health USA Inc.,** St. Joseph, MO 64506

Phone: 1 (888) 637-4251

VLN/PCN 124/2775.02

<b>50 Doses/50 mL</b>	127301-02
<b>250 Doses/250 mL</b>	127303-02

CPN: 1028171.4