

MERCK ANIMAL HEALTH

Intervet Inc.

2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767

Order Desk: 800-648-2118

Technical Service (Companion Animal): 800-224-5318

Technical Service (Livestock): 800-211-3573

Fax: 973-937-5557

Website: www.merck-animal-health-usa.com



THIS SERVICE AND DATA ARE PROVIDED "AS IS". DVMetrics assumes no liability, and each user assumes full risk, responsibility, and liability, related to its use of the DVMetrics service and data. See the Terms of Use for further details.

SABER™ EXTRA INSECTICIDE EAR TAGS

Intervet/Merck Animal Health

For up to 5 months control of horn flies and up to 4 months control of face flies (Use two tags per head) on beef and non-lactating dairy cattle and calves.

ACTIVE INGREDIENTS:	
Lambdacyhalothrin: [1 α -(S*), 3 α (Z)]-(±)-cyano-(3-phenoxyphenyl) methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate	10%
Piperonyl Butoxide*	13%
INERT INGREDIENTS	77%
	100%

*(butyl carbityl)(6-propylpiperonyl) ether and related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 773-75

EPA Est. No. 618-LA-1

U.S. Patent No. 4,953,313

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.

IF IN EYES:

- Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center or doctor or going for treatment.

You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Personal Protection Equipment (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, Shoes, socks and Chemical-resistant gloves made of any waterproof material.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticides get inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The labeling must be in the possession of the user at the time of pesticide application. Avoid contamination of food or feedstuffs. Wear rubber or nonpermeable protective gloves when applying or removing tags.



FIGURE 1

Place male button onto pin until it projects through the tip.



FIGURE 2

Dip tag button into disinfectant solution.



FIGURE 3

Press female tag under the clip by depressing lever.



FIGURE 4

Apply through ear between second and third rib, halfway between ear tip and head.

For optimum control and to minimize development of insect resistance, use two tags per animal (one in each ear). All animals in the herd should be tagged. Apply when flies first appear in the spring. Replace as necessary. Apply with ALLFLEX®* Tagging System. Tags remain effective up to 5 months. Remove tags in the fall.

Continual exposure of horn flies to a single class of insecticides (eg. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticides. In order to reduce the possibility of horn flies developing resistance, it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. For advice concerning current control practices with relation to specific local conditions, consult resources in resistive management programs and/or your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in cool place away from direct sunlight. **Pesticide Disposal:** Remove tags before slaughter. Tags may be disposed of on site or at an approved waste disposal facility. **Container**

Disposal: Nonrefillable container. Do not reuse or refill this container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

MERCK ANIMAL HEALTH MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS ON THE LABEL.

Intervet Inc (d/b/a Merck Animal Health) 2 Giralda Farms, Madison, NJ 07940

Copyright © 1998, 2018, Intervet Inc a subsidiary of Merck & Co. Inc. All rights reserved.

*ALLFLEX is a registered trademark of Allflex USA, Inc.

Net Wt:	Contents:		
9.5 grams per tag	20 tags and buttons	0061-5019-02	179320 R2 Rev. 08/18
Treats 10 Head Of Cattle			

CPN: 1047173.5