IMMUCELL CORPORATION

56 EVERGREEN DRIVE, PORTLAND, ME, 04103

Telephone: 207-878-2770 Order Desk: 800-466-8235 Fax: 207-878-2117

Website: www.firstdefensecalfhealth.com

Email: orders@immucell.com



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

TRI-SHIELD FIRST DEFENSE®

ImmuCell

Developers of First Defense®

Bovine Rotavirus-Coronavirus-Escherichia Coli Antibody, Bovine Origin TRI-SHIELD FIRST DEFENSE® has been shown to be effective for passive immunity against K99+ *E. coli*, bovine coronavirus and bovine rotavirus when administered within 12 hours of birth. Specifically, TRI-SHIELD FIRST DEFENSE® aids in the reduction of:

- Mortality and morbidity from scours caused by K99+ *E. coli* and bovine coronavirus. While also reducing:
- Severity and duration of scours caused by bovine rotavirus.

DIRECTIONS: Do not delay colostrum. For best results, TRI-SHIELD FIRST DEFENSE® gel should be administered to calves orally, within 12 hours after birth. Remove the tube cap, placing the tip at the back of the throat. Initiate the plunger and squeeze the entire tube contents into the calf's mouth, ensuring the calf swallows all of the gel.

PRECAUTIONS: Store refrigerated (35-46°F, 2-8°C). Do not split dose between multiple calves. Use entire contents when first opened. Blue dye is non-digestible serving as a tracker through the system to ensure calf received treatment. First fecal stool after administration will be blue in color. For use in animals only. Do not mix with other products, except as specified on the label. Preservative: Thimerosal. U.S. Veterinary License No. 327

PCN 3625.R2

FirstDefenseCalfHealth.com

800-466-8235

Manufactured by ImmuCell Corporation, 56 Evergreen Drive, Portland, ME 04103

Single-dose 30 cc gel tube; 12 tubes/box Rev 1

CPN: 1120011.1