

MERCK ANIMAL HEALTH

Intervet Inc.

2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767

Order Desk: 800-648-2118

Technical Service (Companion Animal): 800-224-5318

Technical Service (Livestock): 800-211-3573

Fax: 973-937-5557

Website: www.merck-animal-health-usa.com



THIS SERVICE AND DATA ARE PROVIDED "AS IS". DVMetrics assumes no liability, and each user assumes full risk, responsibility, and liability, related to its use of the DVMetrics service and data. See the Terms of Use for further details.

ULTRA SABER™

Intervet/Merck Animal Health

POUR-ON INSECTICIDE FOR BEEF CATTLE & CALVES

For Control of Horn Flies and Lice

Season-Long Lice Control† with One Application

May be used with Automatic Dosing System

ACTIVE INGREDIENT:	%[W/W]
Lambdacyhalothrin: [1 α -(S), 3 α (Z)]-(\pm)-cyano (3-phenoxyphenyl)-methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate	1.0%
Piperonyl butoxide	5.0%
OTHER INGREDIENTS	94.0%
TOTAL	100.0%

Keep Out of Reach of Children

WARNING

EPA Reg. No. 773-92

EPA Est. No. 618-LA-1

FIRST AID

If Swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If On Skin Or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If Inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **You may also contact the Rocky Mountain Poison Center 303-595-4869 for emergency treatment information.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

WARNING: May be fatal if swallowed. Causes skin irritation. Do not get on skin, in eyes, or on clothing. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing vapor or spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicator and other handlers must wear:

- Long-sleeve shirt and long pants
- Shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Do not apply in a way that will contact workers or other person, either directly or through drift. Only protected handlers may be in the area during application.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Never apply material so as to contaminate eating or drinking area.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE - No dilution necessary. Do not apply to lactating for dry dairy cows. Do not apply this product to face of beef or calves.

Apply To	Target Insects	Dosage	
Beef Cattle and Calves	Lice, Horn flies	Apply product down the backline at the rate of	
		Less than 600 lbs	Greater than 600 lbs
		10 mL (1/3 fl oz)	15 mL (1/2 fl oz)
Repeat treatment as needed, however do not apply more than once every 2 weeks and do not apply more often than four times within any 6-month period.			

Special Note: ULTRA SABER™ Pour-On is not recommended for use on veal calves. ULTRA SABER Pour-On is not effective in controlling cattle grubs. Therefore, this product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatment products. ULTRA SABER Pour-On should be used in an integrated pest management system, which may involve repeat treatments and the use of other pest control practices. Continual exposure of horn flies to a single class of insecticide, (eg, pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs and your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep container sealed when not in use. Do not store near food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

†Season-long lice control from January - April

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, INTERVET, INC./MERCK ANIMAL HEALTH MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR OTHERWISE EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE

OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS ON THE LABEL.

Intervet Inc (d/b/a Merck Animal Health), 2 Giralda Farms, Madison, NJ 07940

Copyright© 2007, 2018 Intervet Inc, a subsidiary of Merck & Company, Inc., All rights reserved.

Net Contents:		
30 fl oz (900 mL) Squeeze 'N' Measure™ Bottle	0061-5478-01	186604 R1 08/18 390213 R1 Rev. 08/18
Treats 90 550 lb Cattle		
One US Gallon (3.785 L)	0061-5478-02	188849 R1 08/18 349034 R1 Rev. 08/18
Treats 378 550 lb Cattle		

CPN: 1047294.3