

Label	Use/Dose
-------	----------

## HUVEPHARMA, INC.

525 WESTPARK DR., SUITE 230, PEACHTREE CITY, GA, 30269

Telephone: 770-486-7212

Toll-Free: 877-994-4883

Fax: 770-486-7217

Website: [www.huvepharma.com](http://www.huvepharma.com)



THIS SERVICE AND DATA ARE PROVIDED "AS IS". DVMetrics assumes no liability, and each user assumes full risk, responsibility, and liability, related to its use of the DVMetrics service and data. See the Terms of Use for further details.

## CORID® 1.25% CRUMBLES

**Huvepharma**

(amprolium)

Type C Medicated Feed

Coccidiostat for Calves

(amprolium Type C medicated feed)

An aid in the prevention and treatment of coccidiosis caused by *Eimeria bovis* and *E. zuernii* in calves.

### ACTIVE DRUG INGREDIENT:

Amprolium	1.25% (5,670 mg/lb)
-----------	---------------------

**INGREDIENTS:** Does not contain ingredients of ruminant origin. See bag tag for ingredients.

Dehydrated Alfalfa Meal, Wheat Midds, Calcium Carbonate, Soybean Oil, Lignin Sulfate, Artificial and or Natural Flavor.

### GUARANTEED ANALYSIS

Protein, not less than	12.0%
Crude fat, not less than	1.5%
Crude fiber, not more than	22%

**MANUFACTURED UNDER LICENSE BY:** See Bag Tag for Medicated Feed Manufacturer

**INDICATIONS:** An aid in the prevention and treatment of coccidiosis caused by *Eimeria bovis* and *E. zuernii* in calves.

**CAUTION:** For satisfactory diagnosis, a microscopic examination of the feces should be done before treatment. When treating outbreaks, drug should be administered promptly after diagnosis is determined. Do not use in Type B or Type C medicated feeds containing bentonite.

### DOSAGE:

21-Day Prevention Protocol	5-Day Treatment Protocol
Daily Dosage: 5 mg amprolium/kg (5 mg per 2.2 lb body weight)	Daily Dosage: 10 mg amprolium/kg (10 mg per 2.2 lb body weight)

There are approximately **5,670 mg** of amprolium in every **1 lb** of CORID 1.25% Crumbles.

### FEEDING INSTRUCTIONS:

CORID 1.25% Crumbles should be thoroughly and evenly mixed in the feed in accordance with good manufacturing practice. The proper amount of CORID 1.25% Crumbles should be mixed daily with the ration consumed each day. If preferred, it may be top-dressed on the feed. The tables below give suggested directions for feeding CORID 1.25% Crumbles.

### USE DIRECTIONS:

**21-DAY PREVENTION:** CORID 1.25% Crumbles should be fed daily for 21 days (5 mg/kg) at the rate of 1 lb (453.6 g) for each 2500 lb (1134 kg) body weight, or approximately 0.4 lb (6.4 oz) (181.6 g) for each 1,000 lb of body weight. This amount will supply 226.8 mg amprolium/100 lb body weight. Feed during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard.

Animal Weight		Approximate Daily Dose per Head		Daily Amount of CORID 1.25% per	
		Amprolium	CORID 1.25%	1 Head	100 Head
lb	kg	mg	g	lb	lb
100	45.4	227	18.2	0.04	4
200	90.8	454	36.3	0.08	8
300	136.1	680.5	54.4	0.12	12
400	181.5	907.5	72.6	0.16	16
500	226.8	1134	90.7	0.20	20
600	272.2	1361	108.9	0.24	24

**5-DAY TREATMENT:** CORID 1.25% Crumbles should be fed daily for 5 days (10 mg/kg) at the rate of 2 lb (907.2 g) for each 2500 lb (1134 kg) body weight, or approximately 0.8 lb (12.8 oz) (363.2 g) CORID 1.25% Crumbles per 1,000 lb of body weight. Use on a herd basis only; when one or more calves show signs of coccidiosis, it is likely that the rest of the group has been exposed, and all calves in the group should be treated.

Animal Weight		Approximate Daily Dose per Head		Daily Amount of CORID 1.25% per	
		Amprolium	CORID 1.25%	1 Head	100 Head
lb	kg	mg	g	lb	lb
100	45.4	454	36.3	0.08	8
200	90.8	908	72.6	0.16	16
300	136.1	1361	108.8	0.24	24
400	181.5	1815	145.2	0.32	32
500	226.8	2268	181.4	0.40	40
600	272.2	2722	217.8	0.48	48

**WARNING: Withdraw 24 hours before slaughter. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.**

**Use as the sole source of amprolium.**

**KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.**

**STORAGE:** Keep in a dry, well-ventilated area with the bag tightly closed.

**NOTICE:** This product does not contain ingredients of ruminant origin.

Technical Assistance: 1-877-426-7765

© CORID is a registered trademark of Huvepharma EOOD.

**Manufactured by** Huvepharma, Inc., St. Joseph, MO 64503

800-542-8916

**Distributed by:** Huvepharma, Inc., Peachtree City, GA 30269

**Net Wt.: 50 lb (22.68 kg)**

**CPN:** 1309058.1

THIS SERVICE AND INCLUDED DATA ARE PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED REPRESENTATION OR WARRANTY. Without limiting the foregoing, the service and data are based on third party data, and DVMetrics is not responsible or liable for such third-party data. Each user assumes full risk, responsibility, and liability related to use of the service and data. The service and data are further subject to the Terms of Use.

By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#).

[Contact Us](#) - [Logout](#)

Copyright 2023 - DVMetrics & Services LLC