Label Use/Dose

## MERCK ANIMAL HEALTH Intervet Inc. 2 GIRALDA FARMS, MADISON, NJ, 07940 Customer Service: 800-521-5767

	000 021 0101
Order Desk:	800-648-2118
Technical Service (Companion Animal):	800-224-5318
Technical Service (Livestock):	800-211-3573
Fax:	973-937-5557
Website:	www.merck-animal-health-usa.com

THIS SERVICE AND DATA ARE PROVIDED "AS IS". DVMetrics assumes no liability, and each user assumes full risk, responsibility, and liability, related to its use of the DVMetrics service and data. See the Terms of Use for further details.

## Prestige<sup>®</sup> 3

## Intervet/Merck Animal Health

ENCEPHALOMYELITIS VACCINE, EASTERN & WESTERN, KILLED VIRUS, TETANUS TOXOID

A formaldehyde inactivated, adjuvanted polyvalent equine vaccine-toxoid consisting of equine encephalomyelitis viruses (Eastern and Western) and tetanus toxoid.

**INDICATIONS:** This product has been shown to be effective for the vaccination of healthy horses 6 months of age or older against Eastern and Western encephalomyelitis viruses and tetanus. Duration of Immunity has not been established. For more information regarding safety and efficacy data, go to productdata.aphis.usda.gov.

**DOSE:** For primary vaccination aseptically administer 1 mL intramuscularly, repeat with a single dose in 3 - 4 weeks. Historically, annual revaccination with this product has been recommended. The need for this booster has not been established. For more information on revaccination frequency consult your veterinarian.

**CAUTIONS:** Store at 2°-8°C (35°-46°F). Shake well before using. Use entire contents when first opened. Do not mix with other products. This product has not been tested in pregnant animals. Do not vaccinate within 21 days before slaughter. Local reaction may occur if this product is given subcutaneously. Inject deep into the muscle only. Anaphylactic reactions may occur. If allergic reaction occurs, treat with epinephrine. Care should be used to avoid injecting

your own fingers, hands, or other body parts. Accidental injection can cause serious local reactions. In case of human exposure, contact a physician.

**ANTIBIOTIC:** Gentamicin.

**PRESERVATIVES:** Thimerosal and Formaldehyde.

## FOR ANIMAL USE ONLY

Intervet Inc. d/b/a Merck Animal Health, Omaha, NE 68103, USA

VLN 165A/PCN 4865.01

1 800 521-5767 (USA)

1 866 683-7838 (CAN)

For patent information:

http://www.merck.com/product/patent/home.html

		Code	
10 Doses	10 x 1 mL Syringes with Separate Sterile Needles	188847	301307-02
10 Doses	10 mL	189679	384266-02

**CPN:** 1047540.1

THIS SERVICE AND INCLUDED DATA ARE PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED REPRESENTATION OR WARRANTY. Without limiting the foregoing, the service and data are based on third party data, and DVMetrics is not responsible or liable for such third-party data. Each user assumes full risk, responsibility, and liability related to use of the service and data. The service and data are further subject to the Terms of Use. By using this site, you agree to the <u>Terms of Use</u> and <u>Privacy Policy</u>.

Copyright 2023 - DVMetrics & Services LLC