

for all common pressfitting systems

**Select REMS pressing tongs Mini/
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table.

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Can be driven by all REMS radial presses 22 kN. Adapter tongs (page 180) required for driving REMS (PR) pressing rings.

Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

REMS pressing tongs Mini (PZ-2B)

REMS Mini pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressfitting (**Patent EP 2 027 971**).

REMS pressing ring S (PR-2B)

REMS pressing ring S (PR-2B), continuously swivellable, with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access. Adapter tongs required for driving the REMS S (PR-2B) pressing rings, see page 180.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Patent EP 1 952 948
Patent EP 2 347 862

German Quality Product



REMS Mini pressing tongs (PZ-2B)



REMS pressing ring S (PR-2B), continuously swivellable

Confirmation of suitability

See page 237.

Hold-Harmless and Indemnification Agreement

See page 238.





Pressing tongs with teeth prevent formation of burr on the pressfitting. Patent EP 2 027 971

Example REMS pressing tongs Mini V: "V" imprint on pressed fitting for traceability according to EN 1775:2007

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
A				
AC-FIX PRESS (Global Piping Systems)	H 12		578396	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 32		578412	
	RFz 12		578490	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	VX 16		578552	
	VX 20		578554	
	AC-FIX PRESS DUO (Global Piping Systems)	RFz 16		578492
		RFz 20		578494
		RFz 25		578496
		RFz 32		578498
TH 16			578352	
TH 20			578358	
TH 25			578360	
TH 26			578362	
TH 32			578364	
TH 16 S (PR-2B)		Mini Z8	574782	
TH 20 S (PR-2B)		Mini Z8	574788	
TH 26 S (PR-2B)		Mini Z8	574794	
TH 32 S (PR-2B)		Mini Z8	574798	
U 16			578374	
U 20			578378	
U 25			578380	
U 32		578382		
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 25		578408	
	H 32		578412	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	U 16		578374	
	U 18		578376	
	U 20		578378	
U 25		578380		
U 32		578382		
ACOME ACOPEX ALU	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
U 16		578374		
U 20		578378		
U 32		578382		
ACOME MT	ACz 12		578608	
	ACz 16		578610	
	ACz 20		578612	
	ACz 25		578614	
AHLSELL A-press elförzinkad M	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
M 28 S (PR-2B)	Mini Z8	574744		
M 35 S (PR-2B)	Mini Z8	574746		
AHLSELL A-press elförzinkad V	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	AHLSELL A-press koppar M	M 12		578310
		M 15		578312
M 18			578314	
M 22			578316	
M 28			578318	
M 35			578390	
M 12 S (PR-2B)		Mini Z8	574736	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)		Mini Z8	574744	
M 35 S (PR-2B)		Mini Z8	574746	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
AHLSELL A-press koppar V	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
AHLSELL A-press rostfritt	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
AIRBEL PRESSCLIM	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
AIRBEL SERTINOX	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
ALB Sistema Multicapa	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
ALB Sistema Multicapa Gas	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	H 16		578400	
	H 20		578406	
ALTECH Altech	RFz 12		578490	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	APE MULTYGAS Serie AP Gas	TH 16		578352
		TH 20		578358
		TH 26		578362
		TH 32		578364
		TH 16 S (PR-2B)	Mini Z8	574782
		TH 20 S (PR-2B)	Mini Z8	574788
TH 26 S (PR-2B)		Mini Z8	574794	
TH 32 S (PR-2B)		Mini Z8	574798	
APE Serie AP		B 16		578468
		B 20		578472
	B 26		578474	
	B 32		578476	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788		
TH 26 S (PR-2B)	Mini Z8	574794		
TH 32 S (PR-2B)	Mini Z8	574798		
U 16		578374		
U 20		578378		

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
APE Serie APL	H 16		578400	ASSOTHERM IPC-RAC Carbon Steel	M 15		578312	
	H 18		578404		M 18		578314	
	H 20		578406		M 22		578316	
	H 26		578410		M 28		578318	
	H 32		578412		M 35		578390	
	TH 16		578352		M 15 S (PR-2B)	Mini Z8	574738	
	TH 18		578356		M 18 S (PR-2B)	Mini Z8	574740	
	TH 20		578358		M 22 S (PR-2B)	Mini Z8	574742	
	TH 26		578362		M 28 S (PR-2B)	Mini Z8	574744	
	TH 32		578364		M 35 S (PR-2B)	Mini Z8	574746	
	TH 40		578624					
	TH 16 S (PR-2B)	Mini Z8	574782	ASSOTHERM IPI-RAX Inox	M 15		578312	
	TH 20 S (PR-2B)	Mini Z8	574788		M 18		578314	
	TH 26 S (PR-2B)	Mini Z8	574794		M 22		578316	
	TH 32 S (PR-2B)	Mini Z8	574798		M 28		578318	
	U 16		578374		M 35		578390	
	U 18		578376		M 15 S (PR-2B)	Mini Z8	574738	
	U 20		578378		M 18 S (PR-2B)	Mini Z8	574740	
			578378		M 22 S (PR-2B)	Mini Z8	574742	
			578378		M 28 S (PR-2B)	Mini Z8	574744	
		578378	M 35 S (PR-2B)		Mini Z8	574746		
AQUATECHNIK Press-fitting metal	H 16		578400	ASSOTHERM IPI-RAX Inox Gas	M 15		578312	
	H 20		578406		M 18		578314	
	H 26		578410		M 22		578316	
	H 32		578412		M 28		578318	
	TH 16		578352		M 35		578390	
	TH 20		578358		M 15 S (PR-2B)	Mini Z8	574738	
	TH 26		578362		M 18 S (PR-2B)	Mini Z8	574740	
	TH 32		578364		M 22 S (PR-2B)	Mini Z8	574742	
	TH 16 S (PR-2B)	Mini Z8	574782		M 28 S (PR-2B)	Mini Z8	574744	
	TH 20 S (PR-2B)	Mini Z8	574788		M 35 S (PR-2B)	Mini Z8	574746	
	TH 26 S (PR-2B)	Mini Z8	574794					
	TH 32 S (PR-2B)	Mini Z8	574798	ASSOTHERM IPM-Multistrato	H 16		578400	
	U 16		578374		H 20		578406	
	U 20		578378		H 26		578410	
	C 26		578392		H 32		578412	
	U 32		578382		TH 16		578352	
			578382		TH 20		578358	
			578382		TH 26		578362	
			578382		TH 32		578364	
			578382		THL 32		578368	
		578382	TH 40			578624		
AQUATECHNIK Universal	B 16		578468	TH 16 S (PR-2B)	Mini Z8	574782		
	B 20		578472	TH 20 S (PR-2B)	Mini Z8	574788		
	B 26		578474	TH 26 S (PR-2B)	Mini Z8	574794		
	B 32		578476	TH 32 S (PR-2B)	Mini Z8	574798		
	F 16		578456	U 16		578374		
	F 20		578460	U 20		578378		
	F 26		578462	C 26		578392		
	F 32		578464	U 32		578382		
	F 16 S (PR-2B)	Mini Z8	574728					
	F 20 S (PR-2B)	Mini Z8	574730	ASSOTHERM IPR-RRR Copper	M 15		578312	
	F 26 S (PR-2B)	Mini Z8	574732		M 18		578314	
	F 32 S (PR-2B)	Mini Z8	574734		M 22		578316	
	H 16		578400		M 28		578318	
	H 20		578406		M 35		578390	
	H 26		578410		M 15 S (PR-2B)	Mini Z8	574738	
	H 32		578412		M 18 S (PR-2B)	Mini Z8	574740	
	TH 16		578352		M 22 S (PR-2B)	Mini Z8	574742	
	TH 20		578358		M 28 S (PR-2B)	Mini Z8	574744	
	TH 26		578362		M 35 S (PR-2B)	Mini Z8	574746	
	TH 32		578364					
TH 16 S (PR-2B)	Mini Z8	574782	ASSOTHERM IPR-RRR Copper Gas	M 15		578312		
TH 20 S (PR-2B)	Mini Z8	574788		M 18		578314		
TH 26 S (PR-2B)	Mini Z8	574794		M 22		578316		
TH 32 S (PR-2B)	Mini Z8	574798		M 28		578318		
U 16		578374		M 35		578390		
U 20		578378		M 15 S (PR-2B)	Mini Z8	574738		
C 26		578392		M 18 S (PR-2B)	Mini Z8	574740		
U 32		578382		M 22 S (PR-2B)	Mini Z8	574742		
		578382		M 28 S (PR-2B)	Mini Z8	574744		
		578382		M 35 S (PR-2B)	Mini Z8	574746		
ARKA DUROsystem	H 16		578400	ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US 3/8"		578534	
	H 20		578406		US 1/2"		578536	
	H 25		578408		US 3/4"		578538	
	H 26		578410		US 1"		578540	
	H 32		578412					
	TH 16		578352		ATUSA ITALIA SYCPRESS CARBON STEEL PRESS FITTINGS	M 15		578312
	TH 20		578358			M 18		578314
	TH 25		578360			M 22		578316
	TH 26		578362			M 28		578318
	TH 32		578364			M 35		578390
	TH 16 S (PR-2B)	Mini Z8	574782	M 15 S (PR-2B)		Mini Z8	574738	
	TH 20 S (PR-2B)	Mini Z8	574788	M 18 S (PR-2B)		Mini Z8	574740	
	TH 26 S (PR-2B)	Mini Z8	574794	M 22 S (PR-2B)		Mini Z8	574742	
	TH 32 S (PR-2B)	Mini Z8	574798	M 28 S (PR-2B)		Mini Z8	574744	
	U 16		578374	M 35 S (PR-2B)		Mini Z8	574746	
	U 20		578378					
	Aschl NIR	M 15		578312	ATUSA ITALIA SYCPRESS STAINLESS STEEL PRESS FITTINGS	M 15		578312
		M 18		578314		M 18		578314
		M 22		578316		M 22		578316
		M 28		578318		M 28		578318
M 35			578390	M 35			578390	
M 15 S (PR-2B)		Mini Z8	574738	M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)		Mini Z8	574744	M 28 S (PR-2B)		Mini Z8	574744	
M 35 S (PR-2B)		Mini Z8	574746	M 35 S (PR-2B)		Mini Z8	574746	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
AUSTEC PEX-B, PEX-AL-PEX (AUS)	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
AUSTEC PEX-AL-PEX GAS (AUS)	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
AYOR FIXOCONNECT Press	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	Rfz 12		578490
	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	U 16		578374
	U 20		578378
	U 25		578380
AYOR FIXOMULTIX	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
U 32		578382	
U 40		578386	
AYOR SOMATHERM FOR YOU -1	H 16		578400
	H 20		578406
	H 26		578410
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	U 16		578374
U 20		578378	
AYOR SOMATHERM FOR YOU -2	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	Rfz 12		578490
	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	U 16		578374
	U 20		578378
U 25		578380	
B			
Bampi BALPEX serie LP	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
U 32		578382	
Bampi BALPEX serie MP	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
Bampi BALPEX Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
BARBI EASYPRESS (Industrial Blansol)	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	Rfz 12		578490
	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
BARBI MULTIPLEX (Industrial Blansol)	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	Rfz 16		578492
	Rfz 18		578638
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
	TH 16		578352
	TH 20		578358
TH 26		578362	
TH 32		578364	
TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	
U 16		578374	
U 18		578376	
U 20		578378	
U 25		578380	
U 32		578382	
U 40		578386	
BEGETUBE/ IVAR	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	B 32		578476
Béné inox Série 41	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Brass Form Master Press	H 16		578400
	H 18		578404
	H 20		578406
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	U 16		578374
	U 18		578376
U 20		578378	
Brass & Fittings PRESSMAN MultiPress	Rfz 16		578492
	Rfz 18		578638
	Acz 20		578612
	Rfz 25		578496
	Rfz 32		578498
Brass & Fittings PRESSMAN RetiPress	Rfz 16		578492
	Rfz 18		578638
	Acz 20		578612
	Rfz 25		578496
	Rfz 32		578498
BRASSTECH MULTIthermoSAN Brasspress	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	
U 16		578374	
U 18		578376	
U 20		578378	
C 26		578392	
U 32		578382	

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
C			
Cello Products -B->Press	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
CGR DYNAFLU multicouche	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
	U 32		578382
U 40		578386	
CGR DYNAFLU PER	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	RFz 12		578490
RFz 16		578492	
RFz 20		578494	
RFz 25		578496	
CHIALI CHIALIPEX	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
Climatek Clima Therm	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
Climatrix Climatrix Rhinopex	TH 32		578364
	H 16		578400
	H 20		578406
	U 16		578374
	U 20		578378
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
Climatrix Variotherm System TH ClouSet	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	TH 11,6		578344
	TH 16		578352
Comap PEX Press	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	RFz 12		578490
Comap Multiskin	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 32		578382
	H 14		578398
H 16		578400	
H 18		578404	
H 20		578406	
H 26		578410	
H 32		578412	

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
Comap Multiskin Gas	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	THL 32		578368	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 20		578378	
	U 32		578382	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
COMISA Press System	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
H 26		578410		
H 32		578412		
COMISA Press System Gas	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	CONEL CONNECT MULTI	F 16		578456
		F 20		578460
		F 26		578462
		F 32		578464
		F 16 S (PR-2B)	Mini Z8	574728
		F 20 S (PR-2B)	Mini Z8	574730
		F 26 S (PR-2B)	Mini Z8	574732
		F 32 S (PR-2B)	Mini Z8	574734
H 16			578400	
H 20			578406	
H 26			578410	
H 32			578412	
TH 16			578352	
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 16 S (PR-2B)	Mini Z8	574782		
TH 20 S (PR-2B)	Mini Z8	574788		
TH 26 S (PR-2B)	Mini Z8	574794		
TH 32 S (PR-2B)	Mini Z8	574798		
(DN 26)	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	VP 16		578482	
	VP 20		578484	
	VP 32		578488	
	CONEL CONNECT MV2	F 16		578456
		F 20		578460
		F 26		578462
		F 32		578464
		F 16 S (PR-2B)	Mini Z8	574728
		F 20 S (PR-2B)	Mini Z8	574730
		F 26 S (PR-2B)	Mini Z8	574732
		F 32 S (PR-2B)	Mini Z8	574734
		TH 16		578352
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 16 S (PR-2B)		Mini Z8	574782	
TH 20 S (PR-2B)		Mini Z8	574788	
TH 26 S (PR-2B)		Mini Z8	574794	
TH 32 S (PR-2B)		Mini Z8	574798	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Conex Bänninger >B< Flex	F 16		578456
	F 18		578458
	F 20		578460
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 32 S (PR-2B)	Mini Z8	574734
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 18		578638
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 32		578364
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
Conex Bänninger >B< MaxiPro	BMP ¼"		578700
	BMP ⅜"		578702
	BMP ½"		578704
	BMP ⅝"		578706
	BMP ¾"		578708
	BMP 1"		578710
	BMP 1 ¼"		578712
	BMP 1 ½"		578714
Conex Bänninger >B< Press	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 14 S (PR-2B)	Mini Z8	574800
	V 15 S (PR-2B)	Mini Z8	574752
	V 16 S (PR-2B)	Mini Z8	574802
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	
Conex Bänninger >B< Press Carbon	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
Conex Bänninger >B< Press Gas	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 14 S (PR-2B)	Mini Z8	574800
	V 15 S (PR-2B)	Mini Z8	574752
	V 16 S (PR-2B)	Mini Z8	574802
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	
Conex Bänninger >B< Press Inox	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
Conex Bänninger >B< Press Solar	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 14 S (PR-2B)	Mini Z8	574800
	V 15 S (PR-2B)	Mini Z8	574752
	V 16 S (PR-2B)	Mini Z8	574802
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
D				
Debrunner Acifer d-a Presssystem C-Stahl	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
M 35 S (PR-2B)	Mini Z8	574746		
DIWAsystems	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
DUOPIPE Systems DUOFIL MKSYSTEM	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
DW Verbundrohr multitubo systems	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
E				
EBRILLE Isomomflex	U 16		578374	
	U 20		578378	
	U 25		578380	
	H 26		578410	
	TH 26		578362	
	TH 26 S (PR-2B)	Mini Z8	574794	
U 32		578382		
EBRILLE Monflex	U 16		578374	
	U 20		578378	
	U 25		578380	
	H 26		578410	
	TH 26		578362	
	TH 26 S (PR-2B)	Mini Z8	574794	
U 32		578382		
EFFEBI EFFEBI-PRESS Aisi316 System M Profile ¹⁾	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
EFFEBI EFFEBI-PRESS Aisi316 System V Profile	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	EFFEBI EFFEBI-PRESS Carbon-S System M Profile ¹⁾	M 12		578310
		M 15		578312
M 18			578314	
M 22			578316	
M 28			578318	
M 35			578390	
M 12 S (PR-2B)		Mini Z8	574736	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)	Mini Z8	574744		
M 35 S (PR-2B)	Mini Z8	574746		
EFFEBI EFFEBI-PRESS Carbon-S System V Profile	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
EFFEBI EFFEBI-PRESS UNICO	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	EFFEBI EFFEBI-PRESS UNICO ⁴⁾ (GAS)	V 12		578324
		V 15		578328
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 12 S (PR-2B)		Mini Z8	574748	
V 15 S (PR-2B)		Mini Z8	574752	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	
EFFEBI PRESSTIGE		M 15		578312
		M 18		578314
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
EFFEBI PRESSTIGE 4E05	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
EFFEBI PRESSTIGE-GAS ⁴⁾	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
V 35		578604		
V 15 S (PR-2B)	Mini Z8	574752		
V 18 S (PR-2B)	Mini Z8	574756		
V 22 S (PR-2B)	Mini Z8	574758		
V 28 S (PR-2B)	Mini Z8	574760		
V 35 S (PR-2B)	Mini Z8	574762		
EFFEBI TOF-GAS MULTIPINZA	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 16		578374	
	U 20		578378	
	U 32		578382	

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
EFFEBI TOF MULTIPINZA	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	Fz 40		578478
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
EFIELD MULTILAYER PRESS DINGAS	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	U 40		578386
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
B 32		578476	
EFIELD MULTILAYER PRESS WATER	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
Elkhart APOLLOXPRESS Fittings Copper and Low-Lead Brass	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
	ELYDAN izeo	RFz 16	
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
EMMETI GERPEX- FIVPRESS	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	H 16		578400
	H 20		578406
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
TH 40		578624	
EMPUR	U 16		578374
	U 20		578378
	TH 14		578348
	TH 15		578350
	TH 16		578352
Esta Rohr simplesta SH M	TH 17		578354
	TH 20		578358
	TH 25		578360
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Esta Rohr simplesta ST M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
EUROTUBI	M 12		578310
EUROPA	M 15		578312
C-Steel Pressfitting System M-Profile ¹⁾	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
EUROTUBI	M 15		578312
EUROPA	M 18		578314
Inox Pressfitting System M-Profile ¹⁾	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
M 35 S (PR-2B)	Mini Z8	574746	
Evans Components Presslok	VAU 15 (½")		578630
	VAU 20 (¾")		578632
	VAU 25 (1")		578634
F			
FAR Rubinetterie PRESSFAR	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
U 40		578386	
F.B.Q. BARONIO BQ PRESS SOLAR	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
F.B.Q. BARONIO BQ PRESS WATER	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
F.B.Q. BARONIO BQ PRESS C-STEEL	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
F.B.Q. BARONIO BQ PRESS GAS	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
Fercofloor DUO Press FERCO PEX	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788		
TH 32 S (PR-2B)	Mini Z8	574798		
Fercofloor DUO Press MULTIFER	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788		
TH 32 S (PR-2B)	Mini Z8	574798		
FERRO systems BRASELLI GPF GAS	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 25 S (PR-2B)	Mini Z8	574792	
	TH 32 S (PR-2B)	Mini Z8	574798	
	FERRO systems BRASELLI GPF MULT Pressfitting MULTICAPA	U 16		578374
		U 18		578376
U 20			578378	
U 25			578380	
U 32			578382	
U 40			578386	
FERRO systems BRASELLI GPF PPSU Pressfitting PEX y MULTICAPA		U 16		578374
		U 18		578376
		U 20		578378
		U 25		578380
	U 32		578382	
	U 40		578386	
	FERRO systems BRASELLI GPF PRESS Pressfitting PEX FILINOX Instalpress Steel	RFz 16		578492
		RFz 20		578494
		RFz 25		578496
		RFz 32		578498
M 15			578312	
M 18			578314	
M 22			578316	
M 28			578318	
M 35			578390	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)	Mini Z8	574740		
M 22 S (PR-2B)	Mini Z8	574742		
M 28 S (PR-2B)	Mini Z8	574744		
M 35 S (PR-2B)	Mini Z8	574746		
FILINOX Instalpress Inox	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
Fittings Estándar ECO-PRESS	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	Fittings Estándar MULTICAPA	RFz 16		578492
		RFz 18		578638
		RFz 20		578494
		RFz 25		578496
		RFz 32		578498

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
Fittings Estándar PE-X	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
FORNARA ForPress	B 16		578468	
	B 20		578472	
	B 26		578474	
	B 32		578476	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 S (PR-2B)	Mini Z8	574728	
	F 20 S (PR-2B)	Mini Z8	574730	
	F 26 S (PR-2B)	Mini Z8	574732	
	F 32 S (PR-2B)	Mini Z8	574734	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 20		578378	
	C 26		578392	
	U 32		578382	
	FORZA	K16/P18		578592
	WATER CRIMP (AUS)	K/20		578594
		K/25		578596
		K32		578598
	K1/40		578600	
FORZA STAINLESS WATER CRIMP	K16/P18		578592	
	K/20		578594	
FORZA	U 16		578374	
STESSO PEX	U 20		578378	
WATER AND GAS CRIMP AUS)	U 25		578380	
	U 32		578382	
	U 40		578386	
FORZA	K16/P18		578592	
GAS CRIMP (AUS)	K/20		578594	
	K/25		578596	
	K32		578598	
	K1/40		578600	
FORZA	VAU 15 (OD 12,7 mm)		578630	
COPPER V PRESS (AUS)	VAU 20 (OD 19,1 mm)		578632	
	VAU 25 (OD 25,4 mm)		578634	
	VAU 32 (OD 31,8 mm)		578636	
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804	
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806	
	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808	
FORZA	V 15		578328	
STAINLESS V PRESS (AUS)	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	FRABO	M 15		578312
	FRABOPRESS 316 GAS M	M 18		578314
M 22			578316	
M 28			578318	
M 35			578390	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)		Mini Z8	574744	
M 35 S (PR-2B)		Mini Z8	574746	

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
FRABO	V 15		578328
FRABOPRESS 316 GAS V	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
FRABO	M 15		578312
FRABOPRESS 316 M	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	FRABO	V 12	
FRABOPRESS 316 V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
FRABO	V 12		578324
FRABOPRESS CHROME	V 15		578328
	V 18		578332
	V 22		578334
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
FRABO	M 15		578312
FRABOPRESS C-STEEL M	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	FRABO	V 12	
FRABOPRESS C-STEEL V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
FRABO	M 12		578310
FRABOPRESS GAS M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For taking suitable pressing inserts.
- Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
FRABO FRABOPRESS GAS V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
FRABO FRABOPRESS KOMBI	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
FRABO FRABOPRESS M	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
FRABO FRABOPRESS SOLAR	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
FRABO FRABOPRESS V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
Fränkische alpex-duo XS	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	TH 16		578352
	TH 20		578358
Fränkische alpex F50 PROFIL	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	H 16		578400
	H 20		578406
(DN 26)	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
Fränkische alpex L	Fz 40		578478

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
G			
gabotherm H+S	TH 10		578342
	TH 12		578346
	TH 14		578348
	TH 15		578350
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
Gallagher USA YogaPipe ACR	H 12 (1/4")		578396
	U 14 (3/8")		578372
	U 16 (1/2")		578374
	U 18 (5/8")		578376
	U 20 (3/4")		578378
	U 25 (7/8")		578380
Geberit Mapress C-STAHl	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
Geberit Mapress Edelstahl	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
Geberit Mapress Edelstahl Gas	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Geberit Mapress Kupfer	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
Geberit Mapress Kupfer Gas	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
Geberit Mepla	G 16		578444
	G 20		578446
	G 26		578448
	G 32		578450
	G 40		578452
	G 26		578448
Geberit Mepla Therm	G 20		578446
	G 26		578448
Geberit Volex	TH 16		578352
	TH 20		578358
	TH 26		578362

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
General Fittings 5T00	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
	U 32		578382
U 40		578386	
General Fittings Ewoprex	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
	U 32		578382
U 40		578386	
General Fittings Serie 5S00	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 18		578376
U 20		578378	
U 25		578380	
U 32		578382	
U 40		578386	
General Fittings Trident	B 16		578468
	F 16		578456
	F 16 S (PR-2B)	Mini Z8	574728
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
U 20		578378	
U 32		578382	

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
General Fittings Trident Gas	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
Giacomini Raccordi RM Giacomini	U 16		578374
	U 20		578378
	U 32		578382
	U 40		578386
Giacomini RM MULTIGAS	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
	U 20		578378
	U 32		578382
Giacomini Valvole Giacomini serie R850V	U 40		578386
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15		578312
M 18		578314	
M 22		578316	
M 28		578318	
M 35		578390	
M 15 S (PR-2B)	Mini Z8	574738	
M 18 S (PR-2B)	Mini Z8	574740	
M 22 S (PR-2B)	Mini Z8	574742	
M 28 S (PR-2B)	Mini Z8	574744	
M 35 S (PR-2B)	Mini Z8	574746	
Golan Pipe Systems (Scandinavia) Alu-Pres	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
Grinnell G-PRESS Copper Fittings	U 40		578386
	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
GS Wärmesysteme System TH	VUS 1¼" (OD 34,9 mm)		578606
	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
GS Wärmesysteme System V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
H			
HakaGerodur HAKASAN	TH 10		578342
	TH 11,6		578344
	TH 12		578346
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
HASTINIK Hastinik/Hitpress	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
heima24	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
	U 25		578380
U 32		578382	
HELIROMA Klimapress	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
HELIROMA Romapress	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
Henco	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	HE 32		578370
Herotec tempusPRESS PLUS	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
TH 20 S (PR-2B)	Mini Z8	574788	
TH 32 S (PR-2B)	Mini Z8	574798	
Herotec tempusPRESS PLUS PPSU	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788	
TH 32 S (PR-2B)	Mini Z8	574798	
U 16		578374	
U 20		578378	
U 25		578380	
U 32		578382	
U 40		578386	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
HERZ PIPEFIX	TH 10		578342	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	HIDRONIX MULTIGAS	TH 16		578352
		TH 20		578358
TH 26			578362	
HIDRONIX MULTIPIPE	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 14		578372	
	U 16		578374	
	U 18		578376	
U 20		578378		
U 26		578392		
U 32		578382		
HIDRONIX UNICO	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 14		578372	
U 16		578374		
U 18		578376		
U 20		578378		
U 26		578392		
U 32		578382		
HITEC Sistema Multistrato	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798		
HITHERM-ISOTUBI NUMEPRESS	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
HITHERM-ISOTUBI HTpress	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
HITHERM-ISOTUBI HTfire	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
HITHERM-ISOTUBI HTair	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
Hopewell press fit system	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
hp praski BAVARIA-press	TH 10		578342
	TH 12		578346
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
ICMA Sempiter	H 16		578400
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
U 40		578386	
ICMA Sempigas	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	
Idrosanitaria Bonomi Homegas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
TH 26 S (PR-2B)	Mini Z8	574794	
Idrosanitaria Bonomi Idropress	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
IDROSISTEMI Ta-Press	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	Fz 40		578478
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
	U 40		578386
	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
IDROTRADE Storm Multipinza	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
IDROTRADE StormPRES ¹⁾	U 16		578374
	U 20		578378
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
IDROTRADE StormSTEEL ¹⁾	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
ILTA INOX/CHIBRO Pressfitting Cuni	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
ILTA INOX/CHIBRO Pressfitting inox	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
Instantor Copper Press Imperial	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Instantor Copper Press Metric	VI ½" (OD 14,7 mm)		578716
	VI ¾" (OD 21,0 mm)		578718
	VI 1" (OD 27,4 mm)		578720
Instantor Press System	M 15		578312
	M 22		578316
	M 28		578318
	M 15 S (PR-2B)	Mini Z8	574738
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
IPA IPANA Press	M 35 S (PR-2B)	Mini Z8	574746
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	TH 10		578342
TH 11,6		578344	
TH 12		578346	
TH 14		578348	
TH 15		578350	
TH 16		578352	
TH 17		578354	
TH 18		578356	
TH 20		578358	
TH 22		578588	
TH 25		578360	
TH 26		578362	
TH 28		578590	
TH 32		578364	
TH 40		578624	
TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
IPA Thu	TH 16		578352
IPANA Press	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
IPALPEX (Industrie du Plastique et Accessoires)	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	THL 32		578368
	TH 40		578624
IPLEX	K16/P18		578592
PIPELINES AUSTRALIA Iplex Pro-fit			
IPLEX	K16/P18		578592
PIPELINES	K/20		578594
AUSTRALIA	K/25		578596
Iplex K1	K32		578598
(Gas)	K1/40		578600
IPLEX	K16/P18		578592
PIPELINES	K/20		578594
AUSTRALIA	K/25		578596
Iplex K2			
ISOTUBI	M 15		578312
NUMEPRESS	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578320
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	IVAR	B 20	
ALPEX-GAS	B 26		578474
	B 32		578476
IVAR	TH 16		578352
MULTI PRESS	TH 20		578358
GAS ITALIA	TH 26		578362
	H 16		578400
	H 20		578406
	H 26		578410
	U 16		578374
	U 20		578378
IVAR	TH 16		578352
Multi Press MP	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	Fz 40		578478
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	U 40		578386
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
IVAR Multi Press Leak (MPL)	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
		TH 32		578364
		TH 16 S (PR-2B)	Mini Z8	574782
		TH 20 S (PR-2B)	Mini Z8	574788
		TH 26 S (PR-2B)	Mini Z8	574794
		TH 32 S (PR-2B)	Mini Z8	574798
		F 16		578456
		F 20		578460
		F 26		578462
		F 32		578464
		F 16 S (PR-2B)	Mini Z8	574728
		F 20 S (PR-2B)	Mini Z8	574730
		F 26 S (PR-2B)	Mini Z8	574732
		F 32 S (PR-2B)	Mini Z8	574734
		H 16		578400
		H 20		578406
		H 25		578408
		H 26		578410
		H 32		578412
		U 16		578374
		U 20		578378
		U 25		578380
		C 26		578392
		U 32		578382
		B 16		578468
		B 20		578472
		B 26		578474
		B 32		578476
	IVAR	TH 16		578352
	Plastic Multi Press PMP	TH 20		578358
		TH 25		578360
TH 26			578362	
TH 32			578364	
		TH 16 S (PR-2B)	Mini Z8	574782
		TH 20 S (PR-2B)	Mini Z8	574788
		TH 26 S (PR-2B)	Mini Z8	574794
		TH 32 S (PR-2B)	Mini Z8	574798
		F 16		578456
		F 20		578460
		F 26		578462
		F 32		578464
		F 16 S (PR-2B)	Mini Z8	574728
		F 20 S (PR-2B)	Mini Z8	574730
		F 26 S (PR-2B)	Mini Z8	574732
		F 32 S (PR-2B)	Mini Z8	574734
		H 16		578400
		H 20		578406
		H 25		578408
		H 26		578410
		H 32		578412
		U 16		578374
		U 20		578378
		U 25		578380
		C 26		578392
		U 32		578382
		B 16		578468
		B 20		578472
		B 26		578474
		B 32		578476
IVAR		TH 16		578352
Plastic Multi Press Leak (PMPL)		TH 20		578358
		TH 26		578362
	TH 32		578364	
		TH 16 S (PR-2B)	Mini Z8	574782
		TH 20 S (PR-2B)	Mini Z8	574788
		TH 26 S (PR-2B)	Mini Z8	574794
		TH 32 S (PR-2B)	Mini Z8	574798
		F 16		578456
		F 20		578460
		F 26		578462
		F 32		578464
		F 16 S (PR-2B)	Mini Z8	574728
		F 20 S (PR-2B)	Mini Z8	574730
		F 26 S (PR-2B)	Mini Z8	574732
		F 32 S (PR-2B)	Mini Z8	574734
		H 16		578400
		H 20		578406
		H 26		578410
		H 32		578412
		U 16		578374
		U 20		578378
		C 26		578392
		U 32		578382
		B 16		578468
		B 20		578472
		B 26		578474
		B 32		578476
	IVT Edelstahl- Presssystem	M 15		578312
		M 18		578314
		M 22		578316
		M 28		578318
		M 35		578320
		M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
IVT PRIPRESS	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
J				
Jäger - Aquatec Aquapress H	H 14		578398	
	H 16		578400	
	H 17		578402	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 40		578386	
Jäger - Aquatec C-Stahl Press Typ M	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
Jäger - Aquatec Edelstahl Press Typ M	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
Jäger - Aquatec Kupfer Press Typ V	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578404	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
Jansen AG JANSEN COMISA	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
		TH 32 S (PR-2B)	Mini Z8	574798
Jaraflex- Presssystem	TH 14		578348	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
		TH 32 S (PR-2B)	Mini Z8	574798
				578348
JUNGWOO JWPress	VUS ½" (OD 15,9 mm)		578566	
	VUS ¾" (OD 22,2 mm)		578568	
	VUS 1" (OD 28,6 mm)		578570	
	VUS 1¼" (OD 34,9 mm)		578606	
K				
KAN KAN-therm Press	U 16		578374	
	U 20		578378	
	U 25		578380	
	C 26		578392	
	U 32		578382	
	U 40		578386	

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
KAN KAN-therm Press LBP	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
		TH 32 S (PR-2B)	Mini Z8	574798
		U 14		578372
		U 16		578374
		U 20		578378
	U 25		578380	
	C 26		578392	
	U 32		578382	
	U 40		578386	
KAN KAN-therm Inox	M 12		578310	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
KAN KAN-therm Steel	M 12		578310	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
KAN KAN-therm UltraPRESS	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
		TH 32 S (PR-2B)	Mini Z8	574798
		U 14		578372
		U 16		578374
		U 20		578378
	U 25		578380	
	C 26		578392	
	U 32		578382	
	U 40		578386	
KE KELIT COPPERFIX Kupfer	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
KE KELIT KELOX	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
KE KELIT KELOX-PPSU-W	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
KE KELIT KELOX-ULTRAX	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
KE KELIT KELOX-ULTRAX-W	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
KE KELIT KELO-WINDOW-U	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT KELOX-WINDOW-W	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT steelFIX C-Stahl	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	KE KELIT steelFIX Edelstahl	M 15	
M 18			578314
M 22			578316
M 28			578318
M 35			578390
M 15 S (PR-2B)		Mini Z8	574738
M 18 S (PR-2B)		Mini Z8	574740
M 22 S (PR-2B)		Mini Z8	574742
M 28 S (PR-2B)		Mini Z8	574744
M 35 S (PR-2B)		Mini Z8	574746
KEMBLA KemPress (AUS)		VAU 15 (OD 12,7 mm)	
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
KEMBLA KemPress Gas (AUS)	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
KISAN Kisan KD	KI 16		578524
	KI 20		578526
	KI 25		578528
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	KISAN Kisan WL	KI 16	
KI 20			578526
KI 25			578528
KI 32			578530
TH 16			578352
TH 20			578358
TH 25			578360
TH 32			578364
TH 16 S (PR-2B)		Mini Z8	574782
TH 20 S (PR-2B)	Mini Z8	574788	
TH 32 S (PR-2B)	Mini Z8	574798	
KISAN Kisan WM	KI 16		578524
	KI 20		578526
	KI 25		578528
	KI 32		578530
KISAN Kisan WR	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 32 S (PR-2B)	Mini Z8	574798
KISAN Kistal C	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
KISAN Kistal Inox	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
LEGEND-PRESS press fitting system	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606

L

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
LK Systems LK >B-Press	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	LK Systems LK >B-Press Eltörzinkat	V 12		578324
V 15			578328	
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 12 S (PR-2B)		Mini Z8	574748	
V 15 S (PR-2B)		Mini Z8	574752	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	
LK Systems LK >B-Press Gas		V 15		578328
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	LK Systems LK Universal	TH 16		578352
		TH 20		578358
		TH 25		578360
TH 32			578364	
TH 40			578624	
LVI-DAHL Altech-Aluflux	U 16		578374	
	U 20		578378	
	U 25		578380	
MAINCOR MAINPRESS	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
MAINCOR MAINFLOR	U 16		578374	
	U 20		578378	
Mair Heiztechnik M-Press	H 11,5		578394	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
Ma.s.ter System PRESSMASTER	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798		
Meier Tobler Metalplast - Stramax Serie MM	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 14		578372	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
H 16		578400		
H 20		578406		
H 25		578408		
H 32		578412		
RFz 16		578492		
RFz 20		578494		
RFz 25		578496		
RFz 32		578498		
TH 16		578352		
TH 20		578358		
TH 25		578360		
TH 32		578364		
TH 40		578624		
TH 16 S (PR-2B)	Mini Z8	574782		
TH 20 S (PR-2B)	Mini Z8	574788		
TH 32 S (PR-2B)	Mini Z8	574798		
METALGRUP Permatubo	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
METALGRUP PexGrup	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
METALGRUP MultiGrup	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
Mueller Industries Streamline PRS	VUS ½" (OD 15,9 mm)		578566	
	VUS ¾" (OD 22,2 mm)		578568	
	VUS 1" (OD 28,6 mm)		578570	
	VUS 1¼" (OD 34,9 mm)		578606	
MULTITHERM PRESSSYSTEM	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
Multicap Industrial AIS PEX	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	U 16		578374	
	U 20		578378	
	U 25		578380	
Multicap Industrial AIS XPRT	U 32		578382	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 26		578410	
	H 32		578412	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	Multicap Industrial multitubo systems MC	U 16		578374
		U 18		578376
U 20			578378	
U 25			578380	
U 32			578382	
U 40			578386	
Multicap Industrial multitubo systems MM	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 26		578410	
	H 32		578412	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 20		578378	
U 25		578380		
U 32		578382		
U 40		578386		

N

NEUTHERM MEKUPRESS-HT	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
NIBCO (USA) Press System Copper	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
NICOLL FLUXO	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
NUPI Industrie Italiane Multinupi	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	
U 14		578372	
U 16		578374	
U 18		578376	
U 20		578378	
U 25		578380	
C 26		578392	
U 32		578382	
U 40		578386	
Nussbaum Optifitt-Press	VMP ¾" (OD 17,2 mm)		578660
	VMP ½" (OD 21,3 mm)		578662
Nussbaum Optiflex-Flowpress	VRX 16		578640
	VRX 20		578642
	VRX 25		578644
	VRX 32		578646
Nussbaum Optipress	V 15		578328
	V 18		578332
Aquaplus	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
Nussbaum Optipress Gaz	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
Nussbaum Optipress-Therm	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
V 18 S (PR-2B)	Mini Z8	574756	
V 22 S (PR-2B)	Mini Z8	574758	
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For taking suitable pressing inserts.
- Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
O			
Oventrop Cofit P	H 16 A H 20 A H 26 A H 32 A		578420 578426 578430 578432
Oventrop Cofit PD	H 16 A H 20 A H 26 A		578420 578426 578430
Oventrop Cofit PDK	H 16 A H 20 A		578420 578426
Oventrop Cofit PD-HT	H 16 A H 20 A H 32 A		578420 578426 578432
Oventrop Cofit PDK-HT	H 16 A H 20 A		578420 578426
P			
PBTub SERTIPRESS	Rfz 12 Rfz 16 Rfz 20 Rfz 25		578490 578492 578494 578496
PBTub SERTI-STEEL ¹⁾	M 15 M 18 M 22 M 28 M 15 S (PR-2B) M 18 S (PR-2B) M 22 S (PR-2B) M 28 S (PR-2B)		578312 578314 578316 578318 574738 574740 574742 574744
Pegler Yorkshire XPress Carbon	M 12 M 15 M 18 ¹⁾ M 22 M 28 ¹⁾ M 35 M 12 S (PR-2B) M 15 S (PR-2B) M 18 S (PR-2B) M 22 S (PR-2B) M 28 S (PR-2B) M 35 S (PR-2B)		578310 578312 578314 578316 578318 578390 574736 574738 574740 574742 574744 574746
Pegler Yorkshire XPress Copper	M 12 M 15 M 18 ¹⁾ M 22 M 28 ¹⁾ M 35 M 12 S (PR-2B) M 15 S (PR-2B) M 18 S (PR-2B) M 22 S (PR-2B) M 28 S (PR-2B) M 35 S (PR-2B)		578310 578312 578314 578316 578318 578390 574736 574738 574740 574742 574744 574746
Pegler Yorkshire XPress Copper Gas	M 15 M 18 ¹⁾ M 22 M 28 ¹⁾ M 35		578312 578314 578316 578318 578390
Pegler Yorkshire XPress Stainless	M 15 M 18 ¹⁾ M 22 M 28 ¹⁾ M 35 M 15 S (PR-2B) M 18 S (PR-2B) M 22 S (PR-2B) M 28 S (PR-2B) M 35 S (PR-2B)		578312 578314 578316 578318 578390 574738 574740 574742 574744 574746
Pegler Yorkshire XPress Stainless Gas	M 15 M 18 ¹⁾ M 22 M 28 ¹⁾ M 35		578312 578314 578316 578318 578390
PERFEXIM PERFEKT SYSTEM	U 16 U 20 U 25 U 32		578374 578378 578380 578382
PERFILTUBO PERFILALUPEX	U 16 U 18 U 20 U 25 U 32 U 40		578374 578376 578378 578380 578382 578386
PERFILTUBO PERFILPRESS	M 15 M 18 M 22 M 28 M 35 M 15 S (PR-2B) M 18 S (PR-2B) M 22 S (PR-2B) M 28 S (PR-2B) M 35 S (PR-2B)		578312 578314 578316 578318 578390 574738 574740 574742 574744 574746
PEXTUBE PexTube	Rfz 16 Rfz 20 Rfz 25 Rfz 32		578492 578494 578496 578498

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Pipelife C-PRESS	M 15 M 18 M 22 M 28 M 35 M 15 S (PR-2B) M 18 S (PR-2B) M 22 S (PR-2B) M 28 S (PR-2B) M 35 S (PR-2B)		578312 578314 578316 578318 578390 574738 574740 574742 574744 574746
Pipelife RADOPRESS	TH 16 TH 18 TH 20 TH 26 TH 32 TH 40 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B)		578352 578356 578358 578362 578364 578624 574782 574788 574794 574798
Pipetec Connect	TH 16 TH 20 TH 26 TH 32 TH 40 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B) U 16 U 20 U 25 U 32		578352 578358 578362 578364 578624 574782 574788 574794 574798 578374 578378 578380 578382
PLASTICA ALFA Multypex	TH 16 TH 20 TH 26 TH 32 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B)		578352 578358 578362 578364 574782 574788 574794 574798
PLASTICA ALFA Multypex Air	TH 16 TH 20 TH 26 TH 32 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B)		578352 578358 578362 578364 574782 574788 574794 574798
PLASTICA ALFA Multypex alfa Gas	TH 16 TH 20 TH 26 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B)		578352 578358 578362 574782 574788 574794
PLASTICA ALFA Multypex alfa Gas protek	TH 16 TH 20 TH 26 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B)		578352 578358 578362 574782 574788 574794
PLASTICA ALFA Multypex Plus	TH 16 TH 20 TH 26 TH 32 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B)		578352 578358 578362 578364 574782 574788 574794 574798
PLASTICA ALFA Multypex Thermo	TH 16 TH 20 TH 26 TH 32 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B)		578352 578358 578362 578364 574782 574788 574794 574798
PLASTICA ALFA Multypex Thermo Plus	TH 16 TH 20 TH 26 TH 32 TH 16 S (PR-2B) TH 20 S (PR-2B) TH 26 S (PR-2B) TH 32 S (PR-2B)		578352 578358 578362 578364 574782 574788 574794 574798
PLÁSTICOS FERRO FERROPLAST GPF MULT Pressfitting MULTICAPA	U 16 U 20 U 25 U 32		578374 578378 578380 578382
PLÁSTICOS FERRO FERROPLAST GPF PPSU Pressfitting PEX y MULTICAPA	U 16 U 20 U 25 U 32		578374 578378 578380 578382
PLÁSTICOS FERRO FERROPLAST GPF PRESS Pressfitting PEX	Rfz 16 Rfz 20 Rfz 25 Rfz 32		578492 578494 578496 578498

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
PLUMBING PLUS EZIPEX Crimp (AUS)	K16/P18		578592
	K/20		578594
	K/25		578596
	K32		578598
	K1/40		578600
PLUMBING PLUS EZIPEX Gas (AUS)	K16/P18		578592
	K/20		578594
	K/25		578596
	K32		578598
	K1/40		578600
PLUMBING PLUS UNIPEX Water & Gas (AUS)	Yz 16 UNI		578740
	Yz 20 UNI		578742
	Yz 25 UNI		578744
	Yz 32 UNI		578746
PLUMBING PLUS EZIPRESS Gas (AUS)	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806
PLUMBING PLUS EZIPRESS Solar (AUS)	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808
	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
PLUMBING PLUS EZIPRESS Water (AUS)	VAU 32 (OD 31,8 mm)		578636
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806
	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808
	TH 10		578342
	TH 15		578350
POLYPIPE POLYSURE	TH 22		578588
	TH 28		578590
	M 15		578312
	M 18		578314
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
POLYSAN- C Stahl-Press- System M	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
POLYSAN- Edelstahl Press-System 1.4520	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 35 S (PR-2B)	Mini Z8	574746
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
POLYSAN- Edelstahl Press-System Gas	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	M 15		578312
	M 18		578314
	M 22		578316
POLYSAN- Edelstahl Press-System Wasser	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
POLYSAN- Press-System	TH 26		578362
	TH 32		578364
	TH 40		578424
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	TH 14		578348	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	POLYSAN-Henco- Press-System	TH 26		578362
		HE 32		578370
		HEz 40 ³⁾		578572
		TH 16 S (PR-2B)	Mini Z8	574782
		TH 20 S (PR-2B)	Mini Z8	574788
		TH 26 S (PR-2B)	Mini Z8	574794
		U 16		578374
	POLYSAN (España) „Rainbow“	U 18		578376
U 20			578378	
U 25			578380	
U 32			578382	
Prandelli Multyrama Pf	U 40		578386	
	H 14		578398	
	H 16		578400	
	H 18		578404	
Prandelli Multyrama Pfm	H 20		578406	
	H 26		578412	
	H 32		578386	
	U 40		578400	
	H 16		578404	
	H 18		578406	
	H 20		578410	
	H 26		578412	
	H 32		578352	
	TH 16		578356	
PURMO Cleverfit Radial	TH 18		578358	
	TH 20		578362	
	TH 26		578364	
	TH 32		578624	
	TH 40		574782	
	TH 16 S (PR-2B)	Mini Z8	574788	
	TH 20 S (PR-2B)	Mini Z8	574794	
	TH 26 S (PR-2B)	Mini Z8	574798	
	TH 32 S (PR-2B)	Mini Z8	578374	
	U 16		578376	
	U 20		578378	
	U 40		578386	
	R	F 16		578456
F 20			578460	
F 26			578462	
F 32			578464	
F 16 S (PR-2B)		Mini Z8	574728	
F 20 S (PR-2B)		Mini Z8	574730	
F 26 S (PR-2B)		Mini Z8	574732	
F 32 S (PR-2B)		Mini Z8	574734	
H 16			578400	
H 20			578406	
H 26			578410	
H 32			578412	
TH 14			578348	
TH 16		578352		
TH 17		578354		
TH 18		578356		
TH 20		578358		
TH 26		578362		
TH 32		578364		
TH 40		578624		
TH 16 S (PR-2B)	Mini Z8	574782		
TH 20 S (PR-2B)	Mini Z8	574788		
TH 26 S (PR-2B)	Mini Z8	574794		
TH 32 S (PR-2B)	Mini Z8	574798		
U 16		578374		
U 20		578378		
U 32		578382		
VP 16		578482		
VP 20		578484		
VP 32		578488		
Raccorderie Metalliche aesPRES ⁴⁾	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
M 18 S (PR-2B)	Mini Z8	574740		
M 22 S (PR-2B)	Mini Z8	574742		
M 28 S (PR-2B)	Mini Z8	574744		
M 35 S (PR-2B)	Mini Z8	574746		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For taking suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

⁵⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Raccorderie Metalliche inoxPRES ⁹	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
Raccorderie Metalliche MARINEPRES ⁹	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
Raccorderie Metalliche steelPRES ⁹	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
RBM Tita-fix	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	F 16		578456
	F 18		578458
	F 20		578460
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
RBM Tita-gas	U 20		578378
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
TH 32 S (PR-2B)	Mini Z8	574798	
Redi Nicoll Fluxo	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
TH 20 S (PR-2B)	Mini Z8	574788	
Redi Nicoll Fluxo Gas	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
RIFENG LD PRESS FITTING (F8)	LD 16		578652
	LD 20		578654
	LD 25		578656
RIFENG U PRESS FITTING (F5)	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
RIFENG TH PRESS FITTING (F9)	U 40		578386
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
RIQUIER A SERTIR	TH 32		578364
	TH 40		578624
	Rfz 12		578490
	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Roth PressCheck	RN 14		578434
	RN 16		578454
	RN 17		578436
	RN 20		578438
	RN 25/26		578440
	RN 32		578442
Rubinetteria Bresciane Bonomi TURBO CuNi	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Rubinetteria Bresciane Bonomi TURBO INOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Rubinetteria Bresciane Bonomi TURBO INOX GAS	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Rubinetteria Bresciane Bonomi TURBO STEEL	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
Rubinetteria Bresciane Bonomi TURBO PRESS	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	
U 14		578372	
U 16		578374	
U 18		578376	
U 20		578378	
C 26		578392	
U 32		578382	
Rubinetteria Bresciane Bonomi TURBO PRESS GAS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	
S			
SA.MI plastic	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
SA.MI plastic Multistrato Gas	TH 32 S (PR-2B)	Mini Z8	574798
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	
TH 32 S (PR-2B)	Mini Z8	574798	

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	
SANHA 3fit-Press Pb-free Serie 25000	B 16		578468	
	B 20		578472	
	B 26		578474	
	B 32		578476	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	Fz 40		578478	
	F 16 S (PR-2B)	Mini Z8	574728	
	F 20 S (PR-2B)	Mini Z8	574730	
	F 26 S (PR-2B)	Mini Z8	574732	
	F 32 S (PR-2B)	Mini Z8	574734	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 20		578378	
	C 26		578392	
	U 32		578382	
	U 40		578386	
	SANHA 3fit-Press PPSU Serie 35000	B 16		578468
		B 20		578472
B 26			578474	
B 32			578476	
F 16			578456	
F 20			578460	
F 26			578462	
F 32			578464	
F 16 S (PR-2B)		Mini Z8	574728	
F 20 S (PR-2B)		Mini Z8	574730	
F 26 S (PR-2B)		Mini Z8	574732	
F 32 S (PR-2B)		Mini Z8	574734	
H 16			578400	
H 20			578406	
H 26			578410	
H 32			578412	
TH 16			578352	
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 16 S (PR-2B)		Mini Z8	574782	
TH 20 S (PR-2B)		Mini Z8	574788	
TH 26 S (PR-2B)		Mini Z8	574794	
TH 32 S (PR-2B)		Mini Z8	574798	
U 16			578374	
U 20			578378	
C 26			578392	
U 32			578382	
SANHA Heavy Steel Press		VMP ½" (OD 21,3 mm)		578662
		VMPz ¾" (OD 26,9 mm)		578664
SANHA Heavy Steel Press Gas		VMP ½" (OD 21,3 mm)		578662
		VMPz ¾" (OD 26,9 mm)		578664
SANHA-NiroSan Gas Presssystem Serie 17000		SA 15		578514
	SA 18		578518	
	SA 22		578520	
	SA 28		578522	
	M 15 ¹⁾		578312	
	M 18 ¹⁾		578314	
	M 22 ¹⁾		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	V 15 ¹⁾		578328	
	V 18 ¹⁾		578332	
	V 22 ¹⁾		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
V 22 S (PR-2B)	Mini Z8	574758		
V 28 S (PR-2B)	Mini Z8	574760		
V 35 S (PR-2B)	Mini Z8	574762		

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
V 22 S (PR-2B)	Mini Z8	574758	
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	
SANHA-NiroSan- Presssystem Serie 9000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
V 22 S (PR-2B)	Mini Z8	574758	
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
SANHA NiroTherm Serie 91000	SA 15		578514	
	SA 18		578518	
	SA 22		578520	
	SA 28		578522	
	M 15 ¹⁾		578312	
	M 18 ¹⁾		578314	
	M 22 ¹⁾		578316	
	M 28		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	V 15 ¹⁾		578328	
	V 18 ¹⁾		578332	
	V 22 ¹⁾		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	SANHA NiroTherm Industry Serie 98000	SA 15		578514
		SA 18		578518
		SA 22		578520
SA 28			578522	
M 15 ¹⁾			578312	
M 18 ¹⁾			578314	
M 22 ¹⁾			578316	
M 28			578318	
M 35			578390	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)		Mini Z8	574744	
M 35 S (PR-2B)		Mini Z8	574746	
V 15 ¹⁾			578328	
V 18 ¹⁾			578332	
V 22 ¹⁾			578334	
V 28			578336	
V 35			578604	
V 15 S (PR-2B)		Mini Z8	574752	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	
SANHA-Press Chrom Serie 16000		SA 12		578510
		SA 15		578514
		SA 18		578518
	SA 22		578520	
	SA 28		578522	
	M 12		578310	
	M 15 ¹⁾		578312	
	M 18 ¹⁾		578314	
	M 22 ¹⁾		578316	
	M 28		578318	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	V 12		578324	
	V 15 ¹⁾		578328	
	V 18 ¹⁾		578332	
	V 22 ¹⁾		578334	
	V 28		578336	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12		578510
		SA 14		578512
SA 15			578514	
SA 16			578516	
SA 18			578518	
SA 22			578520	
SA 28			578522	
M 12			578310	
M 15 ¹⁾			578312	
M 18 ¹⁾			578314	
M 22 ¹⁾			578316	
M 28			578318	
M 35			578390	
M 12 S (PR-2B)		Mini Z8	574736	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)		Mini Z8	574744	
M 35 S (PR-2B)		Mini Z8	574746	
V 12			578324	
V 14			578326	
VG 14			578338	
V 15 ¹⁾			578328	
V 16			578330	
VG 16			578340	
V 18 ¹⁾			578332	
V 22 ¹⁾			578334	
V 28			578336	
V 35			578604	
V 12 S (PR-2B)		Mini Z8	574748	
VG 14 S (PR-2B)		Mini Z8	574750	
V 15 S (PR-2B)		Mini Z8	574752	
VG 16 S (PR-2B)		Mini Z8	574754	
V 18 S (PR-2B)	Mini Z8	574756		
V 22 S (PR-2B)	Mini Z8	574758		
V 28 S (PR-2B)	Mini Z8	574760		
V 35 S (PR-2B)	Mini Z8	574762		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
SANHA-Press Pressfittings Serie 6000	SA 12		578510
	SA 14		578512
	SA 15		578514
	SA 16		578516
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	V 12		578324
	V 14		578326
	VG 14		578338
	V 15 ¹⁾		578328
	V 16		578330
	VG 16		578340
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748
	VG 14 S (PR-2B)	Mini Z8	574750
	V 15 S (PR-2B)	Mini Z8	574752
	VG 16 S (PR-2B)	Mini Z8	574754
V 18 S (PR-2B)	Mini Z8	574756	
V 22 S (PR-2B)	Mini Z8	574758	
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
SANHA PURAPRESS Serie 8000	SA 12		578510
	SA 14		578512
	SA 15		578514
	SA 16		578516
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12 ¹⁾		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28 ¹⁾		578318
	M 35 ¹⁾		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
M 18 S (PR-2B)	Mini Z8	574740	
M 22 S (PR-2B)	Mini Z8	574742	
M 28 S (PR-2B)	Mini Z8	574744	
M 35 S (PR-2B)	Mini Z8	574746	
V 12		578324	
V 14		578326	
VG 14		578338	
V 15 ¹⁾		578328	
V 16		578330	
VG 16		578340	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 12 S (PR-2B)	Mini Z8	574748	
VG 14 S (PR-2B)	Mini Z8	574750	
V 15 S (PR-2B)	Mini Z8	574752	
VG 16 S (PR-2B)	Mini Z8	574754	
V 18 S (PR-2B)	Mini Z8	574756	
V 22 S (PR-2B)	Mini Z8	574758	
V 28 S (PR-2B)	Mini Z8	574760	
V 35 S (PR-2B)	Mini Z8	574762	

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
SANHA-Therm Serie 24000	SA 12		578510	
	SA 15		578514	
	SA 18		578518	
	SA 22		578520	
	SA 28		578522	
	M 12		578310	
	M 15 ¹⁾		578312	
	M 18 ¹⁾		578314	
	M 22 ¹⁾		578316	
	M 28		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	V 12		578324	
	V 15 ¹⁾		578328	
	V 18 ¹⁾		578332	
	V 22 ¹⁾		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	SANHA-Therm Industry Serie 28000	SA 12		578510
		SA 15		578514
		SA 18		578518
		SA 22		578520
SA 28			578522	
M 12			578310	
M 15 ¹⁾			578312	
M 18 ¹⁾			578314	
M 22 ¹⁾			578316	
M 28			578318	
M 35			578390	
M 12 S (PR-2B)		Mini Z8	574736	
M 15 S (PR-2B)		Mini Z8	574738	
M 18 S (PR-2B)		Mini Z8	574740	
M 22 S (PR-2B)		Mini Z8	574742	
M 28 S (PR-2B)		Mini Z8	574744	
M 35 S (PR-2B)		Mini Z8	574746	
V 12			578324	
V 15 ¹⁾			578328	
V 18 ¹⁾			578332	
V 22 ¹⁾			578334	
V 28			578336	
V 35			578604	
V 12 S (PR-2B)		Mini Z8	574748	
V 15 S (PR-2B)		Mini Z8	574752	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	
SANITOP PERMATUBO INOX		M 15		578312
		M 18		578314
		M 22		578316
		M 28		578318
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	SANPRO THPRESS	TH 16		578352
		TH 20		578358
		TH 26		578362
		TH 32		578364
		TH 16 S (PR-2B)	Mini Z8	574782
TH 20 S (PR-2B)		Mini Z8	574788	
TH 26 S (PR-2B)		Mini Z8	574794	
TH 32 S (PR-2B)		Mini Z8	574798	
SATEC SK VITerm	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 40		578386	
	SAVEUR REFLEX PEX Water	TH 16		578352
TH 20			578358	
TH 25			578360	
TH 32			578364	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
SAVEUR REFLEX PEX-AL-PEX Gas	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
Schütz duo-flex tri-o-flex	TH 14		578348	
	TH 16		578352	
	TH 17		578354	
	TH 20		578358	
	TH 25		578360	
	TH 16 S (PR-2B) TH 20 S (PR-2B)	Mini Z8 Mini Z8	574782 574788	
Schwer Fittings AQUApress	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
Seppelfricke VSH SudoPress C-Stahl Visu-Control	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
Seppelfricke VSH SudoPress Edelstahl Visu-Control	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
Seppelfricke VSH SudoPress Kupfer Visu-Control	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
Seppelfricke VSH SudoPress Kupfer Gas Visu-Control	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
Seppelfricke VSH SudoPress Kupfer Solar Visu-Control	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	Seppelfricke VSH XPress C-Stahl	M 12		578310
		M 15		578312
M 18 ¹⁾			578314	
M 22			578316	
M 28 ¹⁾			578318	
M 35			578390	
M 12 S (PR-2B)		Mini Z8	574736	
M 15 S (PR-2B)		Mini Z8	574738	
SAVEUR REFLEX PEX Water	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Seppelfricke VSH XPress Edelstahl	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
Seppelfricke VSH XPress Edelstahl gas	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
Seppelfricke VSH XPress Kupfer	M 12		578310	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
Seppelfricke VSH XPress Kupfer gas	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	SESTA SESTA GAS	TH 14		578348
		TH 16		578352
		TH 20		578358
		TH 26		578362
		TH 32		578364
SESTA sistema multistrato	H 16		578400	
	H 20		578406	
	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 40		578624	
	U 16		578374	
	U 20		578378	
SIGMA LI Premium	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 20		578378	
	U 25		578380	
SLOVARM PEX-THERM	U 32		578382	
	U 16		578374	
	U 20		578378	
	H 26		578410	
	U 32		578382	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	STANDARD HIDRAULICA MultiStandard	H 16		578400
H 20			578406	
H 25			578408	
H 32			578412	
Rfz 16			578492	
Rfz 20			578494	
Rfz 25			578496	
Rfz 32			578498	
TH 16			578352	
TH 20			578358	
steeltrade Presssystem Edelstahl Kontur M	TH 25		578360	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 32 S (PR-2B)	Mini Z8	574798	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
STELBI Polikraft	U 40		578386	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
STELBI Polikraft	M 35 S (PR-2B)	Mini Z8	574746	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788		
TH 26 S (PR-2B)	Mini Z8	574794		
TH 32 S (PR-2B)	Mini Z8	574798		
U 16		578374		
U 20		578378		
C 26		578392		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
STELBI Stelgas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
STH Westco COPPER PRESS	M 15		578312
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 22 S (PR-2B)	Mini Z8	574742
TDM BRASS Serie 1600	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
	T		
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
TDM BRASS Serie 2600	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	U 16		578374
	U 18		578376
TDM BRASS Serie 1700 gas	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	TH 16		578352
	TH 20		578358
	TH 26		578362
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
TermoConcept TC-PRESS	TH 26 S (PR-2B)	Mini Z8	574794
	Basic E01 ²⁾		578618
THERMOLUTZ	H 14		578398
	H 16		578400
	TH 20		578358
	TH 20 S (PR-2B)	Mini Z8	574788
TE-SA TE-SA press serie 800	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
THERMACOME ACOPEX ALU	TH 32 S (PR-2B)	Mini Z8	574798
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
TIEMME AL-COBRAPEX Serie 1650	U 20		578378
	U 32		578382
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
	TH 40		578624
TH 16 S (PR-2B)	Mini Z8	574782	
TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794	

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
TIEMME Serie 1700 PE-X a pressare	RFz 12		578490	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
TIEMME TIEMME Gas	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	THL 32		578368	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
TH 26 S (PR-2B)	Mini Z8	574794		
TIGRE ALPEX GAS	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
TKM Systemtechnik	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
TRA MULTITRAPRESS	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
TRA TRAPRESS	H 12		578396	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 32		578412	
	RFz 12		578490	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
Tradelink TradePex Crimp Water	K16/P18		578592	
	K/20		578594	
	K/25		578596	
	K32		578598	
Tradelink TradePex Crimp Gas	K1/40		578600	
	K16/P18		578592	
	K/20		578594	
	K/25		578596	
	K32		578598	
	K1/40		578600	
	TUBIPLAST ITALY MULTILAYER PIPE	H 16		578400
		H 18		578404
H 20			578406	
H 26			578410	
H 32			578412	
TH 16			578352	
TH 18			578356	
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 40			578624	
TH 16 S (PR-2B)		Mini Z8	574782	
TH 20 S (PR-2B)		Mini Z8	574788	
TH 26 S (PR-2B)		Mini Z8	574794	
TH 32 S (PR-2B)		Mini Z8	574798	
U 16			578374	
U 18		578376		
U 20		578378		
C 26		578392		
U 32		578382		
TUBIPLAST ITALY MULTILAYER PIPE GAS SYSTEM	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	TWEETOP	U 16		578374
U 20			578378	
U 25			578380	
U 32			578382	
U 40			578386	
U				
UNICAL AG MAX-MULTIPEX	U 16		578374	
	U 20		578378	
	H 26		578410	
	C 26		578392	
	U 32		578382	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
UNIDELTA DELTAPRESS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
UNIDELTA DELTAPRESS GAS	U 16		578374
	U 20		578378
	U 32		578382
	U 40		578386
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	Uponor MLC	H 16	
H 20			578406
H 26			578410
H 32			578412
U 16			578374
Uponor MLC-D	UP 14		578576
	UP 16		578578
	UP 18		578580
	UP 20		578582
	UP 25		578584
Uponor MLC-G	UP 32		578586
	UP 16		578576
	UP 20		578578
	UP 25		578580
	UP 32		578586
Uponor S-Press PLUS	UP 16		578576
	UP 20		578578
	UP 25		578580
	UP 32		578586
Uponor Uni Pipe PLUS	UP 16		578576
	UP 20		578578
	UP 25		578580
	UP 32		578586
V			
Valsir Bravopress	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	H 32 V		578602
	TH 16		578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
C 26		578392	
U 32		578382	
Valsir PEXAL	H 14		578398
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	H 32 V		578602
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
U 20		578378	
U 26		578392	
C 26		578392	
U 32		578382	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Van Marcke NV Tubipex	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
Van Marcke NV Tubipress	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
Variotherm System TH	TH 11,6		578344
	TH 16		578352
	TH 20		578358
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	VESBO CARBON	M 15	
M 18			578314
M 22			578316
M 28			578318
M 35			578390
M 15 S (PR-2B)		Mini Z8	574738
M 18 S (PR-2B)		Mini Z8	574740
M 22 S (PR-2B)		Mini Z8	574742
M 28 S (PR-2B)		Mini Z8	574744
M 35 S (PR-2B)		Mini Z8	574746
VESBO INOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
VESBO MULTIPRESS TH-U	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
VESBO VPREMIUM	C 26		578392
	U 32		578382
	U 16		578374
	U 20		578378
	U 25		578380
Viega Fonterra	VX 12		578550
	VP 14/15		578480
	VP 16/17		578482
	VP 20		578484
	VP 25		578486
Viega MegaPress (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress 304 FKM (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress 316 (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress 316 FKM (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress CuNi (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress FKM (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPressG (ASTM) ³⁾	VMP ½" (OD 21,3 mm)		578662
Viega Megapress (EN) ⁴⁾	VMP ¾" (OD 17,2 mm)		578660
	VMP ½" (OD 21,3 mm)		578662
Viega Megapress S (EN) ⁴⁾	VMP ¾" (OD 17,2 mm)		578660
	VMP ½" (OD 21,3 mm)		578662
Viega Pexfit	VX 16		578552
	VX 20		578554
	VX 25		578556
	VX 16		578552
	VX 20		578554
Viega Pexfit Fosta G	VX 25		578556
	VX 16		578552
	VX 20		578554
Viega Prestabo	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 12 S (PR-2B)	Mini Z8	574748
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Viega Profipress	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	Viega Profipress G	V 12		578324
		V 15		578328
		V 18		578332
V 22			578334	
V 28			578336	
V 35			578604	
V 12 S (PR-2B)		Mini Z8	574748	
V 15 S (PR-2B)		Mini Z8	574752	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	
Viega Profipress S		V 12		578324
		V 15		578328
		V 18		578332
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	Viega Profipress Therm	V 12		578324
		V 15		578328
		V 18		578332
V 22			578334	
V 12 S (PR-2B)		Mini Z8	574748	
V 15 S (PR-2B)		Mini Z8	574752	
Viega ProPress (ASTM) ³⁾	VUS ½" (OD 15,9 mm)		578566	
	VUS ¾" (OD 22,2 mm)		578568	
	VUS 1" (OD 28,6 mm)		578570	
	VUS 1¼" (OD 34,9 mm)		578606	
	VUS ½" (OD 15,9 mm)		578566	
Viega ProPress 304 FKM (ASTM) ³⁾	VUS ¾" (OD 22,2 mm)		578568	
	VUS 1" (OD 28,6 mm)		578570	
	VUS 1¼" (OD 34,9 mm)		578606	
	VUS ½" (OD 15,9 mm)		578566	
Viega ProPress 316 (ASTM) ³⁾	VUS ¾" (OD 22,2 mm)		578568	
	VUS 1" (OD 28,6 mm)		578570	
	VUS 1¼" (OD 34,9 mm)		578606	
	VUS ½" (OD 15,9 mm)		578566	
Viega ProPress WATER System AUS	VAU 15 (OD 12,7 mm)		578630	
	VAU 20 (OD 19,1 mm)		578632	
	VAU 25 (OD 25,4 mm)		578634	
	VAU 32 (OD 31,8 mm)		578636	
Viega ProPressG GAS System AUS	VAU 15 (OD 12,7 mm)		578630	
	VAU 20 (OD 19,1 mm)		578632	
	VAU 25 (OD 25,4 mm)		578634	
	VAU 32 (OD 31,8 mm)		578636	
Viega Raxinox	VRX 16		578640	
	VRX 20		578642	
Viega Raxofix	VRX 16		578640	
	VRX 20		578642	
	VRX 25		578644	
	VRX 32		578646	
Viega Sanfix	VP 16/17		578482	
	VP 20		578484	
	VP 25		578486	
	VP 32		578488	
Viega Sanfix Fosta	VP 16/17		578482	
	VP 20		578484	
	VP 25		578486	
	VP 32		578488	
Viega Sanpress	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
Viega Sanpress Inox	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Viega Sanpress Inox G	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
Viega Smartpress	VX 16		578552	
	VX 20		578554	
	VX 25		578556	
Viessmann	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
Vogel & Noot EASYTEC	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	TH 16 S (PR-2B)	Mini Z8	574782	
	TH 20 S (PR-2B)	Mini Z8	574788	
	TH 26 S (PR-2B)	Mini Z8	574794	
	TH 32 S (PR-2B)	Mini Z8	574798	
	VSH MultiPress	U 14		578372
U 16			578374	
U 20			578378	
U 25			578380	
U 32			578382	
U 40			578386	
TH 14			578348	
TH 16			578352	
TH 20			578358	
TH 25			578360	
TH 32			578364	
TH 40			578624	
TH 16 S (PR-2B)		Mini Z8	574782	
TH 20 S (PR-2B)		Mini Z8	574788	
TH 32 S (PR-2B)		Mini Z8	574798	
VSH MultiPress Gas		U 16		578374
	U 20		578378	
	U 25		578380	
	TH 16		578352	
	TH 20		578358	
	TH 16 S (PR-2B)	Mini Z8	574782	
VSH SudoPress Carbon	TH 20 S (PR-2B)	Mini Z8	574788	
	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 S (PR-2B)	Mini Z8	574748	
	V 15 S (PR-2B)	Mini Z8	574752	
	V 18 S (PR-2B)	Mini Z8	574756	
	V 22 S (PR-2B)	Mini Z8	574758	
	V 28 S (PR-2B)	Mini Z8	574760	
	V 35 S (PR-2B)	Mini Z8	574762	
	VSH SudoPress Copper	V 12		578324
		V 14		578326
		V 15		578328
V 16			578330	
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 12 S (PR-2B)		Mini Z8	574748	
V 14 S (PR-2B)		Mini Z8	574800	
V 15 S (PR-2B)		Mini Z8	574752	
V 16 S (PR-2B)		Mini Z8	574802	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
VSH SudoPress Copper Gas	V 12		578324	
	V 14		578326	
	V 15		578328	
	V 16		578330	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	VSH SudoPress Stainless	V 15		578328
		V 18		578332
V 22			578334	
V 28			578336	
V 35			578604	
V 15 S (PR-2B)		Mini Z8	574752	
V 18 S (PR-2B)		Mini Z8	574756	
V 22 S (PR-2B)		Mini Z8	574758	
V 28 S (PR-2B)		Mini Z8	574760	
V 35 S (PR-2B)		Mini Z8	574762	
VSH XPress Carbon	M 12		578310	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
VSH XPress Copper	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	M 12		578310	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 12 S (PR-2B)	Mini Z8	574736	
	M 15 S (PR-2B)	Mini Z8	574738	
VSH XPress Copper GAS	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
VSH XPress Stainless	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
VSH XPress Stainless Gas	M 18 S (PR-2B)	Mini Z8	574740	
	M 22 S (PR-2B)	Mini Z8	574742	
	M 28 S (PR-2B)	Mini Z8	574744	
	M 35 S (PR-2B)	Mini Z8	574746	
	M 15		578312	
	M 18 ¹⁾		578314	
	M 22		578316	
	M 28 ¹⁾		578318	
	M 35		578390	
	M 15 S (PR-2B)	Mini Z8	574738	
W				
Watts MTR Art press	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
WATTS RADIANT Watts WaterPEX	US ¾"		578534	
	US ½"		578536	
	US ¾"		578538	
WATTS RADIANT Watts RadiantPEX	US 1"		578540	
	US ¾"		578534	
	US ½"		578536	
	US ¾"		578538	
	US 1"		578540	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- 4) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- 5) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
WATTS	U 16 (1/2")		578374
RADIANT	U 20 (5/8")		578378
Watts	U 25 (3/4")		578380
RadiantPEX-AL	U 32 (1")		578382
Wavin	B 16		578468
Tigris K5/M5	B 20		578472
	B 32		578476
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	UP 16		578578
	UP 20		578582
	UP 25		578584
	UP 32		578586
WEECON	M 15		578312
PRESS-C-Stahl	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
WEECON	M 15		578312
PRESS-Edelstahl	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738
	M 18 S (PR-2B)	Mini Z8	574740
	M 22 S (PR-2B)	Mini Z8	574742
	M 28 S (PR-2B)	Mini Z8	574744
	M 35 S (PR-2B)	Mini Z8	574746
WEECON	V 15		578328
PRESS-Kupfer	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752
	V 18 S (PR-2B)	Mini Z8	574756
	V 22 S (PR-2B)	Mini Z8	574758
	V 28 S (PR-2B)	Mini Z8	574760
	V 35 S (PR-2B)	Mini Z8	574762
WEM	U 16		578374
WIELAND	TH 14		578348
cuprotherm	TH 16		578352
CTX	TH 18		578356
	TH 20		578358
	TH 26		578362

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
WKS-Press	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
WÜRTH	TH 16		578352
Würth	TH 20		578358
	TH 26		578362
	HE 32		578370
X			
XtraConnect	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728
	F 20 S (PR-2B)	Mini Z8	574730
	F 26 S (PR-2B)	Mini Z8	574732
	F 32 S (PR-2B)	Mini Z8	574734
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782
	TH 20 S (PR-2B)	Mini Z8	574788
	TH 26 S (PR-2B)	Mini Z8	574794
	TH 32 S (PR-2B)	Mini Z8	574798
	U 16		578374
	U 20		578378
(DN 26)	U 25		578380
	U 32		578382
	VP 16		578482
	VP 20		578484
	VP 32		578488
Y			
YX COPPER	Yz 16 UNI		578740
UNIPEX Water & Gas (AUS)	Yz 20 UNI		578742
	Yz 25 UNI		578744
	Yz 32 UNI		578746
Z			
ZEWOTHERM	TH 12		578346
Zewo Press Premium	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
ZEWOTHERM	TH 16		578352
Zewo Press PPSU	TH 20		578358
	TH 26		578362
	TH 32		578364
ZURN	US 3/8"		578534
INDUSTRIES	US 1/2"		578536
ZURN PEX	US 3/4"		578538
	US 1"		578540

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

- Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For taking suitable pressing inserts.
- Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.
- For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

The suitability of REMS pressing tools for pressfitting systems: Date 12.10.2022. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 180 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Adapter tongs Mini Z8 for driving REMS pressing rings S (PR-2B)	574700
Steel case with insert for adapter tongs Mini Z8 and adapter tongs Z8 as well as 6 REMS pressing rings S (PR-2B)	574516
L-Boxx system case with inlay for Mini Z8 adapter tongs and Z8 adapter tongs as well as 14 REMS S pressing rings (PR-2B)	574704
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295
L-Boxx system case with insert for 11 pressing tongs Mini and 6 pressing rings S (PR-2B)	578659

