

Easy Spa Cover Measuring Guide

Print this guide to take with you to your hot tub.

You will need:

- Tape Measure
- Pen or Pencil
- Framing Square or Straight Edge (if your spa has rounded corners)
- A Helper (makes measuring much easier)

HELPPESK:
(800) 823-3638

Decide: Measure Spa or Old Cover?


- If all of the following are true, measure your **OLD COVER**:
- Cover is not warped or changed shape or size since purchase.
 - You are satisfied with the way the cover fits.
- If any of the following are true, measure your **SPA**:
- You do not have a cover.
 - Cover is warped or has changed shape or size since purchase.
 - You are not satisfied with the way the cover fits.

Contact us before proceeding if:

- Your spa has bowed sides, oval, elliptical, or other odd shape.
- You are unsure how to measure.

DuraTherm does not manufacture covers over **98"** in any dimension, nor covers with cut-outs, integrated cover lift hardware, more than 2 panels, irregular shapes, or with any non-standard features. Contact us before proceeding if you have any questions.


How to Measure Different Hot Tub Types - Pick yours:



Classic Cabinet

Measure to outermost points of the shell lip as indicated by above arrows.


Note: Cover skirt extends slightly below rim.



Cabinet with Top Rail

Measure to outermost points of the top rail as indicated by above arrows.


Note: Cover skirt extends over & slightly below rail.



In-Ground Spa

Measure to outermost points as indicated by above arrows.

Note: For rimless spas, add 6" to opening length & width for 3" overhang on all sides.



Round Wood Tub

Measure to outermost points of hot tub as indicated by above arrows.

Cover skirt length is normally personal preference.

Measure Correctly:


State measurements in inches, not feet. Round-up length and width to the nearest inch. A cover that is slightly larger (even 1-2 inches) than the spa will fit and function just fine, but a cover that is significantly too small may suffer some loss in heat retention. Double-check your measurements for accuracy.

Take Measurements:

4 CUT CORNERS SPA COVER

Center hinge always cuts "A" dimension in half, determining fold orientation.
Take measurements in inches (not feet) and round up or down as directed.

(This spa has 4 cut corners. If your spa has 8 equal-length sides, choose the Equal Octagon shape instead).



Measurements:

A _____ (round UP to nearest inch)

B _____ (round UP to nearest inch)

C _____ (round DOWN to nearest inch)


Measure Skirt Length:

The skirt is the overhanging flap, extending from the bottom edge of the spa cover (which is the top of the spa's rim). A common length is 5".

For acrylic spas, the skirt should cover the exposed lip of the shell, plus about 1/2" more, rounded up to even inches.

The minimum skirt length is 2". Covers can also be made with no skirt, in which case enter "0" for skirt length.

My skirt length is: _____

Measure Strap Length:

The strap length is measured from the bottom of the cover (which is the top of the spa's rim) to the top of the latch, as illustrated. In our example, the straps are 9" long, extending 4" below the skirt.

The strap must extend at least 2" or more below the bottom edge of the skirt.

- Do not measure from bottom edge of skirt
- Do not include latch in measurement.

Note: Straps are required for safety. Due to production variations, strap location around the spa cannot be guaranteed by any cover maker. For this reason new latches and mounting hardware are provided.

My strap length is: _____