Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Sample NHTL-WSP-D9-0912

Sample ID:	BBL_4952	Matrix:	Water Soluble	Analyses Executed:	CAN	
Company:	Nano HempTech LABS	Batch ID:	NHTL-WSP-D9-0912	Reported:	26 Sep, 2023	
Phone:	281-531-7500	Received:	21 Sep, 2023			
Address:	22936 Kuykendahl Rd. Ste B TX, 77389		- C			
Email:	info@nanohemptechlabs.com		25.			

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


Cannabinoid Profile Analysis

Analyzed 21 Sep, 2023 | Instrument HPLC-PDA | Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2

	(05)						
Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)			
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND			
Cannabidivarin (CBDV)	0.050	0.150	ND	ND			
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND			
Cannabidiol (CBD)	0.060	0.190	ND	ND			
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND			
Cannabigerol (CBG)	0.080	0.230	ND	ND			
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND			
Cannabinol (CBN)	0.040	0.120	ND	ND			
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND			
Cannabichromene (CBC)	0.090	0.280	ND	ND			
Cannabicyclol (CBL)	0.210	0.640	ND	ND			
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND			
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	23.7124	237.124			
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND			
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND			
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND			
Total THC (THCa * 0.877 + THC)			23.7124	237.124			
Total CBD (CBDa * 0.877 + CBD)			ND	ND			
Total CBG (CBGa * 0.877 + CBG)			ND	ND			
Total Cannabinoids			23.7124	237.124			

Sample Photography





NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count





Scan the QR code to

Authorized Signature

Archana

Or. Archana R. Parameswar,

Dr. Archana R. Parameswar, Laboratory Director 26 Sep, 2023 03:44:55 PM