

CERTIFICATE OF ANALYSIS

Prepared for:

Hau Processing

2200 E 76th Ave Unit 300 Denver, CO USA 80229

CBD Broad Spectrum Distillate

Batch ID or Lot Number: 0600087	Test: Potency	Reported: 13Jan2023	USDA License: N/A	
Matrix: Concentrate	Test ID: T000232670	Started: 12Jan2023	Sampler ID: N/A	
	Method(s): TM14 (HPLC-DAD)	Received: 11Jan2023	Status: N/A	

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.047	0.168	ND	ND	
Cannabichromenic Acid (CBCA)	0.043	0.153	ND	ND	
Cannabidiol (CBD)	0.173	0.431	90.400	904.00	
Cannabidiolic Acid (CBDA)	0.177	0.442	ND	ND	
Cannabidivarin (CBDV)	0.041	0.102	1.200	12.00	
Cannabidivarinic Acid (CBDVA)	0.074	0.184	ND	ND	
Cannabigerol (CBG)	0.026	0.095	4.120	41.20	
Cannabigerolic Acid (CBGA)	0.111	0.398	ND	ND	
Cannabinol (CBN)	0.035	0.124	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Cannabinolic Acid (CBNA)	0.076	0.271	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.132	0.474	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.120	0.431	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.106	0.381	ND	ND	
Tetrahydrocannabivarin (THCV)	0.024	0.087	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Tetrahydrocannabivarinic Acid (THCVA)	0.094	0.336	ND	ND	
Total Cannabinoids			95.720	957.20	
Total Potential THC			ND	ND	
Total Potential CBD			90.400	904.00	

Final Approval

13Jan2023

PREPARED BY / DATE

Sam Smith 01:01:00 PM MST

Karen Winternheimer 13Jan2023 01:08:00 PM MST

APPROVED BY / DATE

Definitions

* % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.





