



Certificate of Analysis
Compliance Test

Client Information:

Nano Hemp Tech Labs
22936 Kuykendahl Rd,
Suite B Spring, TX 77389
Order # LAU230823-040001
Order Date: 2023-08-23
Sample # AAEU592

Batch # 230818-2846
Batch Date: 2023-08-18
Extracted From: Industrial Hemp

Test Reg State: Florida

Sampling Date: 2023-08-24
Lab Batch Date: 2023-08-24
Completion Date: 2023-08-28

Initial Gross Weight: 26.957 g



Product Image

Potency
Tested

Heavy Metals
Passed

Mycotoxins
Passed

Pesticides
Passed

Residual Solvents
Passed

Pathogenic Microbiology
Passed

Microbiology Petrifilm
Passed

Potency 25 + CBE

Specimen Weight: 100.730 mg

Tested

SOP13.002 (LCUV)

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
CBG	2.48E-4	0.0015	837.5000	83.7500
CBT	2.00E-4	0.0015	39.0100	3.9010
CBD	5.40E-5	0.0015	22.4000	2.2400
Delta-9 THC	1.30E-5	0.0015	5.5250	0.5525
CBN	1.40E-5	0.0015	2.2980	0.2298
CBNA	9.50E-5	0.0015	1.6830	0.1683
CBL	3.50E-5	0.0015	1.2150	0.1215
CBC	1.80E-5	0.0015	0.8430	0.0843
THCVA	4.70E-5	0.0015	0.7130	0.0713
CBGA	8.00E-5	0.0015	0.3190	0.0319
THCV	7.00E-6	0.0015	0.3090	0.0309
THCA-A	3.20E-5	0.0015	0.2100	0.0210
CBCA	1.07E-4	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	1.40E-5	0.0015	<LOQ	<LOQ
CBE	4.83E-5	0.002	<LOQ	<LOQ
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP *	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP *	1.17E-5	0.0012	<LOQ	<LOQ
Exo-THC	2.30E-4	0.0015	<LOQ	<LOQ
THCB *	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	3.50E-4	0.00195	<LOQ	<LOQ
Total Active CBD			22.400	2.240
Total Active THC			5.709	0.571

Potency Summary

Total Active THC 0.571%	Total Active CBD 2.240%
Total CBG 83.778%	Total CBN 0.377%
Other Cannabinoids 4.2%	Total Cannabinoids 91.167%

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 9 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, . LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

Nano Hemp Tech Labs
22936 Kuykendahl Rd,
Suite B Spring, TX 77389
Order # LAU230823-040001
Order Date: 2023-08-23
Sample # AAEU592

Batch # 230818-2846
Batch Date: 2023-08-18
Extracted From: Industrial Hemp
Sampling Date: 2023-08-24
Lab Batch Date: 2023-08-24
Completion Date: 2023-08-28

Test Reg State: Florida

Initial Gross Weight: 26.957 g

Pathogenic Microbiology - SE (MicroArray)

Specimen Weight: 1033.900 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Salmonella	Absence in 1g	STEC E. Coli	Absence in 1g

Passed
SOP13.019 (Micro Array)



Microbiology (Petrifilm)

Specimen Weight: 992.400 mg

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Aerobic Bacteria	10	1000	<10	Yeast/Mold	10	100	<10

Passed
SOP13.003 (Petrifilm)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "" are not ISO/IEC 17025:2017 accredited test results.*





Certificate of Analysis
Compliance Test

Client Information:

Nano Hemp Tech Labs
22936 Kuykendahl Rd,
Suite B Spring, TX 77389
Order # LAU230823-040001
Order Date: 2023-08-23
Sample # AAEU592

Batch # 230818-2846 Test Reg State: Florida
Batch Date: 2023-08-18
Extracted From: Industrial Hemp
Sampling Date: 2023-08-24 Initial Gross Weight: 26.957 g
Lab Batch Date: 2023-08-24
Completion Date: 2023-08-28

Heavy Metals
Specimen Weight: 248.600 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 201

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ

Mycotoxins
Specimen Weight: 615.300 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.440

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Residual Solvents - FL (CBD)
Specimen Weight: 301.100 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	ND	Heptane	0.0013	1.39	5000	ND
1,2-Dichloroethane	0.0003	0.04	5	ND	Hexane	0.068	1.17	290	ND
Acetone	0.015	2.08	5000	ND	Isopropyl alcohol	0.0048	1.39	500	ND
Acetonitrile	0.06	1.17	410	ND	Methanol	0.0005	0.69	3000	ND
Benzene	0.0002	0.02	2	ND	Methylene chloride	0.0029	2.43	600	ND
Butanes	0.4167	2.5	2000	ND	Pentane	0.037	2.08	5000	ND
Chloroform	0.0001	0.04	60	ND	Propane	0.031	5.83	2100	ND
Ethanol	0.0021	2.78	5000	ND	Toluene	0.0009	2.92	890	ND
Ethyl Acetate	0.0012	1.11	5000	ND	Total Xylenes	0.0001	2.92	2170	ND
Ethyl Ether	0.0049	1.39	5000	ND	Trichloroethylene	0.0014	0.49	80	ND
Ethylene Oxide	0.0038	0.1	5	ND					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

Nano Hemp Tech Labs
22936 Kuykendahl Rd,
Suite B Spring, TX 77389
Order # LAU230823-040001
Order Date: 2023-08-23
Sample # AAEU592

Batch # 230818-2846
Batch Date: 2023-08-18
Extracted From: Industrial Hemp
Sampling Date: 2023-08-24
Lab Batch Date: 2023-08-24
Completion Date: 2023-08-28

Test Reg State: Florida

Initial Gross Weight: 26.957 g

Pesticides
Specimen Weight: 615.300 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.440

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Fonicamid	5.1700E-1	30	2000	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

