

SAFETY DATA SHEET

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 2GO FOAM CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Shoe Renovator

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier AB Bandindustri
Köpmangatan 62
SE-692 36 Kumla
Tel: +46 19-58 99 00
Fax: +46 19-58 99 99
e-mail: info@bandi.
www.bandi.se

Contact person AB Bandindustri
e-mail: info@bandi.se

1.4. Emergency telephone number

Emergency telephone Use your national or local emergency number. United Kingdom: Contact The National Poisons Information Service (dial 111, 24 h service).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)


Physical hazards Aerosol 1 - H222, H229

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
H222 Extremely flammable aerosol.
H229 Pressurised container: may burst if heated.
H319 Causes serious eye irritation.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Precautionary statements

P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
 P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Petroleum gases, liquefied (Note K) CAS number: 68476-85-7 EC number: 270-704-2 Lists: REACH ANNEX XVII.	15-20%
Classification Flam. Gas 1A - H220 Press. Gas (Liq.) - H280	
Acetone CAS number: 67-64-1 EC number: 200-662-2	5-15%
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	
4-Nonylphenol, branched, ethoxylated CAS number: 127087-87-0 EC number: 500-315-8 Lists: This substance is in the Candidate List of SVHC for authorisation.	1-3 %
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411	
Sulfonic acids, C14-17-sec-alkane, sodium salts CAS number: 97489-15-1 EC number: 307-055-2	1-3 %
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Ethanediol	<1%
CAS number: 107-21-1	EC number: 203-473-3
Classification	
Acute Tox. 4 - H302	
Sodium 2-ethylhexanoate	<1%
CAS number: 19766-89-3	EC number: 243-283-8
Classification	
Repr. 2 - H361d	

The full text for all hazard statements is displayed in Section 16.

Ingredient notes Note K*: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
Skin contact	Rinse with water. Get medical attention if symptoms are severe or persist.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	May cause nausea, headache, dizziness and intoxication.
Ingestion	Nausea, vomiting.
Eye contact	Irritating to eyes. Redness.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air. Not considered to be a significant hazard due to the small quantities used.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid contact with eyes and prolonged skin contact.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. Wipe up with an absorbent cloth and dispose of waste safely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
------------------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Acetone

Long-term exposure limit (8-hour TWA): WEL 500 ppm 1210 mg/m³

Short-term exposure limit (15-minute): WEL 1500 ppm 3620 mg/m³

Ethanediol

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

Acetone (CAS: 67-64-1)

DNEL	Workers - Inhalation; Short term local effects: 1000 ppm Workers - Inhalation; Long term : 500 ppm Workers - Inhalation; Long term systemic effects: 1210 mg/m ³ Workers - Inhalation; Long term local effects: 2420 mg/m ³ Workers - Dermal; Long term systemic effects: 186 mg/kg Consumer - Dermal; Long term : 62 mg/kg Consumer - Inhalation; Long term : 200 mg/m ³ Consumer - Oral; Long term : 62 mg/kg
PNEC	- Fresh water; 10.6 mg/l - marine water; 1.06 mg/l - Sediment (Freshwater); 30.4 mg/kg - Sediment (Marinewater); 3.04 mg/kg - Soil; 29.5 mg/kg Intermittent release; 21 mg/l STP; 100 mg/l

Ethanediol (CAS: 107-21-1)

DNEL	Workers - Dermal; Long term systemic effects: 106 mg/kg/day Workers - Inhalation; Long term local effects: 35 mg/m ³ Consumer - Dermal; Long term systemic effects: 53 mg/kg/day Consumer - Inhalation; Long term local effects: 7 mg/m ³
-------------	--

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

PNEC	Fresh water; 10 mg/l marine water; 1 mg/l Sediment (Freshwater); 37 mg/kg Sediment (Marinewater); 3.7 mg/kg STP; 199.5 mg/l Soil; 1.53 mg/kg Intermittent release; 10 mg/l
-------------	--

1,2-benzisothiazol-3(2H)-one (CAS: 2634-33-5)

PNEC	Fresh water; 4.03 µg/L Intermittent release, Fresh water; 1.1 µg/L marine water; 0.403 µg/L Intermittent release, marine water; 110 ng/L ; STP; 1.03 mg/l Sediment (Freshwater); 49.9 µg/kg Sediment (Marinewater); 4.99 µg/kg Soil; 3 mg/kg
-------------	--

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Wear protective gloves. It is recommended that gloves are made of the following material: Polyvinyl alcohol (PVA). Nitrile rubber. Viton rubber (fluoro rubber).
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	No information available.
Odour	Characteristic.
Odour threshold	No information available.
pH	8-8.5
Melting point	No information available.
Initial boiling point and range	No information available.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Density	0,990 – 1,000 g/cm ³
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Oxidising properties	Not available.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react strongly with the product: Oxidising agents.

10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 41,666.67

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure STOT SE 3 - H336 May cause drowsiness or dizziness.

Target organs

Central nervous system

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	Central nervous system

Toxicological information on ingredients.

Acetone

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 5800 mg/kg, Oral, Rat Equivalent or similar (OECD Test Guideline 401)

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 20000 mg/kg, Dermal, Rabbit Equivalent or similar (OECD Test Guideline 402)

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ 7600 mg/m³, Inhalation, Rat 4 hour

Sulfonic acids, C14-17-sec-alkane, sodium salts

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Ethenediol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 8,54 g/kg, Oral, Rat
LD₅₀ 6,61 g/kg, Oral, Pig.
LD₅₀ 13,7 g/kg, Oral, Mouse
LD₅₀ 4.700 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >3500 mg/kg, Dermal, Mouse
LD₅₀ 9530 mg/kg, Dermal, Rabbit
LD₅₀ 10.626 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ 140-160 ppm, Inhalation, Rat
8 hour, day 16 week

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Ecological information on ingredients.

Petroleum gases, liquefied (Note K)

Acute aquatic toxicity

Acute toxicity - fish EC₅₀, 78 hour: 4.6-10 mg/l, Algae
NOEC, 28 day: 0.13 mg/l, Oncorhynchus mykiss (Rainbow trout)
EC₅₀, 96 hour: 10-30 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hour: 10-20 mg/l, Daphnia magna
NOEC, 21 day: 0.28 mg/l, Daphnia magna

Acetone

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 5540 mg/l, Salmo gairdneri
LC₅₀, 96 hour: 5540 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hour: 12600 mg/l, Daphnia magna

4-Nonylphenol, branched, ethoxylated

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, : 84,7 mg/l, Marinewater fish

Acute toxicity - aquatic invertebrates EC₅₀/LC₅₀, : 23,06 mg/l, Freshwater invertebrates

Ethanediol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 24-48 hour: 20 mg/l, Lepomis macrochirus (Bluegill)
LC₅₀, 96 hour: 18.500 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 48 hour: >10.000 mg/l, Leuciscus idus (Golden orfe)
NOEC, 7 day: 32.000 mg/l, Pimephales promelas (Fat-head Minnow)
NOEC, 96 hour: 39.140 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 24 hour: 74.000 mg/l, Daphnia magna
NOEC, 48 hour: 24.000 mg/l, Daphnia magna
LC₅₀, 48 hour: 41.000 mg/l, Daphnia magna

Acute toxicity - aquatic plants LC₅₀, 24 hour: 12,8 mmol/l, ciliate
EC₅₀, : >1400 mg/l, Microcystis aeruginosa

Acute toxicity - microorganisms LC₅₀, : 92 mg/l, Pseudomonas putida

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

NOEC-Aquatic Plants >700 mg/l entosiphone sulcatum

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Acetone

Persistence and degradability The substance is readily biodegradable.

Biodegradation Soil - Degradation 70%: > 28 day
Water - Degradation 90.0 ± 2.2 %: 28 day
(OECD Guideline 301B)

Biological oxygen demand 1,43 g O₂/g substance

Chemical oxygen demand 1,92 g O₂/g substance

Ethanediol

Persistence and degradability The substance is readily biodegradable.

BOD/ThBOD 0,78 %

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

Acetone

Bioaccumulative potential No potential for bioaccumulation.

Partition coefficient log Pow: -0,24 (Test verisi)
BCF: 0,69 (balık)
BCF: 3 (sucul omurgasızlar)

Ethanediol

Bioaccumulative potential Potentially bioaccumulating.

Bioconcentration factor (BCF) 0,60

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

Ecological information on ingredients.

Acetone

Surface tension 0,0237 N/m @ --°C

Ethanediol

Mobility The product is water-soluble and may spread in water systems.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Do not empty into drains. Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

14.4. Packing group

ADR/RID packing group	None
IMDG packing group	None
ADN packing group	None
ICAO packing group	None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
Restrictions (SI 2020 No. 1577 Annex XVII)	No specific restrictions on use are known for this product.
Seveso Directive - Control of major accident hazards	P3a Lower-tier 150 tonnes Upper-tier 500 tonnes.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

2GO FOAM CLEANER

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population (Median Lethal Dose). EC₅₀: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.</p>
Classification abbreviations and acronyms	<p>Aerosol = Aerosol Eye Irrit. = Eye irritation STOT SE = Specific target organ toxicity-single exposure</p>
Key literature references and sources for data	<p>Source: European Chemicals Agency, http://echa.europa.eu/</p>
Classification procedures according to SI 2019 No. 720	<p>STOT SE 3 - H336: Eye Irrit. 2 - H319: : Calculation method. Aerosol 1 - H222, H229: : Expert judgement.</p>
Training advice	<p>Only trained personnel should use this material.</p>
Issued by	<p>Büşra Tarakçı/CRAD Çevre Risk Analiz Denetim ve Eğitim Hizm. A.Ş. gbf@crad.com.tr</p>
Note to organizer	<p>This SDS is prepared based on the information and documents received from product owner. CRAD or/and SDS author shall not be responsible for incorrect prepared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product owner.</p>
Revision date	<p>29/03/2022</p>
Revision	<p>0.1</p>
Supersedes date	<p>29/03/2022</p>
SDS number	<p>12524</p>
Hazard statements in full	<p>H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.</p>