



**Monster of  
tough jobs**  
Smart, Strong, Fast




[www.krakenchem.com](http://www.krakenchem.com)



**Kraken Bond** has a right to amend the product information and images in this catalogue without notice.  
Images and product properties may be different dependent on the target market or sales zone.

The information provided in the catalog is based on our experiences and carries a recommendation.  
We recommend conducting a preliminary trial before use.



**7/24 Pocket Catalog!**  
Download on the Google Play & App Store



Download on the  
**App Store**



GET IT ON  
**Google Play**



[www.krakenchem.com](http://www.krakenchem.com)



**Monster of  
tough jobs**  
*Smart, Strong, Fast*



[www.krakenchem.com](http://www.krakenchem.com)  
[info@krakenbond.net](mailto:info@krakenbond.net)

Historic District, 8684  
Virginia Meadows Dr,  
Manassas, VA 20109, USA  
☎ +1 (571) 445 5665



## 02

### CAULKS & SEALANTS

- Hyper Silicone Kitchen & Bath
- Neutral Cure Silicone Sealant
- Kitchen & Bath 100% Silicone
- Silicone All Purpose
- Gasket Maker Hi-Temp RTV Silicone
- Aquarium Silicone Sealant
- Fire Block Caulk
- Premium Caulk Acrylic Latex
- Ultra Performance Caulk

## 12

### FOAMS

- Fast Coat Spray Foam Insulation
- Gaps & Cracks Filler Polyurathane Foam
- Professional Gap Filler Door & Window
- Extreme Fire Block Gun & Straw Foam Sealant
- Premium Fire Block Gun & Straw Foam Sealant
- Black Foam Sealant Adhesive
- Pest Block Foam
- Post Mix

## 22

### ADHESIVES

- WOW! Super Fast Adhesive
- WOW! Marble & Granite Super Fast Adhesive
- Fast Cure Pur Wood Glue
- Premium Fast Wood Glue
- Ultra Fast Wood Glue
- Super Wood Glue
- No Nail Heavy Duty Adhesive
- No Nail Interior/Exterior Adhesive
- Ultra Grab Construction Adhesive
- Hybrid Flooring Adhesive
- Pro Construction Polyurethane Adhesive

## 34

### AEROSOLS

- Foam Cleaner
- All in One Lubricant & Protector Spray
- Label Sticker Remover
- Pro Lube Silicone Lubricant
- High-Tech Brake Parts Cleaner
- Engine Cleaner



# Caulks & Sealants

---

**Monster of  
tough jobs**

*Smart, Strong, Fast*

# Hyper Silicone Kitchen&Bath

Single component, high quality, moisture curing neutral silicone sealant. Non-corrosive and moldproof.



- 100% Neutral Cure Silicone
- Mold & Mildew Resistant
- Water & Weatherproof

## Properties

- Interior/exterior use.
- Shrink & Crack Proof.
- Resistant to cleaning agents.
- Maintains its flexibility at temperature extremes.
- Excellent flexibility +/-25% movement capability.
- Fast curing.
- Premium glazing.
- Non-sag.
- Low odor.

## Application Areas

- Kitchen & Bathroom.
- Window & Door.
- Tile, ceramic, metal sheets, walls and floors.
- Interior/ Exterior.

Type	Volume	Box Qty
Clear	10.1 FL. Oz. (300 ml)	12

**CE**  
EN 15651-3

# Neutral Cure Silicone Sealant

High performance, waterproof neutral silicone. Widely used in projects where water proofing is essential.



- 100% Neutral Cure Silicone
- Exterior & Interior
- Excellent Adhesion

## Properties

- Excellent weatherproof and UV resistancy.
- Crack & Shrink proof.
- Water resistant.
- Low odor.
- Excellent flexibility and adhesion.
- Resistant to extremes temperature (-76 °F to +356 °F)
- Fast curing.
- Interior / Exterior use.
- Window & Door.
- Kitchen & Bathroom.
- Wood, brick and concrete sealing.

## Application Areas

- Weather sealing and joint sealing for walls, windows and doors.
- Glass to glass and glass to aluminium sealing.
- Sealing applications in kitchens and bathrooms.
- Sealing connection joints (brick, wall, concrete, PVC, wood, glass etc.)

Type	Volume	Box Qty
Clear	10.1 FL. Oz. (300 ml)	12
White	10.1 FL. Oz. (300 ml)	12
Gray	10.1 FL. Oz. (300 ml)	12
Black	10.1 FL. Oz. (300 ml)	12



EN 15651-1





## Kitchen & Bath 100% Silicone

Quality Kitchen and Bathroom Silicone Sealant for humid environments such as kitchens and bathrooms.



- **Waterproof**
- **Mold & Mildew Proof**
- **Shrink & Crack proof**

### Properties

- 100% acetoxy silicone.
- Stays bright and clean.
- High flexibility.
- Excellent resistance any weather condition.
- Does not crack or discolor.
- Withstands detergents, cleaning agents and chemicals.
- Fast curing.
- Interior & Exterior use.

### Application Areas

- Sealing applications in kitchens and bathrooms.
- Sealing connection joints.
- Weather seal application.
- Glazing works.

Type	Volume	Box Qty
Clear	10.1 FL. Oz. (300 ml)	12
White	10.1 FL. Oz. (300 ml)	12

**CE**  
EN 15651-3

# Silicone All Purpose

100% RTV All Purpose Silicone sealant for a range of general sealing and glazing applications. It provides a strong adhesion and suitable for use on common non-porous building materials.



- 100% Waterproof
- Shrink & Crack Proof
- Mold & Mildew Resistant

### Properties

- Stays permanently elastic after curing.
- Resistant to temperature extremes.
- Resistance to aging, cracking and discoloring.
- Remains flexible in low and high temperatures.

### Application Areas

- Sealing around windows and doors.
- On bathroom, kitchen and plumbing applications.
- Connection and expansion joints on glass, porcelain, steel etc.
- Sealing electric, telephone etc. sockets and switches.


Type	Volume	Box Qty
Transwhite	10.1 FL. Oz. (300 ml)	12
Clear	10.1 FL. Oz. (300 ml)	12
White	10.1 FL. Oz. (300 ml)	12
Grey	10.1 FL. Oz. (300 ml)	12
Black	10.1 FL. Oz. (300 ml)	12

CE  
EN 15651-3



# Gasket Maker Hi-Temp RTV Silicone

High-performance silicone sealant developed for sealing, bonding and repairing works where heat resistance is required. It is an ideal sealant for high temperature construction applications.



- 100% Silicone
- Hi-Temp 572 °F
- Excellent Heat Resistance

## Properties

- Fast cure, high strength.
- Resists to mechanical enforcement after curing.
- Remains flexible at low (-40 °F) and high (+482 °F) temperatures.
- Shrink & Crack Proof

## Application Areas

- Sealing and bonding applications on auto parts.
- Sealing heating systems and ovens.
- Gaskets in engines and pumps.
- Sealing chimneys.

Type	Volume	Box Qty
Red	10.1 FL. Oz. (300 ml)	12

# Aquarium Silicone Sealant

Safe for fish, solvent-free silicone sealant for use in aquarium construction and glazing applications. It's a high-quality silicone sealant featuring excellent adhesion to glass and many other non-porous surfaces.



- 100% Silicone
- Waterproof
- Fast Curing

### Properties

- Safe for fish.
- Resistant to water.
- High flexibility at low and high temperatures.
- Formulated for fresh and salt water aquariums.

### Application Areas

- Building and repairing of aquariums.
- Suitable on glass/aluminum structures.  
Glazing on aluminum frames and shop displays.

Type	Volume	Box Qty
Clear	10.1 Oz. (300 ml)	12



EN 15651-2



# Fire Block Caulk

Water-based intumescent acrylic sealant. Easy application sealant is paintable and repairable with easy clean up.



- Fire Resistant up to 4 hours
- Intumescent
- Remains Flexible
- Paintable

## Properties

- Waterproof after fully cured.
- Weather resistant.
- Permanentlly flexible.
- Non halogen formula.
- Ideal for sealing low movement joints, suitable for up to 2,36 inches gaps.

## Application Areas

- Expansion joints on walls and doors.
- Wood, steel and PVC joints.
- Sealing cables and cable ducts.
- All joints in buildings that require fire resistance.

Type	Volume	Box Qty
White	10.1 Oz. (300 ml)	12



## Premium Caulk Acrylic Latex

Single component, general purpose acrylic latex sealants. Ideal for applications such as windows, kitchens, and bathroom fixtures.



- All Purpose
- Paintable
- Crack Proof
- General Purpose

### Properties

- Can be applied on all porous surfaces such as brick, concrete, wood etc.
- Easy clean-up with water.
- Water-proof after curing.
- Paintable. No Odor.
- Non-sag.
- Interior & Exterior.
- Non yellowing.

### Application Areas

- Kitchen & Bath counter tops.
- Interior window sealing.
- HVAC, plumbing.
- Walls and ceilings.

Type	Volume	Box Qty
White	10.1 Oz. (300 ml)	12

CE  
EN 15651-1



# Ultra Performance Caulk

Single component, premium quality acrylic latex sealant.



- Permanently Flexible
- Paintable
- Interior/Exterior Use

## Properties

- Can be applied on all porous surfaces such as brick, concrete, wood etc.
- Easy clean-up with water.
- Water-proof after curing.
- Paintable. No Odor.
- Non-sag.
- Interior & Exterior.
- Non yellowing.

## Application Areas

- Kitchen & Bath counter tops.
- Interior window sealing.
- HVAC, plumbing.
- Walls and ceilings.

Type	Volume	Box Qty
White	10.1 Oz. (300 ml)	12



EN 15651-1



## Foams

**Monster of  
tough jobs**  
Smart, Strong, Fast



# FastCoat Spray Foam Insulation

High quality heat and sound insulation for residential and commercial buildings. Provides a unique, monolithic thermal insulation without junctures, seams and gaps. An innovative alternative to traditional building insulation methods such as polystyrene heat insulation boards, fiberglass and rockwool.



- Fast Insulation
- Good Sound Insulation
- High R-value (5.66 per inch)
- Fire Rated

## Properties

- Excellent adhesion to all kinds of building materials.
- Can be applied easily to uneven, hard to reach surfaces where it is not possible to use traditional insulation materials.
- Excellent thermal insulation value (0.025 W/(m.K).
- Elimination of thermal bridges.
- Elimination of dew point.
- Yield up to 20 board feet.
- No need to use mechanical fastening elements after use.
- Paintable.

## Application Areas

- Roofs, attics, facades, foundations, trim joists, crawl space, basements, floors, interior walls, inter-floor overlappings, interior partitions, ceilings and cellars.
- Structural elements of buildings, balcony, loggia, doors, window slopes, pipes, canals and tank kind round surfaces, uneven and rough all surfaces.
- Cars and trailers, boats, yachts, vessels and all kinds of sea vehicles.

Volume	Box Qty
Net 27.1 Oz. / (770g)	12



Scan **QR** code for product video.

# FastCoat B2 Fire Rated Spray Foam Insulation

Single component, gun use Polyurethane Foam.  
Designed to provide higher yield and ease of application.



- Good Sound Insulation
- High R-Value
- Yield Up To 20 Board

### Properties

- Excellent adhesion & filling capacity and high thermal & acoustical insulation value.
- Economical consumption.
- High yield up to ; ¼ in. bead = 5000 ft depending on temperature and humidity.
- Mold-proof, water-proof and paintable.
- UL listed.

### Application Areas

- Fixing and insulating door and window frames.
- Filling and sealing gaps, joints and cavities.
- Insulating outlets and water pipes.

Volume	Box Qty
Net 24 Oz. / 690g	12



Scan QR code for product video.



# Gaps & Cracks Filler Polyurathane Foam Window&Door

Single component, straw use foam.  
Features higher yield, eaiser application.



- High Yield
- Gaps & Cracks
- Sandable And Paintable

## Properties

- Expends to fill, seal, and insulate gaps.
- Long-lasting, water-proof seal.
- Adheres to wood, metal, masonry, glass and most plastics.
- Airtight, mold-proof.
- Interior / Exterior use.

## Application Areas

- Fixing and insulating window/door frames.
- Filling and sealing gaps, joints and cavities.
- Insulating outlets and water pipes.

Volume	Box Qty
Net 12 Oz. / 340g	12
Net 24 Oz. / 690g	6/12



# Professional Window&Door Pro Foam Polyurethane Foam Sealant

Single component, gun use Polyurethane foam. Designed to provide higher yield and ease of application.



- Low Expansion & High Yield
- Window & Door
- Sandable And Paintable
- No Bowing

### Properties

- Excellent adhesion & filling capacity and high thermal & acoustical insulation value.
- Economical consumption.
- High yield up to ; ¼ in. bead = 5000 ft depending on temperature and humidity.
- Mold-proof, water-proof and paintable.
- UL listed.

### Application Areas

- Fixing and insulating door and window frames.
- Filling and sealing gaps, joints and cavities.
- Insulating outlets and water pipes.

Volume	Box Qty
Net 24 Oz./ 690g	12



# Extreme Fire Block

## Polyurethane Foam Sealant

Self-extinguishable insulating foam sealant for filling, sealing and bonding gaps.



- High Filling Capacity
- Excellent Adhesion
- Self Extinguishing Formula

### Properties

- Excellent adhesion to most building materials.
- Orange color.
- Easy to identify.
- Can be painted after curing.
- Saves time and labor.
- Remains flexible after curing.

### Application Areas

- Fixing and insulating door and window frames.
- Filling and sealing gaps, joints and cavities.
- Filling penetrations in walls.
- Insulating electrical outlets and water pipes.

Volume	Box Qty
Net 12 Oz. / 340g	12 (Straw Use)
Net 24 Oz. / 690g	12 (Straw Use)
Net 24 Oz. / 690g	12 (Gun Use)



# Premium Fire Block Polyurethane Foam Sealant

Single component, moisture curing, self-expanding, ready to use.



- Up To 4 Hours
- High Filling Capacity
- Excellent Adhesion

### Properties

- Efficient seal against smoke and gas.
- Excellent mounting capacity and stability.
- High yield up to ¼ in. bead = 4750 ft. depending on temperature and humidity.
- Mold and water resistant.
- Conforms to fire class B1 (DIN 4102).

### Application Areas

- Filling and sealing gaps, joints and cavities.
- Filling of penetrations in walls.
- Sealing of cable and pipe penetrations.
- Multi-Purpose, bonding and fixation.
- Windows & Door Frames.

Volume	Box Qty
Net 12 Oz. / (440g)	12 (Straw Use)
Net 24 Oz. / (440g)	12 (Straw Use)
Net 24 Oz. / (690g)	12 (Gun Use)



## Black Foam Waterfall & Landscape Adhesive Sealant

Top quality filling and assembly foam with a special formulation that can be applied at low temperatures. The foam provides an airtight seal by filling even hard-to-reach gaps. Helps reducing heating and cooling costs.



- High UV Resistant
- Waterproof
- Easy Application
- Excellent Adhesion

### Properties

- Formulated for landscaping, waterfall applications.
- Perfect deep black color provides UV resistance.
- Excellent adhesion & filling capacity with high thermal & acoustical insulation value.
- Mold-proof, water-proof.

### Application Areas

- Bonding decorative elements at waterfall and landscaping applications.
- For repairing jobs in filling and sealing of gaps, joints and cavities.
- Seals out insects, pests, moisture, dust and noise.
- Insulating electrical outlets and water pipes, around plumbing, electrical feed troughs and vents.

Volume	Box Qty
Net 12 Oz. / 340g	12
Net 24 Oz. / 690g	12



## PestSafe Block Foam Sealant

Single component, moisture curing, self-expanding, ready to use.



- Blocks Ants, Bees, Spiders & Roaches
- Long - Lasting, Pesticide Free
- Interior & Exterior Use
- Sandable and Trimmable

### Properties

- Excellent adhesion & filling capacity and high thermal value.
- Cured foam dries rigid and can be trimmed, shaped and sanded.
- Mold-proof, water-proof and paintable.
- Contains EPA-registered pesticide that protects foam from attack by mice and other pests.

### Application Areas

- Keeps all kinds of insects, pests and rodents away.
- Filling and sealing of especially wider gaps, joints and cavities.
- Fixing and insulating door and window frames.
- Filling penetrations in walls. Insulating outlets and water pipes.
- Good for filling wide gaps with its high expansion rate.

Volume	Box Qty
Net 12 Oz. / (340g)	12 (Staw Use)
Net 20 Oz. / (570g)	12 (Gun Use)





## Post Mix

Fast setting polyurethane foam designed specifically for supporting and backfilling of wooden, PVC, steel and many types of inground posts. It is a two component, pre-proportioned system that expands to fill the void between a post and the hole.



- **Fast & Secure**
- **Easy Application**
- **Waterproof**



### Properties

- No water is required.
- Light weight technology replaces heavy concrete bags.
- Sets in 3-5 minutes (depending on temperature).
- No messy concrete mixing.
- High strength against impacts and shocks.
- Adheres to wood, vinyl and metal posts as well as to the ground.
- Waterproof; helps protecting the post against rotting.
- Can be used outside both in summer and winter time.
- Stronger than traditional concrete.

### Application Areas

- Fence posts, light posts, birdhouses, mailboxes, street, and traffic signs.

Volume	Box Qty
23.8 Oz. (375 gr + 300gr)	12



Scan **QR** code  
for product video.



# Adhesives

---

**Monster of  
tough jobs**

*Smart, Strong, Fast*

# WOW! Super Fast Adhesive

Wow! Super Fast Adhesive is a glue kit which consists of high viscosity cyanoacrylate adhesive and activator that leads to a rapid bonding experience.



- Bonds Within Seconds
- High Bonding Strength



## Properties

- High bonding power.
- Suitable for use on vertical surfaces as it will not drip or slump.
- Particularly suited to bond difficult substrates which have a porous or uneven nature since it increases the bonding strength by preventing the adhesive to be absorbed by the surface.

## Application Areas

- It is suitable for bonding of a very wide range of materials, including acidic surfaces and some porous ones, where rapid bonding times are required.
- Suitable for MDF, wood, chip wood, rubber, most plastics, leather and other common substrates.
- Especially suitable for the applications where cure speed needs to be accelerated.
- Kraken Bond Super Fast Adhesive has a degree of gap filling ability.
- It is generally recommended for use on close-fitting parts and fairly smooth surfaces.

Volume	Box Qty
3.30 fl Oz + 0.80 Oz/100 ml + 25gr	24
6.7 fl Oz + 1.7 Oz/200 ml + 50gr	24
13.5 fl Oz + 3.5 Oz/400 ml + 100gr	24
16.9 fl Oz 4.5 Oz/500 ml + 125gr	24



Scan QR code for product video.

# WOW! Marble & Granite Super Fast Adhesive

Wow! Marble & Granite Super Fast Adhesive is an adhesive set consisting of high viscosity cyanoacrylate and activators, which is developed especially to bond materials together such as natural stone, marble, granite and decorative stones.



### • Power - Strength



### Properties

- High bonding strength.
- Suitable to be utilized in vertical surfaces; does not leak and splash.
- Increases the bonding strength especially on porous surfaces with difficulty of bonding thanks to its high viscosity.

### Application Areas

- Developed for assembly and repairs of parts such as natural stone, marble, granite, wood, MDF and metal.
- Preferred especially in the applications, which require rapid curing.

Volume	Box Qty
6.75 fl Oz + 1.7 Oz/200 ml + 50gr	24
13.5 fl Oz + 3.5 Oz/400 ml + 100gr	24



## Fast Cure PUR Wood Glue Marine Adhesive

Single component, fast curing liquid polyurethane adhesive. It possesses high water resistance and bonding strength.



- High Bonding Strength
- Fast Curing
- Water Proof

### Properties

- Easy application, low viscosity.
- Fast drying.
- Can be used on slightly humid surfaces.
- Resistant to extreme temperatures.
- Resistant to moisture and chemicals.

### Application Areas

- Fixing and gluing wooden elements to various porous and non-porous elements as wood, metal, concrete, polystyrene foam etc.
- Furniture and boat projects.
- All bonding applications that needs waterproofing.

Volume	Box Qty
6.7 fl Oz + 1.7 Oz/200 ml + 50gr	12
19.7 Oz / 560gr	12

## Premium Fast Wood Glue Waterproof D4

Single component, fast curing liquid polyurethane glue. It possesses high water resistance and bonding strength.



- Strong & Fast Bonding
- Low Clamping Time
- Indoor & Outdoor

### Properties

- Fast curing.
- Low Clamping Time.
- Extremely high bond strength on various substrates.
- Waterproof. Resistant to chemicals.
- Easy to use.
- Excellent resistance to moisture and weather conditions.
- Non shrinking.
- Useable in slightly wet substrates.
- Low odor.
- Transparent.

### Application Areas

- Fixing and gluing wooden elements to various porous and non-porous elements as wood, metal, concrete, polystyrene foam and other plastics.
- Furniture and boat projects.
- All bonding applications that need a high water resistance.

Volume	Box Qty
19.7 Oz / 560gr	12



## Ultra Fast Wood Glue Water Resistance D3

Ready to use, water resistant wood adhesive based on polyvinyl acetate homopolymer emulsion.



- Sandable & Paintable
- Very Easy Clean Up With Water
- Optimised Working/Open Assembly Time

### Properties

- Water Resistance.
- Excellent bond strength on hard, and soft woods.
- Water based.
- Easy application.

### Application Areas

- Suitable for gluing all types of wood, wooden materials and flat laminates.
- Wood to wood, hardwood, synthetic resin board and chipboard.
- Suitable for fixing paper, cardboard, paper or textile-backed PVC, cloth to wood and board.
- May also be used to bond outdoor timber constructions such as window-frames and external doors.
- Particularly suitable for moisture-resistant bonds which have to fulfil high demands.

Volume	Box Qty
19.7 Oz / 560gr	12

# Super Wood Glue

## Water Resistance D2

Water based adhesive based on polyvinyl acetate homopolymer emulsion.



- Fast & Easy Application
- Sandable & Paintable
- Very Easy Clean Up With Water

### Properties

- High bonding strength on numerous substrates.
- Water based.
- Easy application.
- Dries transparent.

### Application Areas

- Suitable for bonding wood, decorative laminates, chipboard, blockboard etc. Which have limited exposure to high humidity.

Volume	Box Qty
19.7 Oz / 560gr	12





## No Nail Heavy Duty Adhesive

Single component, polyurethane based, ultimate strength, universal adhesive with filling effect.



- **100% Waterproof**
- **Excellent Adhesion**
- **Fast Curing**
- **Ultimate Strength**

### Properties

- Extremely high bonding strength on numerous substrates.
- Non-sag, ideal for vertical joints.
- Low consumption, economical.
- Excellent resistance to moisture and weather conditions.

### Application Areas

- Bonding a wide variety of materials as many types of wood, metal, concrete, pvc and polyester.
- Furniture production and woodwork.
- Bonding brick, ceramics, stone and natural stone. Production and installation of door and window frames.
- Bonding insulation materials such as expandable polystyrene foam and pu foam.

Volume	Box Qty
10.1 FL. Oz. (300 ml)	12

## No Nail Interior/Exterior Adhesive

Single component polyurethane based, ultimate strength, universal adhesive with filling effect.



- High Initial Tack
- 100% Waterproof
- Excellent Adhesion

### Properties

- Extremely high bonding strength on numerous substrates.
- Non-sag, ideal for vertical joints.
- Low consumption, economical.
- Excellent resistance to moisture and weather conditions.
- Paintable.

### Application Areas

- Bonding a wide variety of materials as many types of wood, metal, concrete, pvc and polyester.
- Furniture production and woodwork.
- Bonding brick, ceramics, stone and natural stone.
- Production and installation of door and window frames.
- Bonding insulation materials such as expandable polystyrene foam and pu foam.

Volume	Box Qty
10.1 FL. Oz. (300 ml)	12



## Ultra Grab Construction Adhesive

Acrylic based, solvent-free, stainable adhesive used for mounting light construction materials with different surface structure.



- No Nail
- High Initial Tack
- Interior & Exterior

### Properties

- Cost-efficient solution for professional and DIY projects.
- Gives a permanent bond between materials.
- Has an extreme green strength.
- Paintable.
- Fast-curing feature saves time.

### Application Areas

- Wood, tile, ceramics, bricks, foam, panel, skirting, felt, plaster panels.
- PVC panels and decorative items and to fill cracks and gaps on walls.

Volume	Box Qty
10.1 FL. Oz. (300 ml)	12

# Hybrid Flooring Adhesive

Single component universal elastic flooring adhesive based on hybrid technology. It provides high performance on strips and mosaic hardwood, plank floors and wood block floors on porous and non-porous substrates.



- Non-Toxic
- Eco-Friendly
- Ready to Use
- Permanently Flexible

### Properties

- No mixing required.
- Cost effective.
- Non-toxic, eco-friendly.
- Suitable for under-floor heating systems.
- High bonding strength.
- Easy to apply.

### Application Areas

- Suitable for bonding many different types of floor material including strips and mosaic hardwood, plank floors and wood block floors on porous and non-porous substrates.

Color	Volume	Box Qty
Beige	20.2 Fl.Oz (600 ml)	12



# Pro Construction Adhesive

## Polyurethane Foam

The premium grade, new generation adhesive is made for interior and exterior use. Suitable for subfloors, drywall paneling, plywood, OSB and decks. Works in variety of weather conditions.



- Strong Bonding
- Reduces Nail Pops, Call Backs & Squeaks
- Saves Time And Money

### Properties

- Revolutionary high yield – Provides up to 25 times more coverage than traditional caulk adhesive.
- Adheres to dry, wet, treated and frozen lumber.
- Seals, subfloors, drywalls, paneling, foam panels and most construction materials.
- All-weather formulation freeze thaw stability.

### Application Areas

- Most construction applications on lumber, plywood, concrete, metals, masonry, steel, metals, fiberglass and more.
- Bonding floor joists, subflooring, trusses and other wood floor coverings.

Volume	Box Qty
Net 24 Oz. / 690g	6/12



# Aerosols

---

**Monster of  
tough jobs**

*Smart, Strong, Fast*

# Foam Cleaner

Efficiently removes fresh polyurethane foam from various surfaces including clothes, window and door frames. Specifically used to clean spray foam gun adapter.



## • Powerful Cleaning

### Properties

- Powerful cleaner for removing uncured polyurethane foam.
- Designed especially for cleaning the gun adapter.
- Comes with a spray nozzle for removing the foam from surrounding area.
- It can be used in all positions.

### Application Areas

- Cleaning the gun adapter.
- Cleaning the valve of the PU Foam can.
- Removal of uncured foam. From variety of surfaces.



Volume	Box Qty
Net 12.3 Oz. / (350g)	12



Scan **QR** code for product video.

## ALL IN ONE Lubricant & Protector Spray

Corrosion inhibitor, lubricant and multi purpose protector aerosol spray. It's special formula, combines many properties such as cleaning, lubricating, loosening rusted parts and driving out moisture. It can be used in industrial, home and automotive projects.



- Multi Use
- Cleans & Protects
- Drives Out Moisture



### Properties

- Ultimate penetrating.
- Protects metal parts against rust.
- Dissolves tar, gum, adhesive etc.

### Application Areas

- In all fittings, door and window mechanisms, locks, handles, hinges.
- For annulling humidity on metallic surfaces of bikes, motorbikes, small motor vehicles, electronic contacts and other home tools such as drills, jigsaws, etc.
- For loosening and activating rusted and jammed mechanisms.
- Can be used as protectant on surfaces vulnerable to water and rust.
- For dissolving adhesive materials like tar, gum, adhesive tapes etc.
- Can be used for cleaning and maintenance of weapons.
- Loosens rusted or corroded bolts, nuts, cables and many other materials.
- Decreases frictions and stops squeaks on pedals, chairs, windows, faucets and hinges.
- Does not contain silicone and any dirt trap additives.
- Provides maintenance by penetrating into surface and protects it against dirt.
- Permeates into grease and dirt and creates a protective film layer on the surface.


Volume	Box Qty
Net 12.3 Oz./400ml (310g)	12





# Silicone Mold Release Spray

Silicone based mold release agent. It shows perfect performance even at very high temperatures.



- **Anti-Static & Anti-Corrosive**
- **Free Residue**
- **Removes Moisture**

## Properties

- Provides long working life at high temperatures.
- Reduces friction and eliminates squeaks.
- Repels water, protects and renews rubber surfaces.
- Water repellent.

## Application Areas

- Interior hinges, slides, springs.
- Windshields wiper linkages.
- Snow blower chutes.
- Textile, plastic and rubber industries.



Volume	Box Qty
Net 8.5 Oz./400ml (240g)	12

## Label & Sticker Remover Spray

Removes labels and stickers with ease. It can also be used as the ultimate degreaser.



- Maximum Strength Formula
- Easy Application
- Dissolves Adhesives
- No Damage To Paintwork And Plastics

### Properties

- Directly penetrates to the surface and quickly dissolves adhesive residue.
- Quick and easy application.
- Pleasant citrus scent.

### Application Areas

- Safe to use on windows, leather, vinyl, fabric, auto body, painted surfaces, tools, plastic, metal and wood.
- Removing window stickers, bumper stickers, residue from metal parts, motors, tools, printing and concrete.
- All nonporous surfaces.



Volume	Box Qty
Net 5.3 Oz./200ml (150g)	12



## High-Tech Brake Parts Cleaner

Powerful cleaning fluid for removing oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeak and clutch slip caused by glazing and contamination. Brake cleaner helps brakes last longer and perform better.



- Dries Quickly
- Very Low Odor
- Eliminates Dust From Brake And Clutch Parts



### Properties

- Effectively removes brake fluid, grease and oil.
- Eliminates dust from brake and clutch parts.
- Reduces disc-brake squeak and clutch chatter.
- Free residue.
- Excellent penetration.
- Non-staining and non-corrosive to metals.
- Equipped with a 360° (upside-down) spray valve and extension tube for added convenience.

### Application Areas

- Brake linings, drums.
- Cylinders.
- Brake shoes. Disc brake pads. Discs.
- Wedge brakes.
- Springs.
- Calipers.
- Clutch discs.

Volume	Box Qty
Net 12.3 Oz./500ml (350g)	12

# Engine Cleaner

CLEANER, SHINER, PROTECTOR

## 3in1

Excellent product developed for cleaning engine oil, grease and stubborn dirt.



- Non - Chlorinated
- Oil & Grease Remover
- Quick & Effective

### Properties

- It will not damage engine parts.
- Provides excellent protection to the engine.
- Removes stubborn dirt, oil and grease.
- Harmless for electronic parts.
- Easily reaches, penetrates and cleans the most difficult areas.
- Does not damage rubber, plastic and painted surfaces.
- Does not contain silicone.
- Contains citrus scent.

### Application Areas

- Car Engines.
- Motorcycles.
- All types of machinery.

Volume	Box Qty
Net 12.3 Oz./500ml (350g)	12

