

Safety Data Sheet

Issue Date: 06-Dec-2023

Revision Date: 06-Dec-2023

Version 1

1. IDENTIFICATION

Product identifier	
Product Name	Wheel Cleaner

Other means of identification	
SDS #	MOTH-003
Product Code	MC-04
UN/ID No	UN1760

 Recommended use of the chemical and restrictions on use

 Recommended Use
 Alkaline Detergent – Commercial Vehicle Wash

Details of the supplier of the safety data sheet

Supplier Address Mothers Automated Solutions PO Box 28661 Scottsdale, AZ 85255 1-480-630-0366 www.mothersautomatedsolutions.com

Emergency telephone number

Emergency Telephone

INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Yellow liquid

Physical state Liquid

Odor Amine-like

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

<u>Signal Word</u> Danger

Hazard statements

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in properly labeled and compatible container

Precautionary Statements - Response

Immediately call a poison center or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a poison center or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting IN CASE OF SPILL: Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Proprietary alkaline metal salt blend	Proprietary	35-45
Potassium hydroxide	1310-58-3	10-15
Proprietary biocide	Proprietary	<0.1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor/physician.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	IF SWALLOWED: call a poison control center or physician immediately. Rinse mouth. Do NOT induce vomiting.

Self-Protection of the First Aider No action shall be taken involving any personal risk or without suitable training. it may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation and corrosive burns to mouth, throat, and stomach. May cause respiratory irritation.
Indication of any immediate n	nedical attention and special treatment needed
Notes to Physician	Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours. Treat symptomatically and supportively.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

Specific Hazards Arising from the Chemical

None known.

Hazardous combustion products Smoke, fumes or vapors, and oxides of carbon.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For Emergency Responders	Follow all fire fighting procedures in Section 5. Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Keep in suitable, closed containers for disposal. For waste disposal, see section 13 of the SDS.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal
	protective equipment as required. Keep in the original container or an approved alternative made from compatible material, kept tightly closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with local regulations.
Incompatible Materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide	Ceiling: 2 mg/m ³	-	Ceiling: 2 mg/m ³
1310-58-3			

Appropriate engineering controls

Engineering Controls	Apply technical measure	es to comply with the occ	cupational exposure limits.
----------------------	-------------------------	---------------------------	-----------------------------

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Suitable protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Yellow liquid Yellow	Odor Odor Threshold	Amine-like Not determined
Property	Values	Remarks • Method	
pH	>14	<u>·····································</u>	
Melting point / freezing point	No data available		
Initial boiling point and boiling	No data available		
range			
Flash point	No data available		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Liquid-Not applicable		

Flammability Limit in Air	
Upper flammability or explosive limits	No data available
Lower flammability or explosive	No data available
limits	
Vapor Pressure	Not determined
Vapor Density	No data available
Relative Density	1.13-1.17
Water Solubility	Not determined
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	No data available
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Incompatible Materials.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Do not inhale.
Ingestion	Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary alkaline metal salt blend	> 90 mL/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-

Proprietary biocide	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity	
Oral LD50	<2,000 mg/kg
Dermal LD50	>2,000 mg/kg
ATEmix (inhalation-dust/mist)	>5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Potassium hydroxide 1310-58-3	0.83
Proprietary biocide	0.99

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status	
Potassium hydroxide	Toxic	
1310-58-3	Corrosive	

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u> UN/ID No Proper Shipping Name Transport hazard class(es) Packing Group	UN1760 Corrosive liquid, n.o.s. (Potassium hydroxide) 8 II
<u>IATA</u> UN number or ID number Proper Shipping Name Transport hazard class(es) Packing group	UN1760 Corrosive liquid, n.o.s. (Potassium hydroxide) 8 II
IMDG UN number or ID number Proper Shipping Name Transport hazard class(es) Packing Group	UN1760 Corrosive liquid, n.o.s. (Potassium hydroxide) 8 II

15. REGULATORY INFORMATION

International Inventories

All ingredients are listed or exempt from listing on Chemical Substance Inventory

US Federal Regulations

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

SARA 313

Not determined

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			Х

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide	X	X	Х
1310-58-3			

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards	Flammability	Instability	Special hazards
<u>HMIS</u>	- Health hazards -	- Flammability -	- Physical hazards -	- Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	06-Dec-2023 06-Dec-2023 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet