

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## FOAMING BUG REMOVER

10-01

### ULTRA CONCENTRATE - HIGH PH BUG REMOVER

Mothers® Automated Solutions™ Foaming Bug Remover's fast-acting formula quickly neutralizes acidic bug guts and bird droppings on contact, while its professional-strength cleaning and stain-fighting properties dig deep to encapsulate and safely lift away road grime, sap and other organic matter from your paint, chrome, glass, metal, plastic, vinyl wrap and clear paint protection film. This no-drip,

penetrating foam makes quick work of difficult-to-reach areas such as grilles, vents, louvers and other intricate body details. Simply spray on as a pre-wash to penetrate and loosen dried-on residue and deposits. Softens all types of soils for removal with a soft brush or high pressure water all while reducing the fear of flashing surfaces with our proprietary safe and effective bug removal formula.

### ADVANTAGES

- ◇ Dissolves bugs, bird droppings, and other organic matter
- ◇ Fast-acting, easy to use
- ◇ Clings to vertical surfaces extending dwell time
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Apply 4-7 mL at up to 75:1
- ◇ Apply evenly to cool surface to avoid runs
- ◇ Do not allow to dry
- ◇ Remove with high pressure water or soft brush

### ADDITIONAL INFORMATION:

Specific Gravity:	1.07	Available Colors:	White
pH of Concentrate:	12+	Scent:	Unscented
Recommended Dilution:	Up to 75:1	Foam Profile:	Moderately Wet
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## TRIPLE ACTION FOAM WASH

20-02  
MUC-02B | 02R | 02Y

### ULTRA CONCENTRATE - CAR WASH SHAMPOO

**Mothers® Automated Solutions™ Triple Action Foam Wash** is an ultra-concentrated blend of pure surfactants, delivering unmatched lubricity and scratch protection thanks to its penetrating polymer surfactant foam blend that safely dissolves, lifts and suspends dulling contaminants. This versatile formula increases in strength—and foam—based on your needs, yet remains safe and effective on every

exterior surface. Whether you're looking for a quick, all-purpose super-sudsing shampoo, or an insane foam concentrate to use in your favorite foam generating applicator, you'll be left with a perfectly clean, streak-free shine. And best of all, it won't strip waxes, sealants or ceramic coatings, regardless of strength because of its dilution-optimized pH balanced and environmentally friendly formula.

### ADVANTAGES

- ◇ Increase top package capture rates with an outstanding foam show
- ◇ High lubricity and fast crashing foam that rinses easily
- ◇ Performs exceptionally in all types of foam generators
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Foam Generators: 3-5 mL
- ◇ Rain Bar: 8-12 mL
- ◇ Sheet Foamer: 16-20 mL
- ◇ Utilize at up to 1300:1

### ADDITIONAL INFORMATION:

Specific Gravity:	0.98	Available Colors:	White, Blue, Red, Yellow
pH of Concentrate:	6-9	Scent:	Mothers Signature Scent
Recommended Dilution:	Up to 1300:1	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

## TECHNICAL BULLETIN

# PRE-SOAK

M-O-U-N

## ULTRA CONCENTRATE - HIGH PH PRE-SOAK

**Mothers® Automated Solutions™ Pre-Soak** is an ultra-concentrated formula that is the perfect balance of high-performance surfactants and other additives designed to wash away dirt, road film, bugs, bird droppings, airborne pollutants, and other grime. Apply it through any applicator and let this high-pH pre-soak dig deep to safely lift and remove any oily and greasy soils from the vehicle's clear coat,

chrome, glass, metal, plastic, vinyl wrap and clear protection film. Whether you are utilizing our multi-step Ceramic System or a simple 2-step process in your wash, this super-sudsy cleaner offers consistent performance in all wash types. This product truly is the do-all answer for all your alkaline presoak needs and will prepare vehicles in each wash package for the rest of your wash process.

## ADVANTAGES

- ◇ High PH formula tackles a wide range of soils
- ◇ Resilient to hard water
- ◇ Works with all types of foam generators
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

## DIRECTIONS FOR USE:

- ◇ Foam Generators: 5-10 mL
- ◇ Utilize at up to 500:1
- ◇ Increase in strength as necessary to achieve desired cleaning result
- ◇ Rinse off thoroughly with water

## ADDITIONAL INFORMATION:

Specific Gravity:	1.23	Available Colors:	White
pH of Concentrate:	13+	Scent:	Unscented
Recommended Dilution:	Up to 500:1	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

## TECHNICAL BULLETIN

# WHEEL CLEANER

TO-22

## ULTRA CONCENTRATE - HIGH PH WHEEL CLEANER

**Mothers® Automated Solutions™ Wheel Cleaner** is an ultra-concentrated, high-pH formula that penetrates, dissolves and suspends all types of grime. The alkaline, solvency and premium detergents easily remove oils and grease, cleaning both the wheels and tires. Apply it through your chemical tire applicator or utilize it as a Touch-Free pre-soak and watch it foam, giving it superior coverage and extended dwell time

as it safely eliminates the harmful deposits that can damage wheels. When used in collaboration with **Mothers® Automated Solutions™ Wheel Shine** later in the wash cycle, there is no dirty wheel you cannot clean.

**CAUTION:** For use on factory/OEM coated wheels and hubcaps only.

## ADVANTAGES

- ◇ High PH Formula Targets and removes oils and grease
- ◇ Clings to vertical surfaces extending dwell time
- ◇ High efficiency formula makes product extremely economical
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

## DIRECTIONS FOR USE:

- ◇ Chemical Tire Applicator (CTA): 7-10 mL
- ◇ Do not allow to dry
- ◇ Avoid polished or roughcast aluminum, billet or anodized wheels
- ◇ Rinse off thoroughly with water

## ADDITIONAL INFORMATION:

Specific Gravity:	1.15	Available Colors:	Flourescent Yellow
pH of Concentrate:	13+	Scent:	Unscented
Recommended Dilution:	Up to 80:1	Foam Profile:	Moderate
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

## TECHNICAL BULLETIN BODY SHINE

MS-01

### ULTRA CONCENTRATE - LOW PH CAR WASH SHAMPOO

**Mothers® Automated Solutions™ Body Shine** is a high-efficiency, low-pH proprietary blend of surfactants and detergents formulated to deliver exceptionally deep cleaning of the clear coat. This step is pivotal in the **Mothers® Automated Solutions™ Ceramic System** as it prepares the vehicle's body for optimal bonding of our exclusive hybrid ceramic products that are applied in the second half of the

wash cycle. This product performs extraordinarily in all wash types and can be used as stated or as a pre-soak in a 2-step Touch-Free wash. Either way, apply **Body Shine** with your applicator of choice and enjoy the improved drying performance and flawless reflectivity, depth, and clarity. NOTE: This product is intended to be applied solely through car wash equipment and should not be handled with bare hands.

### ADVANTAGES

- ◇ low ph formula Deep cleans surface and brightens the clear coat
- ◇ Ensures optimal bonding of surface enhancement products
- ◇ Improved drying performance
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Foam Generators: 3-5 mL
- ◇ Usage confirmed by targeting a specific pH level
- ◇ Acidity provides a pH of 3.0 when diluted at 1200:1
- ◇ Prevent this product from drying on surfaces

### ADDITIONAL INFORMATION:

Specific Gravity:	1.3	Available Colors:	White
pH of Concentrate:	<1	Scent:	Unscented
Recommended Dilution:	Up to 1200:1	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

## TECHNICAL BULLETIN WHEEL SHINE

20-S-M

### ULTRA CONCENTRATE - LOW PH WHEEL CLEANER

**Mothers® Automated Solutions™ Wheel Shine** is a ultra-concentrated, low-pH cleaner that helps to restore wheels and tires to their original condition. Cleaning wheels is the most difficult job in the wash cycle as you have to do the most work in the least amount of time. This formula packs the necessary punch to remove brake dust, dirt and other grime. It is highly recommended to use as a second cleaning

application to **Mothers® Automated Solutions™ Wheel Cleaner** which aggressively cleans grease and oil deposits. When used together, these products put the radiance and shine back into wheels that have become dirty over time.

**CAUTION:** For use on factory/OEM coated wheels and hubcaps only.

### ADVANTAGES

- ◇ Low pH formula targets and removes dirt and brake dust
- ◇ Clings to vertical surfaces extending dwell time
- ◇ High efficiency formula makes product extremely economical
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Chemical Tire Applicator (CTA): 6-8 mL at up to 100:1
- ◇ Do not allow to dry
- ◇ Avoid polished or roughcast aluminum, billet or anodized wheels
- ◇ Rinse off thoroughly with water

### ADDITIONAL INFORMATION:

Specific Gravity:	1.13	Available Colors:	White
pH of Concentrate:	0-2	Scent:	Unscented
Recommended Dilution:	Up to 100:1	Foam Profile:	Moderate
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## CERAMIC TRIPLE COAT

MS-03M  
03B | 03R | 03Y

### ULTRA CONCENTRATE - TRIPLE FOAM POLISH

**Mothers® Automated Solutions™ Ceramic Triple Coat** is a highly efficient, professional grade ceramic formula that is vibrant in color, rich in scent and provides an ultra-hydrophobic layer of protection. It is specifically designed to be the first ceramic application in the **Mothers® Automated Solutions™ Ceramic System** and will enhance your paint's color, clear coat gloss and clarity while laying down the foundation for

our additional ceramic steps. This triple foam polish will offer your customers excellent value in a middle tier wash package and will truly elevate the extreme optical clarity and depth that only our proprietary **Ceramic System** can deliver. Utilize with any type of foam generator to amplify your customers experience, giving them the ultimate show while reminding them that "There's no shine like Mothers®."

### ADVANTAGES

- ◇ Increase top package capture rates with an outstanding color and foam show
- ◇ Deeply enhances vehicle's shine
- ◇ Performs exceptionally in all types of foam generators
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Foam Generators: 3-5 mL at up to 450:1
- ◇ Rain Bar: 9-15 mL
- ◇ Apply after primary line of cleaning products
- ◇ Pre-rinse as much as possible before application

### ADDITIONAL INFORMATION:

Specific Gravity:	1.03	Available Colors:	White, Blue, Red, Yellow
pH of Concentrate:	6-8	Scent:	Mothers Signature Scent
Recommended Dilution:	Up to 450:1	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

## TECHNICAL BULLETIN

# HYBRID CERAMIC WAX

TO-SM

## ULTRA CONCENTRATE - CERAMIC WAX

**Mothers® Automated Solutions™ Hybrid Ceramic Wax** is a proprietary and revolutionary formula that will provide your customers with a reason to gloat about their vehicle's deeper, more reflective shine and smoother feel. Featuring a balanced blend of advanced science and traditional car care, this formula seamlessly unites the trusted and time-tested natural protection of #1 yellow carnauba

wax with the cutting-edge ceramic technology of today. Our **Hybrid Ceramic Wax** delivers a fortified shine that repels water and contaminants with ease thanks to our ultra-slick formula that leaves you with a ceramic protected, liquidy-gloss appearance. This product will allow you to confidently provide your customers added value to your top tier wash packages.

## ADVANTAGES

- ◇ Enhanced color, gloss and clarity
- ◇ Super-hydrophobic ceramic durability
- ◇ Unites traditional carnauba wax with modern ceramic technology
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

## DIRECTIONS FOR USE:

- ◇ Foam Generators: 4-6 mL at up to 1000:1
- ◇ Sheet Foamer: 14-20 mL
- ◇ Foam onto vehicle with low air pressure
- ◇ Rinse off with spot free water

## ADDITIONAL INFORMATION:

Specific Gravity:	1.01	Available Colors:	Carnauba Yellow
pH of Concentrate:	6-8	Scent:	Mothers Signature Scent
Recommended Dilution:	Up to 1000:1	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED



# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## GRAPHENE SURFACE PROTECTANT

MP-01

### ULTRA CONCENTRATE - CERAMIC PROTECTANT

**Mothers® Automated Solutions™ Graphene Surface Protectant** incorporates our ceramic and graphene infused technology to provide a long-term, polymer nano shield that protects vehicles from harsh UV rays and any other elements that Mother Nature can throw your way. This unique formula durably bonds to your vehicle's surface to give you extreme protection while further enhancing the shine from

our **Ceramic Triple Coat** and **Hybrid Ceramic Wax**. A single application of this product can last up to 30 days and will give the user extraordinary water repellency so they can navigate in the rain more safely and with extreme confidence. Simply spray this product on, rinse it off and enjoy as you will see and feel this slick barrier that will lock the shine in and the weather out for weeks to come.

### ADVANTAGES

- ◇ Protects against harsh elements
- ◇ Ultra-durable and super-hydrophobic
- ◇ Nano-Particles fill microscopic irregularities for ultimate smooth surface feel
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ K-Sticks: 6-12 mL at up to 500:1
- ◇ Spray-on while vehicle is still wet
- ◇ Rinse-off immediately
- ◇ Allow a few hours for protective barrier to reach full effect

### ADDITIONAL INFORMATION:

Specific Gravity:	1.01	Available Colors:	White
pH of Concentrate:	6-8	Scent:	Mothers Signature Scent
Recommended Dilution:	Up to 500:1	Foam Profile:	Low
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## CERAMIC BEAD BOOSTER

MP-02

### ULTRA CONCENTRATE - CERAMIC DRYING AGENT

**Mothers® Automated Solutions™ Ceramic Bead Booster** is a ceramic infused drying agent that provides the benefits of sheeting and rapid beading in perfect balance thanks to the use of our extremely hydrophobic polymers. This formula is one that stacks over time and with each application you will find even more intense water behavior and rapid repellency all at extremely low usage rates. With just a couple milliliters per

application, you will cause water to shed at rates faster than ever before thanks to this unique formula that increases the surface tension so much that water just cannot hang on. The more times you use it, the better it gets and your customers will revel in its on-going effectiveness each time they come back to your wash. Give them something no one else can by giving them the **Mothers® Automated Solutions™ Ceramic System**.

### ADVANTAGES

- ◇ Perfect balance of sheeting and rapid beading
- ◇ Extremely low usage rates
- ◇ Stacks over time to make surface easier to dry
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Rain Bar: 2-3 mL at up to 3000:1
- ◇ Adjust dilution until desired performance achieved
- ◇ Can be aerated with a small amount of air pressure
- ◇ Overuse of product may result in less effective drying

### ADDITIONAL INFORMATION:

Specific Gravity:	0.98	Available Colors:	Colorless
pH of Concentrate:	5-7	Scent:	Unscented
Recommended Dilution:	Up to 3000:1	Foam Profile:	None
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## CERAMIC SURFACE SEALER

MP-03

### ULTRA CONCENTRATE – CERAMIC SEALANT

**Mothers® Automated Solutions™ Ceramic Surface Sealer** is a ceramic formula specifically designed to complete and optimize the synergy of all the **Ceramic System** applications by chemically bonding to your vehicle's surface providing it with wear and abrasion resistant properties. The silicon chemistry in this product will seal in the effects of our **Ceramic System** for weeks to come, resulting in superior shine from a tremendously slick and high-gloss

surface with self-cleaning and remarkably hydrophobic characteristics. This combination ensures the highest level of durable performance and increased water contact angle providing the user with a super charged drying affect in future wash cycles. Give your customers satisfaction in knowing that their vehicle will leave your wash not only clean, but also well protected — so you can keep them coming back month after month.

### ADVANTAGES

- ◇ Seals and maintains the coating properties of previous ceramic applications
- ◇ Ensures highest level of durability and resistance to wear and abrasion
- ◇ Provides vehicle's surface with self-cleaning and hydrophobic properties
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Rain Bar: 3-4 mL at up to 2000:1
- ◇ Wash and rinse vehicle before application
- ◇ Spray onto clean surface and rinse off immediately
- ◇ Overuse of product may result in less effective drying

### ADDITIONAL INFORMATION:

Specific Gravity:	0.98	Available Colors:	Colorless
pH of Concentrate:	5-7	Scent:	Mothers Signature Scent
Recommended Dilution:	Up to 2000:1	Foam Profile:	Low
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## TIRE SHINE

MP-04

### READY TO USE - WATER BASED TIRE DRESSING

**Mothers® Automated Solutions™ Tire Shine** consists of a durable penetrating formula that effectively coats your tire's sidewall, providing superior protection and shine. Run down, dull and faded tires can make a vehicle look old, weathered and neglected, even with fancy rims. That's why you need to include tire dressing as an optional offering in your wash process. Our advanced micro-emulsion technology

provides your tires with a long lasting, "just dressed" finish that won't brown, sling, or run. Thanks to this innovative formula it is no longer necessary to suffer the tradeoff of durability and protection to keep a show quality shine. Provide this offering with confidence and ease as our formula will always shine and will reduce clogging in both nozzles and applicator points.

### ADVANTAGES

- ◇ Provides maximum shine and superior protection
- ◇ Advanced formula that won't brown, sling, or run
- ◇ Designed for online application and will reduce clogging of nozzles
- ◇ Compatible with Friction, Touch-Free or Self-Serve applications

### DIRECTIONS FOR USE:

- ◇ Tire Shine Applicator: 10-20 mL per side per vehicle
- ◇ Tire surfaces should be thoroughly cleaned before applying this product
- ◇ Fully saturate pads, then continue to inject product
- ◇ Adjust application until desired look is achieved

### ADDITIONAL INFORMATION:

Specific Gravity:	0.99	Available Colors:	Colorless
pH of Concentrate:	N/A	Scent:	Mothers Signature Scent
Recommended Dilution:	RTU	Foam Profile:	N/A
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## WALL CLEANER

ME-01

### ULTRA CONCENTRATE - FACILITY MAINTENANCE

**Mothers® Automated Solutions™ Wall Cleaner** is a safe, high pH formula that helps you maintain your already attractive car wash tunnel. Being in the business of clean we all know that a vibrant, well-lit, and properly maintained car wash attracts more high-end consumers, which translates to increased sales of the **Mothers Automated Solutions™ Ceramic System**. Set the standard with this scented, extreme

foaming product that clings and safely cleans surface oils, grease and other grime on equipment, walls, floors, car wash brushes, windows and more. Like your everyday kitchen cleaner, this product is completely safe to use and requires nothing more than to foam it on, gently scrub, and rinse it off. Give your wash the same love that you give your customers and try our **Wall Cleaner** today!

### ADVANTAGES

- ◇ Advanced formula clings to vertical surfaces
- ◇ Lifts oils, grease and grime from car wash facility
- ◇ Resilient to hard water
- ◇ Safe to use formula

### DIRECTIONS FOR USE:

- ◇ Use in foam generating equipment of choice
- ◇ Apply onto surface and allow a few minutes to soak
- ◇ Gently agitate with scrub brush in tough to clean situations
- ◇ Rinse off thoroughly with water

### ADDITIONAL INFORMATION:

Specific Gravity:	1.02	Available Colors:	White
pH of Concentrate:	12-13	Scent:	Mothers Signature Scent
Recommended Dilution:	Safe at any ratio	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED

# MOTHERS®

*Automated Solutions*

TECHNICAL BULLETIN

## EQUIPMENT CLEANER

ME-02

### ULTRA CONCENTRATE - FACILITY MAINTENANCE

**Mothers® Automated Solutions™ Equipment Cleaner** helps you maintain the extremely pricey investment that is your car wash equipment with safe acid technology. This moderately foaming formula easily charges through hard water scale, alkaline residue, light rust, and inorganic soil types on walls, floors, equipment, windows, and other hard surfaces. The best part? It is safe on, glass, aluminum, stainless

steel, concrete, brick and more, even with it's supercharged cleaning power thanks to its low pH formula! Rest easy, knowing your employees will not be exposed to any dangerous chemicals with this safe and effective cleaning product. Just foam it on, gently scrub, and rinse it off and enjoy the restorative nature of this product that will leave your equipment looking years younger!

### ADVANTAGES

- ◇ Cuts through water scale, alkaline residue, light rust, and inorganic soils on car wash equipment
- ◇ Does not contain muriatic acid, ABF, HF, sulfuric acid, phosphoric acid or solvents
- ◇ Advanced formula clings to vertical surfaces
- ◇ Safe to handle and transport

### DIRECTIONS FOR USE:

- ◇ Light Strength: Dilute to 1:5-10
- ◇ Medium Strength: Dilute to 1:1-4
- ◇ Heavy Strength: Ready to use
- ◇ Apply to dry surface if possible and allow to dwell for a few minutes. Do not let dry.

### ADDITIONAL INFORMATION:

Specific Gravity:	1.06	Available Colors:	White
pH of Concentrate:	1-2	Scent:	Unscented
Recommended Dilution:	Up to 10:1	Foam Profile:	High
Reclaim Compatible:	Yes	Wash Types:	Friction, Touch-Free, Self-Serve
Does Not Contain:	Solvents, Phosphates or APE/NPE/OPE Surfactants	Safety/Cautions:	Refer to SDS Sheet for all safety, hazard and first aid information.

\*USAGE RATES VARY BASED ON GPM VOLUME AND TYPE OF APPLICATOR USED