

1. IDENTIFICATION

Product identifier

Product Name Ceramic Surface Sealer

Other means of identification

SDS # MOTH-008
Product Code MP-03
UN/ID No UN1993

Recommended use of the chemical and restrictions on use

Recommended Use Rinse Aid/Sealant/Protectant - Commercial Vehicle Wash

Details of the supplier of the safety data sheet

Supplier Address

Mothers Automated Solutions
 PO Box 28661
 Scottsdale, AZ 85255
 1-480-630-0366
 www.mothersautomatedsolutions.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Green liquid

Physical state Liquid

Odor Fruity

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

Signal Word

Danger

Hazard statements

Causes skin irritation
 Causes serious eye irritation
 May cause an allergic skin reaction
 May cause drowsiness or dizziness
 Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Contaminated work clothing must not be allowed out of the workplace
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Do not eat, drink or smoke when using this product
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Use explosion-proof equipment
 Keep cool

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 If skin irritation or rash occurs: Get medical advice/attention
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a poison center or doctor/physician if you feel unwell
 IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Proprietary Solvent	Proprietary	25-35
Diethylene Glycol Monobutyl Ether	112-34-5	15-25
Proprietary Silicone Solution	Proprietary	1-5
Proprietary biocide	Proprietary	<0.1
Proprietary fragrance	Proprietary	<0.1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures**General Advice**

In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a poison center or doctor/physician if you feel unwell.
Self-Protection of the First Aider	No action shall be taken involving any personal risk or without suitable training. it may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours. Treat symptomatically and supportively.
---------------------------	---

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor.

Hazardous combustion products Smoke, fumes or vapors, and oxides of carbon.

Explosion Data

Sensitivity to Mechanical Impact Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite/explode.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For Emergency Responders Follow all fire fighting procedures in Section 5. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Keep in suitable, closed containers for disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Keep in the original container or an approved alternative made from compatible material, kept tightly closed when not in use. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Use explosion proof equipment.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with local regulations. Keep cool.
Incompatible Materials	Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Solvent	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Diethylene Glycol Monobutyl Ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Proprietary Silicone Solution	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³
Proprietary fragrance	dermal sensitizer TWA: 20 ppm	-	-

Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Suitable protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Fruity
Appearance	Green liquid	Odor Threshold	Not determined
Color	Green		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	5-7		
Melting point / freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	~13°C		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Flammability Limit in Air			
Upper flammability or explosive limits	No data available		
Lower flammability or explosive limits	No data available		
Vapor Pressure	Not determined		
Vapor Density	No data available		
Relative Density	0.96-1.0		
Water Solubility	Not determined		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	No data available		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Incompatible Materials. Heat, flames and sparks.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.
Inhalation	May cause drowsiness or dizziness.
Ingestion	Avoid ingestion.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Solvent	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Diethylene Glycol Monobutyl Ether 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Proprietary Silicone Solution	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
Proprietary biocide	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Proprietary fragrance	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
------------------------	---

Numerical measures of toxicity

Oral LD50	>2,000 mg/kg
Dermal LD50	>2,000 mg/kg
ATEmix (inhalation-dust/mist)	>5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Proprietary Solvent	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i>) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =9640mg/L (96h, <i>Pimephales promelas</i>) LC50: =11130mg/L (96h, <i>Pimephales promelas</i>) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i>)	EC50: =13299mg/L (48h, <i>Daphnia magna</i>)
Diethylene Glycol Monobutyl Ether 112-34-5	EC50: >100mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: =1300mg/L (96h, <i>Lepomis macrochirus</i>)	EC50: >100mg/L (48h, <i>Daphnia magna</i>)
Proprietary Silicone Solution		LC50: =28200mg/L (96h, <i>Pimephales promelas</i>) LC50: >100mg/L (96h, <i>Pimephales promelas</i>) LC50: 19500 - 20700mg/L (96h, <i>Pimephales promelas</i>)	

		Oncorhynchus mykiss LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	
--	--	---	--

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Proprietary Solvent	0.05
Diethylene Glycol Monobutyl Ether 112-34-5	1
Proprietary Silicone Solution	-0.77
Proprietary biocide	0.99

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Proprietary Silicone Solution		Included in waste stream: F039		U154

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Proprietary Solvent	Toxic Ignitable
Proprietary Silicone Solution	Toxic Ignitable

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s. (Isopropanol)
Transport hazard class(es)	3
Packing Group	II

IATA

UN number or ID number UN1993
 Proper Shipping Name Flammable liquid, n.o.s. (Isopropanol)
 Transport hazard class(es) 3
 Packing group II

IMDG

UN number or ID number UN1993
 Proper Shipping Name Flammable liquid, n.o.s. (Isopropanol)
 Transport hazard class(es) 3
 Packing Group II

15. REGULATORY INFORMATION**International Inventories**

All ingredients are listed or exempt from listing on Chemical Substance Inventory

US Federal Regulations**CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary Silicone Solution	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Proprietary Solvent -		25-35	1.0
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	15-25	1.0
Proprietary Silicone Solution -		1-5	1.0

CWA (Clean Water Act)

Not determined

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Proprietary Silicone Solution -	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Proprietary Solvent	X	X	X
Diethylene Glycol Monobutyl Ether 112-34-5	X		X
Proprietary Silicone Solution	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards	Flammability	Instability	Special hazards
	-	-	-	-
<u>HMIS</u>	Health hazards	Flammability	Physical hazards	Personal Protection
	-	-	-	Not determined

Issue Date: 14-Dec-2023
Revision Date: 14-Dec-2023
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet