

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : DEFY Solid Color Wood Stain  
Product code : 300708, 300709, 300710, 300711, 300712, 300713, 300714

#### 1.2. Recommended use and restrictions on use

Recommended use : Exterior Wood Coating  
Restrictions on use : None known

#### 1.3. Supplier

##### Manufacturer

SaverSystems, Inc.  
800 S. 7th Street  
Richmond, IN 47374  
U.S.A  
T (765) 966-5084 - F (765) 935-4999

#### 1.4. Emergency telephone number

Emergency number : Chemtel: 1 (800) 255-3924 (available 24/7)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Hazardous to the aquatic environment - Acute Hazard Category 3	H402	Harmful to aquatic life
Hazardous to the aquatic environment - Chronic Hazard Category 3	H412	Harmful to aquatic life with long lasting effects

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard statements (GHS US) : H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (GHS US) : P273 - Avoid release to the environment.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixtures

Comments : Titanium Dioxide is inextricably bound in the chemical matrix of this product and no exposure can occur.  
Carbon Black is inextricably bound in the chemical matrix of this product and no exposure can occur.

Name	Product identifier	%
Titanium Dioxide	CAS-No.: 13463-67-7	1 – 5
Zinc oxide	CAS-No.: 1314-13-2	< 0.5
Carbon Black	CAS-No.: 1333-86-4	< 0.5

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.  
First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing.  
First-aid measures after ingestion : Rinse mouth with water. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Inhalation : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.  
Skin : Prolonged or repeated contact may cause skin to become dry.  
Eyes : Direct contact with the eyes is likely to be irritating.  
Ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhea.  
Chronic symptoms : None known.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : This product is not classified as flammable or combustible.  
Hazardous decomposition products in case of fire : On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent runoff from entering water courses, sewers and basements.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Wear suitable protective clothing. Do not touch or walk on the spilled product.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wear personal protective equipment. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Keep away from heat and direct sunlight. Store in original container. Do not freeze. Keep container closed when not in use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

DEFY Solid Color Wood Stain	
No additional information available	
Zinc oxide (1314-13-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Zinc oxide
ACGIH OEL TWA	2 mg/m <sup>3</sup> (R - Respirable particulate matter)
ACGIH OEL STEL	10 mg/m <sup>3</sup> (R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Metal fume fever
Regulatory reference	ACGIH 2021

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Zinc oxide (1314-13-2)</b>	
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Zinc oxide
OSHA PEL (TWA)	5 mg/m <sup>3</sup> (Fume) 15 mg/m <sup>3</sup> (Total dust) 5 mg/m <sup>3</sup> (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Titanium Dioxide (13463-67-7)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
ACGIH OEL TWA	10 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2021
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA)	15 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>Carbon Black (1333-86-4)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Carbon black
ACGIH OEL TWA	3 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2021
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Carbon black
OSHA PEL (TWA)	3.5 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.
Environmental exposure controls	: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Safety glasses with side shields

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous liquid.
Color	: White
Odor	: Mild odor
Odor threshold	: No data available
pH	: 8 – 9
Melting point	: Not applicable
Freezing point	: 32 °F
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Zinc oxide (1314-13-2)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

#### Titanium Dioxide (13463-67-7)

LD50 oral rat	> 5000 mg/kg
ATE US (dust, mist)	5.09 mg/l/4h

#### Carbon Black (1333-86-4)

LD50 oral rat	> 10000 mg/kg
---------------	---------------

Skin corrosion/irritation : Not classified  
pH: 8 – 9  
Serious eye damage/irritation : Not classified  
pH: 8 – 9  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

#### Titanium Dioxide (13463-67-7)

IARC group	2B - Possibly carcinogenic to humans
------------	--------------------------------------

#### Carbon Black (1333-86-4)

IARC group	2B - Possibly carcinogenic to humans
------------	--------------------------------------

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### Zinc oxide (1314-13-2)

LOAEL (dermal,rat/rabbit,90 days)	75 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
NOAEL (oral,rat,90 days)	31.52 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

#### Carbon Black (1333-86-4)

LOAEC (inhalation,rat,dust/mist/fume,90 days)	0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Inhalation	: Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Skin	: Prolonged or repeated contact may cause skin to become dry.
Eyes	: Direct contact with the eyes is likely to be irritating.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Zinc oxide (1314-13-2)	
LC50 - Fish [1]	0.78 mg/l
EC50 - Crustacea [1]	0.147 mg/l
LC50 - Fish [2]	0.169 mg/l Oncorhynchus mykiss (Rainbow trout)
NOEC chronic fish	0.025 mg/l

Titanium Dioxide (13463-67-7)	
LC50 - Fish [1]	> 1000 mg/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	> 100 mg/l
EC50 - Crustacea [2]	27.8 mg/l Daphnia magna (Water flea)
NOEC (chronic)	≥ 2.92 mg/l Daphnia magna (Water flea)

### 12.2. Persistence and degradability

Zinc oxide (1314-13-2)	
Persistence and degradability	Biodegradation is not applicable to inorganic compounds.

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### DOT

No data available

#### TDG

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Zinc oxide	CAS-No. 1314-13-2	< 0.5%
------------	-------------------	--------

### 15.2. International regulations

#### CANADA

#### Zinc oxide (1314-13-2)

Listed on the Canadian DSL (Domestic Substances List)



# DEFY Solid Color Wood Stain

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Titanium Dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

### Carbon Black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

#### Titanium Dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

#### Carbon Black (1333-86-4)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

#### WARNING:

This product can expose you to Benzophenone, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Component	State or local regulations
Zinc oxide(1314-13-2)	U.S. - New Jersey - Right to Know Hazardous Substance List
Titanium Dioxide(13463-67-7)	U.S. - New Jersey - Right to Know Hazardous Substance List
Carbon Black(1333-86-4)	U.S. - New Jersey - Right to Know Hazardous Substance List

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases

H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.