(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate Analysis

500mg CBD Balm

Matrix: Topical

Accession Number: 041822UD0003

Harvest/Lot ID: 04072207 Seed to Sale: *

Batch Date: 04/18/22

Batch #: 04072207 Sample Size Received: 50 ml

Retail Product Size: 50 ml

Ordered: 04/18/22

Completed: 04/21/22

Sampling Method: SOP Client Method


Apr 21,2022 | Cornbread Hemp



Louisville, KENTUCKY,

CANNABINOID RESULTS

Total THC	Total CBD	Total Cannabinoids
0.036%	1.268%	1.340%



Analyzed by **Date Instrument** used **Analysis Method** Shimadzu HPLC w/ PDA 04/19/2022 SOP.KY.02.012

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-PDA). SOP.KY.02.005 for sample prep and SOP.KY.02.012 for analysis. % = %w/w = Percent (Weight of Analyte/Weight Product) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected. **Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation Total THC = THC + (THCa*0.877) Total CBD = CBD + (CBDa*0.877)

PASSED Filth & Foreign Matter

Analyzed by Date

Instrument used

04/19/2022

Microscope (Amscope)

Analysis Method

SOP.KY.02.011

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is used for inspection. (Method: SOP.KY.02.011)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



04/21/22

Signature

Signed On

Page 1 of 4

(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY,

Telephone:

Email: Melissa@cornbreadhemp.com





500mg CBD Balm

Matrix: Topical

Accession Number: 041822UD0003

Harvest/Lot ID: 04072207

Seed to Sale: *

Batch Date: 04/18/22

Batch #: 04072207

Sample Size Received: 50 ml

Retail Product Size: 50 ml

Ordered: 04/18/22

Completed: 04/21/22

Sampling Method: SOP Client Method

Pesticides PASSED

Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail	Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail
Abamectin B1a	0.02	ND	ppm	0.5	PASS	Acephate	0.01	ND	ppm	0.4	PASS
Acequinocyl	0.05	ND	ppm	2	PASS	Acetamiprid	0.01	ND	ppm	0.2	PASS
Aldicarb	0.02	ND	ppm	0.4	PASS	Azoxystrobin	0.01	ND	ppm	0.2	PASS
Bifenazate	0.01	ND	ppm	3.0	PASS	Bifenthrin	0.01	ND	ppm	0.2	PASS
Boscalid	0.01	ND	ppm	0.4	PASS	Carbaryl	0.01	ND	ppm	0.2	PASS
Carbofuran	0.01	ND	ppm	0.2	PASS	Chlorantraniliprole	0.01	ND	ppm	0.2	PASS
Chlorpyrifos	0.01	ND	ppm	0.2	PASS	cis-Permethrin	0.0041	ND	ppm	0.4	PASS
Clofentezine	0.01	ND	ppm	0.2	PASS	Coumaphos	0.01	ND	ppm	0.2	PASS
Cypermethrin	0.02	ND	ppm	1	PASS	Daminozide	0.02	ND	ppm	1	PASS
Diazanon	0.01	ND	ppm	0.2	PASS	Dichlorvos	0.05	ND	ppm	0.1	PASS
Dimethoate	0.01	ND	ppm	0.2	PASS	Dimethomorph	0.005	ND	ppm	0.1	PASS
Ethoprophos	0.01	ND	ppm	0.2	PASS	Etofenprox	0.01	ND	ppm	0.4	PASS
Etoxazole	0.01	ND	ppm	0.2	PASS	Fenhexamid	0.005	ND	ppm	0.1	PASS
Fenoxycarb	0.01	ND	ppm	0.2	PASS	Fenpyroximate	0.01	ND	ppm	0.4	PASS
Fipronil	0.02	ND	ppm	0.4	PASS	Flonicamid	0.01	ND	ppm	1	PASS
Fludioxonil	0.01	ND	ppm	0.4	PASS	Hexythiazox	0.01	ND	ppm	1	PASS
Imazalil	0.01	ND	ppm	0.2	PASS	Imidacloprid	0.01	ND	ppm	0.4	PASS
Kresoxim-Methyl	0.01	ND	ppm	0.4	PASS	Malathion	0.01	ND	ppm	0.2	PASS
Metalaxyl	0.01	ND	ppm	0.2	PASS	Methiocarb	0.01	ND	ppm	0.2	PASS
Methomyl	0.01	ND	ppm	0.4	PASS	Mevinphos	0.01	ND	ppm	0.1	PASS
Myclobutanil	0.01	ND	ppm	0.2	PASS	Naled	0.01	ND	ppm	0.5	PASS
Oxamyl	0.01	ND	ppm	1	PASS	Paclobutrazol	0.01	ND	ppm	0.4	PASS
Permethrins (sum)	0.05	ND	ppm	1	PASS	Phosmet	0.01	ND	ppm	0.2	PASS
Piperonyl Butoxide	0.01	ND	ppm	2	PASS	Prallethrin	0.05	ND	ppm	0.2	PASS
Propiconazole	0.01	ND	ppm	0.4	PASS	Propoxur	0.01	ND	ppm	0.2	PASS
Pyrethrin I	0.01	ND	ppm	1	PASS	Pyridaben	0.01	ND	ppm	0.2	PASS
Spinetoram	0.01	ND	ppm	0.5	PASS	Spinosad (Spinosyn A)	0.01	ND	ppm	0.2	PASS
Spinosad (Spinosyn D)	0.01	ND	ppm	0.2	PASS	Spiromesifen	0.01	ND	ppm	0.2	PASS
Spirotetramat	0.02	ND	ppm	0.2	PASS	Spiroxamine	0.01	ND	ppm	0.2	PASS
Tebuconazole	0.01	ND	ppm	0.4	PASS	Thiacloprid	0.01	ND	ppm	0.2	PASS
Thiamethoxam	0.01	ND	ppm	0.2	PASS	trans-Permethrin	0.0118	ND	ppm	0.4	PASS
Trifloxystrobin	0.01	ND	ppm	0.2	PASS						

Analyzed by Date Instrument used Analysis Method

DB 04/19/2022 Shimadzu LCMSMS 8060 SOP.KY.02.022

Pesticide screening is performed using LC/MS/MS which can screen down to below single digit ppb concentrations for the 57 pesticides analyzed. (Method: SOP.KY.02.022)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



Dang Bris

04/21/22

Signature

Signed On

Page 2 of 4

(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY,

Telephone:

Email: Melissa@cornbreadhemp.com





500mg CBD Balm

Matrix: Topical

Accession Number: 041822UD0003

Harvest/Lot ID: 04072207

Seed to Sale: *

Batch Date: 04/18/22

Batch #: 04072207

Sample Size Received: 50 ml

Retail Product Size: 50 ml

Ordered: 04/18/22

Completed: 04/21/22

Sampling Method: SOP Client Method

Mycotoxins PASSED

Analyte	LLOQ	Result	Units	Action Level	Pass / Fail	Analyte	LLOQ	Result	Units	Action Level	Pass / Fail
Aflatoxin B1	0.001	ND	ppm	0.2	PASS	Aflatoxin B2	0.001	ND	ppm	0.2	PASS
Aflatoxin G1	0.001	ND	ppm	0.2	PASS	Aflatoxin G2	0.001	ND	ppm	0.2	PASS
Ocratoxin A+	0.001	ND	mag	0.2	DACC						

Analyzed by Date Instrument used Analysis Method

DB 04/19/2022 Shimadzu LCMSMS 8060 SOP.KY.02.022

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC/MS/MS. (Method: SOP.KY.02.022)

Residual	DACCED
Solvents	PASSED

Solvent	LLOQ	Result	Units	Action Level (PPM)	Pass/Fail
2-Propanol	60	ND	ppm	5000	PASS
Acetone	60	ND	ppm	5000	PASS
Acetonitrile	60	ND	ppm	410	PASS
Butane	200	ND	ppm	5000	PASS
Ethanol	80	ND	ppm	5000	PASS
Ethyl Acetate	60	ND	ppm	5000	PASS
Ethyl Ether	40	ND	ppm	5000	PASS
Heptane	40	ND	ppm	5000	PASS
Hexane	40	ND	ppm	290	PASS
Isobutane	200	ND	ppm	5000	PASS
M/P-Xylene	80	ND	ppm	2170	PASS
Methanol	40	ND	ppm	3000	PASS
O-Xylene	40	ND	ppm	2170	PASS
Pentane	60	ND	ppm	5000	PASS
Propane	400	ND	ppm	5000	PASS
Toluene	40	ND	ppm	890	PASS
Total Xylenes	120	ND	ppm	2170	PASS

Analyzed by	Date	Instrument used	Analysis Method
DB	04/18/2022	Shimadzu GC 2010+	SOP.KY.02.016

Residual solvents testing for 16 common extraction solvents is performed via GC/MS. (Method: SOP.KY.02.024)

Heavy Metals	PASSED
---------------------	--------

Metal	LLOQ	Result	Unit	Action Level	Pass / Fail
Arsenic	0.2	ND	ppm	2	PASS
Cadmium	0.2	ND	ppm	2	PASS
Lead	0.2	ND	ppm	5	PASS
Mercury	0.2	ND	ppm	1	PASS

Analyzed by	Date	Instrument used	Analysis Method
DB	04/19/2022	Shimadzu ICP/MS	SOP.KY.02.020

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen for toxic heavy metals (Arsenic, Cadmium, Lead, and Mercury). (Method SOP.KY.02.020)

Microbials		PASSED
------------	--	---------------

nalyte	Result
spergillus Flavus	not present in 1 gram.

Aspergillus Funigatus
Aspergillus Funigatus
Aspergillus Niger
Aspergillus Terreus
E. Coli
Interpretation 1 gram.
I

Analyzed by	Date	Instrument used	Analysis Method
TW	04/19/2022	PathogenDY	SOP KY 02 018

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.KY.02.018) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Salmonella

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



Duf Bris

04/21/22

not present in 1 gram.

Signature

Signed On

Page 3 of 4

(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY,

Telephone:

Email: Melissa@cornbreadhemp.com





500mg CBD Balm

Matrix: Topical

Accession Number: 041822UD0003

Harvest/Lot ID: 04072207

Seed to Sale: *

Batch Date: 04/18/22

Batch #: 04072207

Sample Size Received: 50 ml

Retail Product Size: 50 ml

Ordered: 04/18/22

Completed: 04/21/22

Sampling Method: SOP Client Method

Terpenes									STED
Terpenes	LLOQ	Units		Result (%)	Terpenes	LLOQ	Units		Result (%)
3-Carene	0.005	%	ND		alpha-Bisabolol	0.005	%	0.007	
Ilpha-Cedrene	0.005	%	ND		alpha-Humulene	0.005	%	ND	
lpha-Phellandrene	0.005	%	ND	: -	alpha-Pinene	0.005	%	0.006	
Ilpha-Terpinene	0.005	%	ND		beta-Myrcene	0.005	%	ND	
eta-Pinene	0.005	%	0.006	- 3	Borneol	0.005	%	ND	
amphene	0.005	%	ND		Camphor	0.005	%	ND	
aryophyllene Oxide	0.005	%	ND		Cedrol	0.005	%	ND	
is-Nerolidol	0.005	%	ND		Eucalyptol	0.005	0/0	0.085	
enchone	0.005	%	ND		Fenchyl Alcohol	0.005	0/0	ND	
amma-Terpinene	0.005	%	0.005		Geraniol	0.005	%	ND	
eranyl Acetate	0.005	%	ND		Guaiol	0.005	%	ND	
lexahydrothymol	0.005	%	0.231		Isoborneol	0.005	%	ND	
sopulegol	0.005	%	ND		Limonene	0.005	%	0.020	_
inalool	0.005	%	ND		Nerol	0.005	%	ND	
Ocimene	0.005	%	ND		Pulegone	0.005	0/0	0.009	[
Sabinene	0.005	%	ND		Sabinene Hydrate	0.005	%	ND	
erpineol	0.005	%	ND		Terpinolene	0.005	%	ND	
rans-Caryophyllene	0.005	%	0.021	_	trans-Nerolidol	0.005	%	ND	(
/alencene	0.005	%	ND						
Гotal					0.390	_			
Analyzed by	Date		Instrument us	and	Analysis Metl	d			

SOP.KY.02.024

Terpene testing for 37 common terpenes is performed via GC/MS. (Method SOP.KY.02.024)

Shimadzu Nexus GC 2030

04/19/2022

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or

inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



04/21/22

Signature

Signed On

Page 4 of 4