

Instruction Manual

2 Zone WiFi Water Timer with WiFi Hub


Model: TTV203WRF + TWG004WRF

Customer Support: Web: www.rainpointonline.com Email: service@rainpointus.com WhatsApp: +1 626-780-5952 US Free Hotline(English): +1 833-381-5659(MON-FRI 9:30 AM-5:30 PM PST) UK Free Hotline(English Deutsch): +44 800-808-5337(MON-FRI 9:00 AM-5:00 PM CET)



(Please scan the QR code to get the fast support)

*KEEP THIS MANUAL FOR FUTURE REFERENCE.



WELCOME TO RAINPOINT

RainPoint is pleased to present the **2 Zone WiFi Water Timer with WiFi Hub (Model: TTV203WRF + TWG004WRF)**-a smart sub-zone watering timer system for residential applications. Designed with the needs of the customer in mind, the model offers 2 high flow valves to water separate areas, simplified APP programming and an impressive range of features typically found in WiFi water timers costing twice as much.

While it's affordable, the model is without a doubt a professional grade product. The timer has a large and handsome body, equipped with 2 large manual buttons, an LCD indicator light and a sturdy casing, which is rain-proof and sun-proof, very suitable for outdoor use. The WiFi hub increasing range of garden watering and irrigation control equipment that are controllable via your smartphone in both iOS and Android formats.

Whatever your outdoor watering needs, RainPoint provides best-in-class irrigation products to help you more effectively manage and control your watering. Thank you for choosing RainPoint!

More product information and user guide will happen on

- @Rainpointglobal
- @Rainpointglobal
- 💟 @Rainpointglobal

- @RainPoint
- @Rainpointglobal
- @Rainpointglobal

Have Questions?

- **𝗞** : WhatsApp: +1 626-780-5952
- 🖂 : Email: service@rainpointus.com
- **2**: US Free Hotline (English): +1 833-381-5659

(MON-FRI 9:30 AM-5:30 PM PST)

UK Free Hotline (English Deutsch): +44 800-808-5337

(MON-FRI 9:00 AM-5:00 PM CET)

CONTENTS

| INTRODUCTION | 4-7 |
|--------------------------------------|-------|
| CONTENTS IN THE BOX | 04 |
| PRODUCTS OVERVIEW | 05 |
| TTV203WRF 2 Zone WiFi Water Timer | 05 |
| TWG004WRF WiFi Hub | 06 |
| FEATURES OVERVIEW | 07 |
| INSTALLATION | 8-13 |
| STEP 1. INSTALL APP ON YOUR PHONE | |
| STEP 2. CONNECT THE WIFI HUB | |
| STEP 3. CONNECT THE WIFI TIMER | |
| STEP 4. INSTALL THE WIFI TIMER | 12 |
| STEP 5. TEST BEFORE USE | 13 |
| APP PROGRAMMING | 14-23 |
| APP HOME SCREEN | |
| 2 ZONE WIFI IRRIGATION TIMER | |
| Device Parameter | 15 |
| Manual Watering | 16 |
| Watering Plan & Manual Rain Delay | 17 |
| WiFi Soil Sensor & Water Flow Meter* | 19 |


| WIFI SOCKET | 20 |
|--------------------------------------|----|
| Manual Power ON/OFF | 20 |
| Power ON/OFF By Schedule | 20 |
| SMART AUTOMATION | 21 |
| Automation & Tap-to-Run | 21 |
| How to set the automatic rain delay? | 22 |
| HOME MANAGEMENT | 24 |
| RESET THE DEVICE | 25 |
| | 26 |
| WARRANTY | 28 |
| CUSTOMER SUPPORT | 28 |

*WiFi soil sensor is sold separately, this kit does not contain WiFi soil sensor

INTRODUCTION

FN

CONTENTS IN THE BOX



- A. 1 x TTV203WRF 2 Zone WiFi Water Timer
- B. 1 x TWG004WRF WiFi Hub
- C. 1 x Instruction Manual
- D. 1 x Quick Setup Guide

FCC Notice:

FCC STATEMENT: (FCC ID: 2AWDBTTV203WRF, 2AWDBTWG004WRF)

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Warning: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the


following measures:


- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and the receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

PRODUCTS OVERVIEW

TTV203WRF 2 Zone WiFi Water Timer






Specification

Range Between WiFi Hub and Timer: 160 ft in the open area without interference Working Water Pressure: 0.5 bar to 8 bar(7.25-116.03PSI) Temperature Operating Range: 3°C - 50°C (37°F-122°F) Power By: 4 AA alkaline batteries (not included) WaterProof: IP54

 \triangle For outdoor use with cold water only.

Keep away from freezing. In freezing weather, the timer should be placed indoors. Used up or dead batteries must be removed from the timer and disposed of properly.

TWG004WRF WiFi Hub



Specification


Range Between WiFi Hub and Router: 160 ft in the open area without interference

Temperature Operating Range: 3°C - 40°C (37°F-104°F) WiFi Frequency Band: 2.4Ghz Only Input: 100-240V ~ 50Hz 16A

▲ For Indoor Use Only

Only applicable to 2.4Ghz WiFi. If your router is a dual-band router, please independently enable the 2.4GHz WiFi band and name it differently from the 5GHz WiFi band.

FEATURES OVERVIEW



- 1) WiFi Remote Control: Connect with 2.4GHz WiFi, set and check irrigation schedule by APP.
- 2) 2 Water Outlets: Watering schedules can be set independently in different zones.
- 3) WiFi Socket: The WiFi Hub can be use as WiFi socket.
- 4) Manual Watering: Manually turn on/off watering and set watering time.
- 5) Watering on Schedule: Each zone can set up to 3 separate watering programs per day. Each watering programs has different start time and watering duration.
- 6) Automatic Watering: ① When the WiFi timer is connected to the WiFi soil sensor (not included), it can automatically irrigate or stop according to the soil temperature and humidity data;
 - ② When you locate the home address for the timer, the APP will automatically synchronize the local weather information, and the timer can be automatically executed according to the weather trigger conditions you set.
- 7) Rain Delay: Manual Rain Delay and Automatic Rain Delay
- 8) Water Flow Meter: Built-in water flow meter to track water usage in the last 10 days.
- 9) Two Watering Modes: Irrigation mode and Mist mode.
- 10) **Co-management with family:** Home Management allows you to Add family members and give them permissions, manage the irrigation of your home garden together.
- 11) Low Battery and Water Leak Alarm: APP will send you alert messages when low battery or product failure.
- 12) One WiFi hub can pair with maximum 4 WiFi water timers. One WiFi water timer can pair with 2 WiFi soil sensor.
 - \triangle * Only compatible with Rainpoint TCS005FRF Wi-Fi soil sensor (not included).
 - ⚠ * Only applicable to 2.4Ghz WiFi



Tips:

Please scan the QR code or search the link for setup video or customer support to install the device guickly. Setup Video: www.youtube.com/@rainpoint Customer Support: www.rainpointonline.com/pages/support

Setup Video

FN

STEP 1. INSTALL APP ON YOUR PHONE





< Register United States of America Email Address

1. Download the RainPoint App

Search for "RainPoint" on Google Play or App Store or scan the QR code to download the Rainpoint APP.

2. Register your RainPoint account

Open your RainPoint APP, select Set Up

Follow the prompts to register a RainPoint account with your email or mobile number.

Note:

Ensure your country/region details are correct at this stage.

You may be prompted to allow access your location. This allows the app to show weather information, and can still function if you choose to opt out.

STEP 2. CONNECT THE WIFI HUB



Done

- 1. Plug your WiFi Hub to an indoor power source near your WiFi router and the outdoor outdoor location of your timer.
- 2. Open RainPoint App and tap "Add device" or " (+) " to add a new device.
- 3. Tap "Smart Irrigation" and "Add Manually", then select "Irrigation Hub"

4. select 2.4Ghz WiFi, and enter the password.

Tips:

If your router is a dual-band router, and you cannot identify the 2.4Ghz or 5Ghz WiFi, please tap the blue words "**Common router setting method**" to name the 2.4Ghz WiFi differently, then you can select it individually.

| The device is only connected to a separate 2.4Ghz WiFi, if you need help during | 1 |
|---|---|
| the device WiFi connection, please feel free to contact us. | |
| I Email: service@rainpointus.com | 1 |
| WhatsApp: +1 626-780-5952 | |
| | _ |

FΝ

- 09 -

× ≫ ⊡ ÷iūta ✓ Wi-Fi+ 2.4Ghz

Cancel

😤 WHFI Name

Select 2.4 GHz Wi-Fi

Network and enter password.

If your Wi-Fi is SGHz, please set it to be

10 = 40

Enter your Wi-Fi name or allow location access to find nearby Wi-Fi dovices. Open



Her


FAQ

Common router setting method

If your router supports both the 2.4 GHz and 5 GHz bands, but only one Wi-Fi name is displayed on the Wi-Fi search page of your mobile phone, perform these steps:

- Go to the Wireless page of the router. (The entry address is usually provided on the label attached to the back of the router).
- Go to the 2.4 GHz setting page, and set the Wi-Fi name (SSID) to xxx-2.4G, where xxx indicates the Wi-Fi name. Save setting.
- Go to the 5 GHz setting page, and set the Wi-Fi name (SSID) to xxx-5G, where xxx indicates the Wi-Fi name. Save setting.

When the preceding settings are complete, the new Wi-Fi names will




 Press and hold the WiFi hub button until the power indicator blink rapidly (2 times per second). Then select "confirm indicator rapidly blink" and tap Next. The APP will search and pair your WiFi hub automatically.

Note:

If the indicator doesn't blink rapidly (2 times per second), please tap "**Resetting Devices**" and follow the prompts (Or refer to the "**RESET THE DEVICE**" section of this manual) to reset the WiFi hub and make the hub indicator blink rapidly.

6. After the connection is successful, the color icon of irrigation hub will be displayed on the APP home screen.


STEP 3. CONNECT THE WIFI TIMER



 Insert 4 new AA alkaline batteries into the battery compartment of the timer. Replace the battery cover and make certain it is secured.

▲ WARNING:

- *Please use only alkaline batteries.
- *Do not mix old and new batteries.
- *Batteries are to be inserted with the correct polarity.
- *Exhausted batteries are to be removed from the product.
- *Please remove the battery from long-term no use.



- **2.** Return to the APP home screen, and tap " \oplus " to add the WiFi timer.
- 3. Tap "Smart Irrigation" and "Add Manually", then select "WIFI 2-Zone Smart Water Timer".

4. Press and hold the **left button** on the timer until the left and right indicators blink rapidly at the same time **(2 times per second)**. Then select "confirm indicator rapidly blink" and tap Next. The APP will search and pair your WiFi timer automatically.

Note:


If the indicators don't blink rapidly (2 times per second), please swipe the page and tap "**Resetting Devices**" and follow the prompts (Or refer to the "**RESET THE DEVICE**" section of this manual) to reset the WiFi timer and make the timer indicators blink rapidly.

5. After the connection is successful, the color icons of WiFi timer and WiFi socket will be displayed on the APP home screen.

Tips:

If necessary, **three additional WiFi timers can be added to the RainPoint APP through a WiFi hub**. A separate WiFi timer is available on Amazon.

STEP 4. INSTALL THE WIFI TIMER



1. Attach the timer inlet to the outdoor faucet/spigot (hand tighten only). From the timer outlet connect a drip irrigation system or a garden hose.

A WARNING:

- * The WiFi timer can only be used for cold water.
- * The WiFi timer uses a 433mHz RF connection to communicate with the WiFi Hub, and must be within a 160ft range, line of sight, of the WiFi Hub. If there are walls, iron gates or bushes blocking, please shorten the distance between them to better receive the signal.
- * Soil will absorb WiFi and RF signals, the best location of the timer is on the faucet 4 to 8 feet (1.2 to 2.4 meters) above the ground.
- * Do not place the WiFi timer in an underground valve box or anywhere your WiFi and RF signal will be obstructed.
- * Under freezing weather, the water timer should be removed from the tap and placed properly indoor to avoid any danger of freezing.

STEP 5. TEST BEFORE USE



Congratulations, you have completed the connection and installation of the 2 zone WiFi water timer. Please test whether the internal valve of your water timer is normal before using it.

- 1. Keep the faucet turned off.
- Press the left/right zone button of the timer, with a "click" sound, the left/right valve inside the timer opens for manual watering. After a few seconds, press the left/right zone button again, the "click" will sound again, and the left/right zone valve will close.
- **3**. Turn on the faucet a little bit, press the left/right zone button of the timer to check if the water flow out or shut off as expected. If yes, the valve is normall, please use it with confidence! If not, please repeat the above steps several times.

The test is over, everything is normal, please keep the faucet fully turned on!

Note:

When testing, please keep away from the timer outlet to avoid being splashed and wet.

APP PROGRAMMING APP HOME SCREEN

FN


Local Weather Forecast

Get your local weather forecast from website to realize intelligent watering.

All Devices .

A check list of all the devices you have connected. Tap to enter the operation page of devices you have added to program the operation schedule of the device.

On the "Smart" screen, there is "Tap-to-Run" and "Automation" functions. You can automate multiple smart products by setting conditions and tasks.



Home Management

You can locate your home, customize the home name and add family members. It is convenient for you to manage irrigation schedules for different residences.

• Add Devices

You can add multiple RainPoint devices on the APP to create a smart home irrigation system.


Room Management

Room Management is for indoor automatic irrigation system in different room.

-•Me

On the "Me" screen, there is "Message Center" and "FAO & Feedback" functions. You will receive water leak and low battery alerts on "Message Center". And you can get FAQ and report issue on "FAO & Feedback".

2-ZONE WIFI IRRIGATION TIMER



Tap the 2-Zone WiFi irrigation timer on the all devices list of APP home screen. It will display all the parameters and functions of the timer manually set on the APP. **Note:**

The WiFi timer will follow and perform the preset watering schedule after application set successfully, even if the phone or device loses network connection.

Device Parameter



Device & Third Party Control

Tap "Z" on the top right of the screen, you will enter the page for device information and third-party control.

Zone 1 / Zone 2

Select Zone1 or Zone2, the screen will display the data of the corresponding Zone.

• Unit Switch

Tap " $^{\circ}F$ and the unit (GAL/L) of water usage.

Last Water Usage

The WiFi water timer has built-in water fow meters, it will display the last water usage on the screen.

------ Soil Temperature & Moisture

Paired with the RAINPOINT WiFi soil sensor, it can also display soil temperature and moisture.


Note:

* WiFi soil sensor is sold separately.

* If the soil moisture is higher than the water prohibition level set on the soil sensor, the background color will change to red.

Working Status

Display the battery level of the timer, the current working mode and the time of the next watering.



Manual Watering

·How to get third-party control / voice control?

If you have an Amazon Alexa or Google Assistant, please tap the icon " 🗾 " in the upper right corner of the device page, select a third-party voice control device you own, then tap the operation guide, and follow the instructions to connect your WiFi water timer to the voice control device. After successfully connecting, you can control the WiFi water timer by voice.

Note:

The WiFi water timer can only perform simple voice commands, such as "turn on or turn off". If you have any questions or suggestions about this feature, please feel free to contact us. US Free Hotline: +1-833-3815659 UK Free Hotline: +44 800-808-5337 Email: service@rainpointus.com WhatsApp: +1 626-780-5952



Zone 1 / Zone 2

Select Zone1 or Zone2 for manual watering. Zone 1 controls the left valve of the timer. Zone 2 controls the right valve of the timer.

Manual Watering Duration

Move the hollow green circle on the dial to set the desired manual watering duration (0~60min).

Tap \blacktriangleright to start watering and \oplus to stop

Watering Plan & Manual Rain Delay



Zone 1 / Zone 2

Select Zone1 or Zone2 for manual watering. Zone 1 controls the left value of the timer. Zone 2 controls the right value of the timer.

Watering Day Of The Week

Each plan has **a specific color punctuation**. The punctuation in a specific color on the day of the week indicates that there is a corresponding watering plan for that day.

Plan A / Plan B / Plan C

Each ZONE can set 3 different watering plans every day. Each watering plan can be set with different start time, duration and watering day (frequency). Slide the switch of the watering plan to turn it on or off.

Manual Rain Delay

Rain delay applies to rainy days or other weather that causes high soil moisture. During the rain delay, the timer stops watering. After the rain delay ends, the timer will be executed according to the next watering plan. **Each ZONE can set 24/48/72 hours of rain delay**.

$\cdot \operatorname{How}$ to set the watering plan?

- 1. Tap Plan A/ Plan B/ Plan C on the plan screen of the 2-Zone WiFi irrigation timer.
- 2. Each watering plan has two watering modes: Irrigation Mode and Mist Mode.

These two modes do not refer to the difference in the water output of the timer, but the different settings of the watering frequency and duration.

Irrigation Mode: Watering at longer intervals

Mist Mode: Watering at shorter intervals



| 11:11 -7 | | | ₹∎) |
|-------------|-------------|-------------------|-----|
| < | Plan settir | ngs | |
| 🔵 Irriga | ation |) Mist | |
| 24H time | | | (m) |
| by quar | | lirrigate time | on |
| Start time | 12:00 AM | | |
| Duration(H: | d) 02:02 | | |
| Repeat | | | |
| w Tu | We Th | Fr 💿 | Su |
| | | | |
| | | | |
| | | | |

Irrigation Mode (Irrigation by quantity)

- 3. Tap Irrigation Mode.
- 4. Use the 24H time switch to toggle between 24hr and AM/PM time.
- 5. Click to select irrigation on amount.
- 6. Tap Start time to open the clock and set a start time.
- 7.Click to select irrigation on amount to set the continuous watering volume
- (From 1L to 10000L,From 1gallon to 2641 gallons)
- 8.Select the days to repeat watering every week as needed.
- 9. Save your settings.

For example:

The picture on the left shows that the WiFi water timer will water for 514L in irrigation mode. The start time is everyMonday, Thursday and Saturday at 12:00 am.

Irrigation Mode (Irrigation on time)

- 3. Tap Irrigation Mode.
- 4. Use the 24H time switch to toggle between 24hr and AM/PM time.
- 5. Click to select irrigation on time.
- 6. Tap Start time to open the clock and set a start time.
- 7. Tap Duration(H:M) to set a watering duration (from 0 hour 0 minute to 11 hours to 59 minutes).
- 8. Select the days to repeat watering every week as needed.
- 9. Save your settings.

For example:

The picture on the left shows that the WiFi water timer will water for 2 hours and two minutes in irrigation mode. The start time is every Monday, Thursday and Saturday at 12:00 am.

FN

| Peasettings P | 11:12 1 | | | ?∎ |
|---|---------------|--------------|--------|-----------|
| 24H time Start time Or:30 AM Misting Period(H:34) O2:00 Mist time S9: Interval(M:S) O2:00 | < | Plan setting | a | 1 |
| 244 time Start time Or:30 AM Misting Period(H:M) O2:00 Mist time 59: Interval(M:S) 02:00 | | | | 1 |
| Spray by quantity Spray on time Start time 07:30 AM Misting Period(HHM) 02:00 Mist time 59: Interval(MS) 02:00 | 🔘 Irriga | tion | 🔵 Mist | |
| quantity time Start time 07:30 AM Misting Period(H:M) 02:00 Mist time 59s Interval(M:S) 02:00 | 24H time | | | 61 |
| Misting Period(H3M) 02:00 Mist time 59s Interval(M:S) 02:00 | | | | s |
| Mist time 59s Interval(M:S) 02:00 | Start time | 07:30 AM | | |
| Interval(M:S) 02:00 | Misting Perio | d(H=M) 02 | 00 | |
| | Mist time | 595 | | - |
| Repeat | Interval(M:S) | 02:00 | | |
| | Repeat | | | |
| Ma Tu 🧑 Th 🙆 Sa 🧔 | Ma Tu | | Sa Sa | 0 |

Mist Mode (Spray by quantity)

- 3. Tap Mist Mode
- 4. Use the 24H time switch to toggle between 24hr and AM/PM time.
- 5. Click to select Mist on amount.
- 6. Tap Start time to open the clock and set a start time.
- 7. Tap Misting on amount to set the overall water volume of the misting program
 - (from 0 hour 0 minute to 11 hours to 59minutes).
- 8. Tap Mist time to set the duration for each misting.
- 9. Tap Interval to to set the interval time between each misting.
- 10. Select the days to repeat watering every week as needed.
- 11. Save your settings.

For example:

The picture on the left shows the WiFi water timer will water for 59 seconds and then rest for 2 minutes in mist mode cyclically. Until it runs out 555 gallons of water, starting at 7:30 in the morning every Wednesday, Friday and Sunday.

Mist Mode (Spray on time)

- 3. Tap Mist Mode
- 4. Use the 24H time switch to toggle between 24hr and AM/PM time.
- 5. Click to select Mist on time.
- 6. Tap Start time to open the clock and set a start time.
- 7. Tap Misting Period(H:M) to set the overall duration of the misting program
- (from 0 hour 0 minute to 11 hours to 59 minutes).
- 8. Tap Mist time to set the duration for each misting.
- 9. Tap Interval to to set the interval time between each misting.
- 10. Select the days to repeat watering every week as needed.
- 11. Save your settings.

For example:

The picture on the left shows the WiFi water timer will water for 59 seconds and then rest for 2 minutes in mist mode cyclically. The cycle lasts for 2 hours, starting at 7:30 in the morning every Wednesday, Friday and Sunday.

WiFi Soil Sensor & Water Flow Meter

| 4B | | Sens | | 80206 | |
|--------------------------|------------|-------|-------------|-------|----------|
| Z | one 1 | | Z | one 2 | |
| Sol | tigt film | | | | |
| 111 | | — 1e | rpeninan (7 | - 144 | #by (%) |
| - | | | | | |
| 1 | | | | | |
| e in | 27/92 | 29/12 | 29/12 | -30/1 | r. |
| Soil s | ensor | | | | |
| | | | | | |
| eb. | R . | F | 5 | | 0 |
| Concernite Concernite | r Maria | | | | C) My |

| 4 | | Sensor | | 1 |
|-----------|--------|--------|-------|----------|
| Zor | ie 1 | | Zone | 2 = |
| Water | r flow | | | |
| | | | | Unit - G |
| 1.0 | | | | |
| 11 | | | | |
| 12 | | | | |
| 26/12 | 27/12 | 28/12 | 29/12 | 10/12 |
| Soil sen: | tor | | | |
| | | | | |
| | | | | 0 |
| ø | 2 | Ed | | |

WiFi Soil Sensor (sold separately, not included)

If you have a Rainpoint WiFi soil sensor, you can pair it with your Rainpoint WiFi water timer and WiFi hub. **Each** zone can be paired with one WiFi soil sensor. And the soil temperature and moisture data monitored by the soil sensor will be displayed on your Rainpoint APP.

The soil sensor can also control the watering schedule of the timer. When the soil moisture is higher than the water prohibition level set on the soil sensor, the timer automatically interrupts the watering plan and stops watering until the soil moisture decreases.

Water Flow Meter

Each zone of the WiFi water timer has buil-in a water flow meter.

It will show you the daily water consumption in the last few days and help you quantify the daily water consumption to save water.

Note:

How to switch the unit of soil temperature and moisture and water flow meter ? Please tap the parameter screen and then tap " $^{\circ}F$ / $^{\circ}C$ " switch to toggle the unit.

WIFI SOCKET Manual Power ON/OFF





| Schedule Time variance in SDN 07:00 Variantiar 18:66 Variantiar Former DDN | 48 | 2 8886 经 🗑 🛢 2011 2013 🖘 |
|--|-----------------------|--------------------------|
| 07:00 Weekday Power OFF 18:46 Weekday | < | Schedule |
| Www.clay Power-OFF 18:46 Weekchay | Time variance is ±30s | |
| Power-OFF 18:46 Weekslay | | |
| 18:46 Weekday | | |
| Weekzlay | Powier:OFF | |
| | 18:46 | |
| Forest DN | Neekday | |
| | Power: DN | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Add Schedule

- 1. Tap the **WiFi Socket** on the all devices list of APP home screen.
- 2. Tap the **Power** to toggle the WiFi socket power on or off.


Note:

Each RainPoint WiFi hub can be used as a WiFi socket. But only when the WiFi timer is successfully paired with the WiFi hub, the WiFi socket device can be added to the APP.

- 1. Tap the **Timer** on the WiFi Socket screen.
- 2. Tap the Add Schedule to setup a schedule for the WiFi Socket.
- 3. Use the **clock wheels** to set the desired switch time of day.
- 4. Tap **Repeat** to choose which days of the week to toggle the socket.
- 5. Tap **Note** to add a custom description to your schedule.
- 6. Toggle the Notification switch to receive alerts when the schedule is triggered.
- 7. Tap **Save** to set your schedule, or exit without saving.
- 8. The schedule of the WiFi socket will be displayed on the previous add schedule screen.

SMART AUTOMATION

Automation & Tap-to-Run



Automation means the devices can execute automatically according to the set conditions such as the local weather, device status and time.

FΝ

For example, RAINPOINT APP can obtain the weather forecast information of your home location. When you set the conditions for immediately delaying the watering plan when it rains, the timer will automatically execute the watering delay when it rains in your local area. When you travel, you don't need to worry about whether the weather at home is raining.

Tap-to-Run means you can control multiple devices and plans with one tap.

3 Steps To Set Automation Or Tap-To-Run

- 1. Set a condition: According to your needs, set the conditions for automation or tap-to-run.
- 2. Set tasks: Set the tasks that the device needs to perform when the conditions are met
- 3. **Save the settings**: Please remember to save all the settings. The device will automatically execute according to what you set.

How to set the automatic rain delay?

| 21:49 | 14664 20 1 1 1 1 2 2 1 1 1 1 1 | 12:0 | 2.8884 & 8 2 20 20 20 4 |
|---------|--|--------------|-------------------------|
| < | Create Smart | < We | ather Next |
| Set a c | condition Set up task | Current City | 5 |
| | Launch Tap-to-Run | Sunny | |
| 2 | Example: turn off all lights in the be > droam with one tap. | Cloudy | |
| | When weather changes | Rainy | 0 |
| * | Example: when local temperature in ³⁷ greater than 28°C. | Snowy | |
| 0 | Schedule Scheroline Sc | Нагу | |
| | When device status changes Example: when an unusual activity () ⁵ is detected. | | |
| | | | |

| 4.2484 12 🖬 🖬 🗑 | 0 200 * 000 * | | 00000000000000000000000000000000000000 |
|-----------------------|-----------------------------|--------------|---|
| Create Smart | < | Selec | t Function Ne |
| | p task | | |
| Run the device | | | |
| 🛎 Select smart scenes | 2 C | 0 | 0 |
| C Send notification | | | 0 |
| Z Delay the action | 2 | 72 | |
| | | Cancel | Save |
| | Create Smart | Create Smart | Create Smart ✓ Select Set a condition Set up task Left Valve: Watering Run the device Select smart scenes Select smart scenes Select smart scenes Delay the action 24 a8 Z24 Belay the action |

- 1. Tap **Smart** at the bottom of the APP home screen.
- 2. Select Automation and tap Create Scene.
- 3. Set a condition when the weather changes to rain.


Note:

Please accurately locate the city where your home is located. The APP will automatically obtain weather forecast data based on the city you locate. When the weather forecast turns to rain, the conditions for execution will be triggered.

- 4. Tap Run the device to set up a task about device operation.
- 5. Select 2-Zone WiFi Irrigation Timer
- 6. Set the watering delay time of the left valve first, and then set the watering delay time of the right valve.

Note:

For the task performed by the device, select Run the device



- 7. Select the trigger condition of your condition to be when **all conditions are met** or **when any one of the conditions is met**. If there is only one trigger condition, there is no need to set it here.
- 8. Check your execution conditions and tasks.
- 9. Save your settings.

For example:

The picture on the left shows that when it rains in New York, the left and right valves of the 2-Zone WiFi irrigation timer will be automatically closed, and watering will be delayed for 24 hours.

SMART AUTOMATION

| 0.11 | 0.908/50 | ද ප මෝ ම මෝ ශා | 0.15 0.184 5 日 201 章 160 |
|------------|-----------|----------------|--------------------------|
| | | 8 0 | < Home Management |
| Bot | 3 | 2 | My home |
| | | | Create a home |
| Home Ma | anagement | 2 | Join a home |
| 🗊 Message | Center | 3× | |
| ⑦ FAQ & Fe | edback | | |
| | | | |
| ស | ġ | 0 | |

4.9486 6 1 201 2 20 200 < Home Settings Cancel Add Member Home Name My home. Name Room Management 6 Room(s) Region Home Member thejasonb@gmail.com Bob Home Owner Role Setting Add Member Administrator Manage Device and Room | Manage Delete Home Smart Setting | Manage Member Common Member 0 Use Device | Use Smart Setting

Rainpoint supports adding family members and sharing your home device to achieve co-management the home irrigation system with your family.

- 1. Tap **Me** at the bottom of the APP home screen.
- 2. Select **Home Management**. You can set the current home or create a home or join another home.

3. Set your home name, room management and home location.

Note:

Home location is related to the weather forecast information obtained by the system.

4. Add Home Member and set the corresponding usage permissions for the members.

RESET THE DEVICE

How to reset the WiFi Hub?

- Step 1. Press and hold the button. Please don't release until the end.
- Step 2. Plug in the hub and wait for the BLUE light on (Still keep holding the button)
- Step 3. Keep holding the button. Wait for the BLUE light on for a few seconds and then rapidlyflash, then the hub is restored to pair mode.

Search the link below to visit the WiFi Hub resetting video https://youtu.be/ykucYsxRtTs

How to reset the WiFi timer?

- Step 1. Remove all batteries from the battery compartment.
- Step 2. After 10 seconds, insert 4 fresh AA Alkaline batteries into the battery compartment of the timer.
- Step 3. While installing the battery, press and hold the left and right button on the timer without releasing the button until the LED indicator quickly flashed (2 times per second), then the WiFi timer is restored to pair mode.

Search the link below to visit the WiFi Timer resetting video https://www.youtube.com/playlist?list=PLOUGxY_wJOY-7zzm_D_4jkAjgrfJITS7p

Please scan the QR code below to get the resetting video quickly.



TROUBLESHOOTING

| Problem | Possible Cause | Possible Solution |
|------------------------------|--|--|
| Can't turn on /off the valve | Low battery Impurities in water inlet Unstable network or delayed response. | Replace fresh batteries Regularly clean the filter port of impurities to avoid disruptions in use. Wait a while and try again. |
| Inaccurate water flow meter | Inaccurate statistics due to tilted mounting angle. Low or erratic water pressure from the tap | The water timer needs to be installed perpendicular to the ground and it is recommended that it is not installed at an angle to avoid affecting the water count. Normal error values for water counts ± 5% |
| Timer won't connect | Impurities in water inlet filter. Rainfall delay parameters are set. Setting the plan for channel 1 to channel 2 by mistake. In a low power state, the timer goes into a low powerprotection state and does not execute the schedule. | Check that the WIFI network environment is working. Close to hubs and routers when connected to irrigation timers. Re-pair the timer: Press and hold the left button of the timer until the left and right indicators flash rapidly at the same time to indicate pairing. (Or remove the device from the homepage and reconnect) |
| Hub cannot connect | Not using 2.4GHZ WIFI. Incorrect WIFI password. Hub not in pairing state. | Confirm 2.4GHZ WIFI connection. Confirm that the WIFI password has been entered correctly. Press and hold the middle button and insert it into the socket agair without releasing the button, do not release the button during this time. After a few seconds the indicator light will come on for a while and then start flashing rapidly. This means that pairing has been entered. |

The meaning of LED light

LED indicator color of TTV203WRF WiFi water timer

- 1. Power-on reset: The red and white lights flash alternately 4 times when the machine is turned on.
- 2. Restore factory settings: Press and hold the timer button while turning on the timer, release the button after the red light flashes, and the timer will enter the factory reset state.
- 3. Irrigation status: The white light flashes for 3 seconds and lights for 200mS, indicating that the timer is in irrigation status.
- 4. Water leakage alarm: The red light flashes alternately for 1 second.
- 5. **Pairing state**: The **white** light flashes quickly (2 times per second) to indicate that the timer enters the timing pairing status, and waits for the 60-second pairing timeout to end.
- 6. Low battery state: The red light flashes for 3 seconds, and 200mS on indicates that the battery is in a low voltage state.

Power indicator color of TWG004WRF WiFi Hub

- 1. Smart pairing status: Blue LED light flashing fast(2 times per second)
- 2. AP pairing status: Blue LED light slow flashing
- 3. Socket function open: Blue LED light is always on
- 4. Socket function off: No light

The meaning of App background color



Green means everything works well. Red means the soil moisture is too high over the set level. FN

RainPoint provides a **1-year warranty** against manufacturing defects in materials and workmanship from the date of purchase.During the warranty period, we'll replace free of charge the product found to be defective under reasonable use and service as determined solely by RainPoint. **To extend and activate your warranty**, please email us with your order ID at service@rainpointus.com and we'll respond within 24 hours.

CUSTOMER SUPPORT


If you find it difficult to set up and want to watch the setting tutorial video, please subscribe to our channel: RainPoint on YouTube.



Please scan the QR code to visit the RainPoint channel on YouTube quickly.

If the app and the user manual don't have what you're looking for, and you need some help, please prepare the Model NO. and LOT NO. of your device and contact us before returning the Rainpoint to the store.

Email: service@rainpointus.com WhatsApp: +1 626-780-5952 US Free Hotline (English): +1 833-381-5659 (MON-FRI 9:30 AM-5:30 PM PST) UK Free Hotline (English Deutsch): +44 800-808-5337 (MON-FRI 9:00 AM-5:00 PM CET)
















EC REP

NAME: VIAJE ELECTRONIC COMPANY LIMITED ADDRESS: E588, 13 ADELAIDE ROAD, DUBLIN, D02 P950, IRELAND Email: VIAJEELE@outlook.com